# MATERION

# PRODUCT INFORMATION SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

Nickel Vanadium Product

Synonyms None.

Document number 001

Issue date 28-May-2015

Version number 02

Revision date 23-October-2018 Supersedes date 28-May-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Industrial uses: Uses of substances as such or in preparations at industrial sites

Manufacture of computer, electronic and optical products, electrical equipment

General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment

Scientific research and development

Other: Manufacture of medical and defense equipment

Uses advised against Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Consumer uses: Private households (= general public = consumers)

1.3. Details of the supplier of the product information sheet

**Supplier** 

Company name Materion Advanced Materials Group

Address 42 Mt. Ebo Road South

Brewster, NY 10509

**United States** 

Division

Telephone 1+845.279.0900
e-mail Not available.
Contact person Not available.

1.4. Emergency telephone

number

Chemtrec 1+703.527.3887

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

None, the product is a mixture.

# Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

exposure

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

Carcinogenicity Category 2 H351 - Suspected of causing

cancer.

Category 1 H372 - Causes damage to organs

through prolonged or repeated

exposure.

Hazard summary May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs

through prolonged or repeated exposure.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Nickel, Vanadium

Specific target organ toxicity - repeated

Hazard pictograms

Signal word Danger

**Hazard statements** 

Material name: Nickel Vanadium Product

1269 Version #: 02 Revision date: 23-October-2018 Print date: 23-October-2018 1 / 7

May cause an allergic skin reaction. H317 H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

#### **Precautionary statements**

Prevention

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202

Do not breathe dust/fume/gas/mist/vapors/spray. P260

Wash thoroughly after handling. P264

Do not eat, drink or smoke when using this product. P270

Contaminated work clothing should not be allowed out of the workplace. P272

Avoid release to the environment. P273

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

IF ON SKIN: Wash with plenty of water. P302 + P352

IF exposed or concerned: Get medical advice/attention. P308 + P313 If skin irritation or rash occurs: Get medical advice/attention. P333 + P313 Take off contaminated clothing and wash it before reuse. P362 + P364

Collect spillage. P391

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

Not a PBT or vPvB substance or mixture. 2.3. Other hazards

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Nickel	85 - 98	7440-02-0 231-111-4	-	028-002-01-4	
Classification:	Carc. 2;H351, Aquation	c Chronic 3;H412			7,S
Vanadium	2 - 15	7440-62-2 231-171-1	-	-	
Classification:	-				

#### **SECTION 4: First aid measures**

**General information** If exposed or concerned: get medical attention/advice. If you feel unwell, seek medical advice

(show the label where possible). Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both acute and

delayed

effects.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic

Symptoms may be delayed.

#### **SECTION 5: Firefighting measures**

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing Dry sand. Foam.

media

Unsuitable extinguishing Carbon dioxide (CO2).

media

PIS SLOVAKIA 1269 Version #: 02 Revision date: 23-October-2018 Print date: 23-October-2018

Material name: Nickel Vanadium Product

5.2. Special hazards arising from the substance or mixture This product is not flammable.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal

protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Clean up in accordance with all applicable regulations.

6.4. Reference to other

Not available.

sections

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### Occupational exposure limits

Slovakia. OELs for carcino Components	ogens and mutagens. Regulation No. 46/2002 o Type	on carcinogenic and i Value	nutagenic substances Form		
Nickel (CAS 7440-02-0)	TWA	0,05 mg/m3	Inhalable fraction.		
Biological limit values	No biological exposure limits noted for the ingredient(s).				
Recommended monitoring procedures	Follow standard monitoring procedures.				
Derived no effect levels (DNELs)	Not available.				
Predicted no effect concentrations (PNECs)	Not available.				

# 8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

# Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information** 

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Wear appropriate chemical resistant gloves. - Hand protection

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

1269 Version #: 02 Revision date: 23-October-2018 Print date: 23-October-2018 Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Observe any medical surveillance requirements. Always observe good personal hygiene Hygiene measures

measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Contaminated work clothing should not be allowed out of the workplace.

**Environmental exposure** 

controls

Environmental manager must be informed of all major releases.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Solid. **Form** Solid. Colour Gray-silver Odour None.

**Odour threshold** Not applicable. pН Not applicable.

Melting point/freezing point 1455 °C (2651 °F) estimated / Not applicable.

Initial boiling point and boiling

range

Not applicable.

Flash point Not applicable. **Evaporation rate** Not applicable. Flammability (solid, gas) None known. Upper/lower flammability or explosive limits

Flammability limit - lower

Not applicable.

Flammability limit - lower

(%) temperature

Not applicable.

Flammability limit - upper

(%)

Not applicable.

Flammability limit - upper

(%) temperature

Not applicable.

Explosive limit - lower (%)

Explosive limit - lower (%)

temperature

Not applicable. Not applicable.

Explosive limit - upper

Not applicable.

Explosive limit - upper (%)

Not applicable.

Not applicable.

temperature Vapour pressure Not applicable. Vapour density Not applicable.

Relative density Solubility(ies)

> Insoluble. Solubility (water)

Partition coefficient Not applicable.

(n-octanol/water)

**Auto-ignition temperature** Not applicable. **Decomposition temperature** Not applicable. Viscosity Not applicable. Not explosive. **Explosive properties** Not oxidising. Oxidising properties

9.2. Other information

8,54 g/cm3 estimated **Density** 

Specific gravity 8,54 estimated

PIS SLOVAKIA 1269 Version #: 02 Revision date: 23-October-2018 Print date: 23-October-2018

# **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong acids.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

May cause an allergic skin reaction. Skin contact Eye contact Not likely, due to the form of the product.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

**Symptoms** May cause an allergic skin reaction. Dermatitis. Rash.

# 11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation May cause skin irritation.

Serious eye damage/eye

Not likely, due to the form of the product.

irritation

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Not classified.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Nickel (CAS 7440-02-0) 2B Possibly carcinogenic to humans.

Not classified. Reproductive toxicity Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Not an aspiration hazard. **Aspiration hazard** Mixture versus substance

information

No information available.

Not available. Other information

# **SECTION 12: Ecological information**

12.1. Toxicity Not relevant, due to the form of the product.

12.2. Persistence and

degradability

No data available. 12.3. Bioaccumulative potential **Partition coefficient** Not available

n-octanol/water (log Kow)

Not available Bioconcentration factor (BCF) 12.4. Mobility in soil No data available.

12.5. Results of PBT Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Material name: Nickel Vanadium Product PIS SLOVAKIA 1269 Version #: 02 Revision date: 23-October-2018 Print date: 23-October-2018

Dispose of in accordance with local regulations. Empty containers or liners may retain some Residual waste

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

The Waste code should be assigned in discussion between the user, the producer and the waste EU waste code

disposal company.

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of Disposal methods/information

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

**RID** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Nickel (CAS 7440-02-0)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Nickel (CAS 7440-02-0)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### Other EU regulations

#### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Follow national regulation for work with chemical agents. Young people under 18 years old are not **National regulations** 

allowed to work with this product according to EU Directive 94/33/EC on the protection of young

people at work, as amended.

15.2. Chemical safety No Chemical Safety Assessment has been carried out.

assessment

Material name: Nickel Vanadium Product PIS SLOVAKIA Print date: 23-October-2018

#### **SECTION 16: Other information**

List of abbreviations Information on evaluation method leading to the classification of mixture Not available.

Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

To avoid any misunderstandings or incorrect assumptions by the receiver of the safety information, it should be made clear that the supplied information is not in the form of a Safety Data Sheet (SDS), but is actually a voluntary Product Information Sheet closely following the guidelines of the Safety Data Sheet – COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 (REACH/SDS).

Material name: Nickel Vanadium Product

1269 Version #: 02 Revision date: 23-October-2018 Print date: 23-October-2018

7 / 7