



CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.

MATERION

Product name: Nickel Vanadium Product

Issue date: 05-14-2019

Version #: 01

SDS No: 001

SECTION 1 Chemical product and company identification

Chinese name of chemical	钒镍产品	
English name of chemical	Nickel Vanadium Product	
Manufacturer/Supplier	Materion Advanced Materials Group	
Address	42 Mt. Ebo Road South Brewster, NY 10509 United States	
Contact person	Not available.	
Telephone	1+845.279.0900	
e-mail	Not available.	
Emergency telephone number	Chemtrec	1+703.527.3887
Issue date	05-14-2019	
SDS No	001	

SECTION 2 Hazards identification

None, the product is a mixture.

Emergency overview	Causes damage to organs through prolonged or repeated exposure. Suspected of causing cancer. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects.
--------------------	--

Hazard categories

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 2
Environmental hazards	Not classified.	

Label elements

Pictograms



Signal word

Warning

Hazard statement

H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P308 + P313	IF exposed or concerned: Get medical advice/attention.
-------------	--

Storage

P405	Store locked up.
------	------------------

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Physical and chemical hazards	The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.
Health hazards	Prolonged inhalation may be harmful. Expected to be a low ingestion hazard.
Environmental hazards	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Supplemental information	100% of the mixture consists of component(s) of unknown acute oral toxicity. 100% of the mixture consists of component(s) of unknown acute dermal toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture	
Chemical name	Concentration (%)	CAS Number
Nickel	85 - 98	7440-02-0
Vanadium	2 - 15	7440-62-2

SECTION 4 First aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms and health effects	Direct contact with eyes may cause temporary irritation.
Personal protection for first-aid responders	If exposed or concerned: get medical attention/advice. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
Notes to physician	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media	Foam. Dry sand.
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire. Carbon dioxide (CO ₂).
Specific hazards	This product is not flammable.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
Clean-up methods and materials and containment measures	The product is immiscible with water and will spread on the water surface. Clean up in accordance with all applicable regulations. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Prevention of secondary hazards Not available.

SECTION 7 Handling and storage

Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Storage Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8 Exposure controls/personal protection

Exposure limits

China OELs. Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (GBZ 2.1-2007)

Components	Type	Value
Nickel (CAS 7440-02-0)	PC-TWA	1 mg/m ³

Biological limit values No biological exposure limits noted for the ingredient(s).

Monitoring methods Follow standard monitoring procedures.

Engineering measures Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear appropriate chemical resistant gloves.

Eye protection If contact is likely, safety glasses with side shields are recommended.

Skin and body protection Use of an impervious apron is recommended.

Hygiene measures Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance

Physical state Solid.

Form Solid.

Color Gray-silver

Odor None.

Odor threshold Not applicable.

pH Not applicable.

Melting point/freezing point 2651 °F (1455 °C) estimated / Not applicable.

Boiling point, initial boiling point, and boiling range Not applicable.

Flash point Not applicable.

Flammability limit - lower (%) Not applicable.

Flammability limit - lower (%) temperature Not applicable.

Flammability limit - upper (%) Not applicable.

Flammability limit - upper (%) temperature Not applicable.

Explosive limit - lower (%) Not applicable.

Explosive limit - lower (%) temperature	Not applicable.
Explosive limit - upper (%)	Not applicable.
Explosive limit - upper (%) temperature	Not applicable.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	Not applicable.
Density	8.54 g/cm ³ estimated
Solubility(ies)	
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	None known.
Other data	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	8.54 estimated
Viscosity	Not applicable.

SECTION 10 Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong acids.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11 Toxicological information

Acute toxicity	Not known.
Routes of exposure	Inhalation.
Symptoms	Direct contact with eyes may cause temporary irritation.
Skin corrosion/irritation	May cause skin irritation.
Serious eye damage/eye irritation	Not likely, due to the form of the product.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitizer	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Suspected of causing cancer.
China OELs for hazardous agents in the workplace: Carcinogen Category	
NICKEL METAL (CAS 7440-02-0)	Possible human carcinogen.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Nickel (CAS 7440-02-0)	2B Possibly carcinogenic to humans.
Toxic to reproduction	Not classified.

Specific target organ toxicity following single exposure	Not classified.
Specific target organ toxicity following repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

SECTION 12 Ecological information

Ecotoxicity	Not relevant, due to the form of the product.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulation	No data available.
Mobility in soil	The product is immiscible with water and will spread on the water surface.
Other hazardous effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Local disposal regulations	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14 Transport information

CNDG

UN number	UN3288
UN proper shipping name	TOXIC SOLID, INORGANIC, N.O.S. (Vanadium)
Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Packing group	III
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

CNDG



SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Classification of occupational disease hazards

Vanadium (CAS 7440-62-2)

Regulations on the Control over Safety of Dangerous Chemicals

Not regulated.

Regulations on Labor Protection in Workplaces Where Toxic Substances Are Used**Directory of Highly Toxic Substances**

Nickel (CAS 7440-02-0)

Provision on the Environmental Administration of New Chemical Substances**China Inventory of Existing Chemical Substances**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Other regulations

This safety data sheet conforms to the following laws, regulations and standards:

Measures for the Safe Use of Chemicals in Workplaces

General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009)

Regulations on Labor Protection in Workplaces Where Toxic Products Are Used

Packing Symbol of Dangerous Goods(GB190-2009)

Regulations on the Control over Safety of Dangerous Chemicals

Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)

Packing - Pictorial Marking for Handling of Goods (GB/T191-2009)

China. National Catalogue of Hazardous Wastes

Nickel (CAS 7440-02-0)

International regulations**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16 Other information**References**

EPA: AQUIRE database

GB6944-2012: Classification and Code of Dangerous Goods.

GB12268-2012: List of Dangerous Goods.

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer

Materion Advanced Materials Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Revision information

Product and Company Identification: Product Review
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Transport Information: Material Transportation Information
GHS: Qualifiers