

PRODUCT INFORMATION SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture Aluminum Copper Product
Registration number -
Document number 002
Synonyms None.
Issue date 21-May-2021
Version number 01

1.3. Details of the supplier of the product information sheet

Supplier

Company name Materion Advanced Materials
Address 6070 Parkland Boulevard
United States
Division
Telephone 1.216.383.4019
e-mail ehs@materion.com
Contact person Theodore Knudson

1.4. Emergency telephone number See Section 16.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Materion Advanced Materials
Address 6070 Parkland Boulevard
United States
Division
Telephone 1.216.383.4019
e-mail ehs@materion.com
Contact person Theodore Knudson

1.4. Emergency telephone number See Section 16.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral Category 4
Acute toxicity, inhalation Category 3
Serious eye damage/eye irritation Category 2

Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard Category 2

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Aluminium, COPPER FLAKES (COATED WITH ALIPHATIC ACID)
Hazard pictograms None.
Signal word Warning

Hazard statements

H400
H410

The material as sold in solid form is generally not considered hazardous. However, if the process involves grinding, melting, cutting or any other process that causes a release of dust or fumes, hazardous levels of airborne particulate could be generated.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Response

P391 Collect spillage.

Storage

Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

None.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Aluminium	90 - 99,9	7429-90-5 231-072-3	-	013-002-00-1	
Classification: Aquatic Acute 1;H400, Aquatic Chronic 1;H410					T
COPPER FLAKES (COATED WITH ALIPHATIC ACID)	0,1 - 10	7440-50-8 231-159-6	01-2119480154-42-0080	-	
Classification: -					

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Not available.

Skin contact Not available.

Eye contact Not available.

Ingestion Not available.

4.2. Most important symptoms and effects, both acute and delayed Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing media Not available.

Unsuitable extinguishing media Not available.

5.2. Special hazards arising from the substance or mixture Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Not available.
For emergency responders	Not available.

6.2. Environmental precautions Not available.

6.3. Methods and material for containment and cleaning up Not available.

6.4. Reference to other sections Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Not available.

7.2. Conditions for safe storage, including any incompatibilities Not available.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	MAK	5 mg/m ³	Respirable fraction.
		10 mg/m ³	Inhalable fraction.
	STEL	20 mg/m ³	Inhalable fraction.
		10 mg/m ³	Respirable fraction.
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	MAK	1 mg/m ³	Inhalable fraction.
		0,1 mg/m ³	Fume and respirable dust.
	STEL	4 mg/m ³	Inhalable fraction.
		0,4 mg/m ³	Fume and respirable dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Not available.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Not available.

Individual protection measures, such as personal protective equipment

General information Not available.

Eye/face protection Not available.

Skin protection

- **Hand protection** Not available.

- **Other** Not available.

Respiratory protection Not available.

Thermal hazards Not available.

Hygiene measures Not available.

Environmental exposure controls Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Solid.
Form	Not available.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	660 °C (1220 °F) estimated
Initial boiling point and boiling range	2327 °C (4220,6 °F) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	0,06 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.

9.2. Other information

Density	3,27 g/cm ³ estimated
Specific gravity	3,27 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Not available.
10.3. Possibility of hazardous reactions	Not available.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Not available.
10.6. Hazardous decomposition products	Not available.

SECTION 11: Toxicological information

General information	Not available.
----------------------------	----------------

Information on likely routes of exposure

Inhalation	Not available.
Skin contact	Not available.
Eye contact	Not available.
Ingestion	Not available.
Symptoms	Not available.

11.1. Information on toxicological effects

Acute toxicity	No data available.
Skin corrosion/irritation	Not available.
Serious eye damage/eye irritation	Not available.
Respiratory sensitisation	Not available.
Skin sensitisation	Not available.
Germ cell mutagenicity	Not available.
Carcinogenicity	Not available.
Reproductive toxicity	Not available.
Specific target organ toxicity - single exposure	Not available.
Specific target organ toxicity - repeated exposure	Not available.
Aspiration hazard	Not available.
Mixture versus substance information	Not available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity

Product	Species		Test Results
Aluminum Copper Product			
Aquatic			
Crustacea	EC50	Daphnia	1,7371 mg/l, 48 hours
Fish	LC50	Fish	25,5603 mg/l, 96 hours
<i>Acute</i>			
Fish	LC50	Fish	0,3245 mg/l, 96 hours estimated
Components	Species		Test Results

COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)

Aquatic

Acute

Crustacea	EC50	Blue crab (<i>Callinectes sapidus</i>)	0,0031 mg/l
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>)	0,0219 - 0,0446 mg/l, 96 hours

12.2. Persistence and degradability Not available.

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow) Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

SECTION 14: Transport information

ADR

14.1. UN number UN3077

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

Class 9
Subsidiary risk -
Label(s) 9
Hazard No. (ADR) 90
Tunnel restriction code E

14.4. Packing group III

14.5. Environmental hazards Yes

14.6. Special precautions for user Not available.

RID

14.1. UN number UN3077

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

Class 9
Subsidiary risk -
Label(s) 9

14.4. Packing group III

14.5. Environmental hazards Yes

14.6. Special precautions for user Not available.

ADN

14.1. UN number UN3077

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

Class 9
Subsidiary risk -
Label(s) 9

14.4. Packing group III

14.5. Environmental hazards Yes

14.6. Special precautions for user Not available.

IATA

14.1. UN number UN3077

14.2. UN proper shipping name Environmentally hazardous substance, solid, n.o.s.

14.3. Transport hazard class(es)

Class 9
Subsidiary risk -

14.4. Packing group III

14.5. Environmental hazards Yes

ERG Code 9L

14.6. Special precautions for user Not available.

Other information


Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.


IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

ADN; ADR; IATA; RID



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended
Aluminium (CAS 7429-90-5)
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended
Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Aluminium (CAS 7429-90-5)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.
Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended
Aluminium (CAS 7429-90-5)
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)

National regulations Not available.

15.2. Chemical safety assessment Not available.

SECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture Not available.

Full text of any H-statements not written out in full under Sections 2 to 15

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Revision information

Product and Company Identification: Product Review

Composition / Information on Ingredients: Ingredients

Transport Information: Material Transportation Information

Training information

Not available.