



# SAFETY DATA SHEET

**MATERION**

## 1. Identification

**Product identifier** Aluminum Copper Product

**Other means of identification**

**SDS number** 002

**Manufacturer/Importer/Supplier/Distributor information**

**Manufacturer**

**Company name** Materion Electronic Materials

**Address** 6070 Parkland Boulevard  
Mayfield Heights, OH 44124  
United States

**Telephone** EH&S 1.216.383.4019

**Website** www.materion.com

**E-mail** ehs@materion.com

**Contact person** Theodore Knudson

**Emergency phone number** See Section 16.

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Acute toxicity, oral Category 4

Acute toxicity, inhalation Category 3

Serious eye damage/eye irritation Category 2

**Environmental hazards** Hazardous to the aquatic environment, acute hazard Category 2

Hazardous to the aquatic environment, long-term hazard Category 2

**OSHA defined hazards** Not classified.

**Label elements**

**Hazard symbol** None.

**Signal word** Warning

**Hazard statement** Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

**Precautionary statement**

**Prevention** Avoid release to the environment.

**Response** Collect spillage.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

## 3. Composition/information on ingredients

**Mixtures**

| Chemical name | Common name and synonyms | CAS number | %         |
|---------------|--------------------------|------------|-----------|
| Aluminum      |                          | 7429-90-5  | 90 - 99.9 |
| Copper        |                          | 7440-50-8  | 0.1 - 10  |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

|   |   |
|---|---|
| <b>Inhalation</b>   | If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist. |
| <b>Skin contact</b>   | Rinse skin with water/shower. Get medical attention if irritation develops and persists.  |
| <b>Eye contact</b>  | Rinse with water. Get medical attention if irritation develops and persists.  |
| <b>Ingestion</b>  | Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.   |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Direct contact with eyes may cause temporary irritation.  |
| <b>Indication of immediate medical attention and special treatment needed</b> | Treat symptomatically.  |
| <b>General information</b>  | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.  |

#### 5. Fire-fighting measures

|  |   |
|--|---|
| <b>Suitable extinguishing media</b>                                  | Powder. Dry sand.   |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire. Carbon dioxide (CO <sub>2</sub> ). |
| <b>Specific hazards arising from the chemical</b>                    | During fire, gases hazardous to health may be formed.   |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.             |
| <b>Fire fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk.   |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials.                |
| <b>General fire hazards</b>  | No unusual fire or explosion hazards noted.   |

#### 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. |
| <b>Methods and materials for containment and cleaning up</b>               | Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.  |
| <b>Environmental precautions</b>   | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.                        |

#### 7. Handling and storage

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. Use care in handling/storage. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Store in original tightly closed container.  |

#### 8. Exposure controls/personal protection

##### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

##### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components               | Type | Value               | Form                 |
|--------------------------|------|---------------------|----------------------|
| Aluminum (CAS 7429-90-5) | PEL  | 5 mg/m <sup>3</sup> | Respirable fraction. |

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

| Components             | Type | Value                 | Form           |
|------------------------|------|-----------------------|----------------|
| Copper (CAS 7440-50-8) | PEL  | 15 mg/m <sup>3</sup>  | Total dust.    |
|                        |      | 1 mg/m <sup>3</sup>   | Dust and mist. |
|                        |      | 0.1 mg/m <sup>3</sup> | Fume.          |

**US. OSHA Table Z-3 (29 CFR 1910.1000)**

| Components               | Type | Value                | Form                 |
|--------------------------|------|----------------------|----------------------|
| Aluminum (CAS 7429-90-5) | TWA  | 5 mg/m <sup>3</sup>  | Respirable fraction. |
|                          |      | 15 mg/m <sup>3</sup> | Total dust.          |
|                          |      | 50 mppcf             | Total dust.          |
|                          |      | 15 mppcf             | Respirable fraction. |

**US. ACGIH Threshold Limit Values**

| Components               | Type | Value                 | Form                 |
|--------------------------|------|-----------------------|----------------------|
| Aluminum (CAS 7429-90-5) | TWA  | 1 mg/m <sup>3</sup>   | Respirable fraction. |
| Copper (CAS 7440-50-8)   | TWA  | 1 mg/m <sup>3</sup>   | Dust and mist.       |
|                          |      | 0.2 mg/m <sup>3</sup> | Fume.                |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Components               | Type | Value                 | Form                               |
|--------------------------|------|-----------------------|------------------------------------|
| Aluminum (CAS 7429-90-5) | TWA  | 5 mg/m <sup>3</sup>   | Respirable.                        |
|                          |      | 5 mg/m <sup>3</sup>   | Welding fume or pyrophoric powder. |
|                          |      | 10 mg/m <sup>3</sup>  | Total                              |
| Copper (CAS 7440-50-8)   | TWA  | 1 mg/m <sup>3</sup>   | Dust and mist.                     |
|                          |      | 0.1 mg/m <sup>3</sup> | Fume.                              |

**US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants**

| Components               | Type | Value                 | Form                 |
|--------------------------|------|-----------------------|----------------------|
| Aluminum (CAS 7429-90-5) | PEL  | 5 mg/m <sup>3</sup>   | Pyrophoric powder.   |
|                          |      | 5 mg/m <sup>3</sup>   | Respirable fraction. |
|                          |      | 5 mg/m <sup>3</sup>   | Welding fume.        |
|                          |      | 10 mg/m <sup>3</sup>  | Total dust.          |
| Copper (CAS 7440-50-8)   | PEL  | 1 mg/m <sup>3</sup>   | Dust and mist.       |
|                          |      | 0.1 mg/m <sup>3</sup> | Fume.                |

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Skin protection****Hand protection**

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

**Other**

Wear suitable protective clothing.

**Respiratory protection**

In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking.

## 9. Physical and chemical properties

### Appearance

|                |                |
|----------------|----------------|
| Physical state | Solid.         |
| Form           | Solid.         |
| Color          | Not available. |

Odor Not available.

Odor threshold Not available.

pH Not available.

Melting point/freezing point 1220 °F (660 °C) estimated

Initial boiling point and boiling range 4220.6 °F (2327 °C) estimated

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

### Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.06 hPa estimated

Vapor density Not available.

Relative density Not available.

### Solubility(ies)

Solubility (water) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

### Other information

Density 3.27 g/cm<sup>3</sup> estimated

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 3.27 estimated

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

|              |  |
|--------------|--|
| Inhalation   | Prolonged inhalation may be harmful.                     |
| Skin contact | No adverse effects due to skin contact are expected.     |
| Eye contact  | Direct contact with eyes may cause temporary irritation. |
| Ingestion    | Expected to be a low ingestion hazard.                   |

**Symptoms related to the physical, chemical and toxicological characteristics** Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

|                                   |  |
|-----------------------------------|--|
| Acute toxicity                    | Not available.   |
| Skin corrosion/irritation         | Prolonged skin contact may cause temporary irritation.   |
| Serious eye damage/eye irritation | Direct contact with eyes may cause temporary irritation.   |
| Respiratory or skin sensitization |  |
| Respiratory sensitization         | Not a respiratory sensitizer.  |
| Skin sensitization                | This product is not expected to cause skin sensitization.  |
| Germ cell mutagenicity            | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| Carcinogenicity                   | This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.                                  |

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

#### US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

|  |  |
|--|--|
| Reproductive toxicity                              | This product is not expected to cause reproductive or developmental effects. |
| Specific target organ toxicity - single exposure   | Not classified.  |
| Specific target organ toxicity - repeated exposure | Not classified.  |
| Aspiration hazard                                  | Not an aspiration hazard.  |
| Chronic effects                                    | Prolonged inhalation may be harmful.   |

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

| Product                 |      | Species | Test Results                    |
|-------------------------|------|---------|---------------------------------|
| Aluminum Copper Product |      |         |                                 |
| <b>Aquatic</b>          |      |         |                                 |
| Crustacea               | EC50 | Daphnia | 1.7371 mg/l, 48 hours           |
| Fish                    | LC50 | Fish    | 25.5603 mg/l, 96 hours          |
| <i>Acute</i>            |      |         |                                 |
| Fish                    | LC50 | Fish    | 0.3245 mg/l, 96 hours estimated |

| Components             | Species |   | Test Results                   |
|------------------------|---------|---|--------------------------------|
| Copper (CAS 7440-50-8) |         |   |                                |
| <b>Aquatic</b>         |         |   |                                |
| <i>Acute</i>           |         |   |                                |
| Crustacea              | EC50    | Blue crab ( <i>Callinectes sapidus</i> )      | 0.0031 mg/l                    |
| Fish                   | LC50    | Fathead minnow ( <i>Pimephales promelas</i> ) | 0.0219 - 0.0446 mg/l, 96 hours |

\* Estimates for product may be based on additional component data not shown.

|                                      |   |
|--------------------------------------|---|
| <b>Persistence and degradability</b> | No data is available on the degradability of this product.  |
| <b>Bioaccumulative potential</b>     | No data available.  |
| <b>Mobility in soil</b>              | No data available.  |
| <b>Other adverse effects</b>         | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

### 13. Disposal considerations

|  |  |
|--|--|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.   |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.   |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).   |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.   |

### 14. Transport information

#### DOT

Not regulated as dangerous goods.


#### IATA

|                                     |  |
|-------------------------------------|--|
| <b>UN number</b>                    | UN3077   |
| <b>UN proper shipping name</b>      | Environmentally hazardous substance, solid, n.o.s. |
| <b>Transport hazard class(es)</b>   |  |
| <b>Class</b>                        | 9  |
| <b>Subsidiary risk</b>              | -  |
| <b>Packing group</b>                | III  |
| <b>Environmental hazards</b>        | Yes  |
| <b>ERG Code</b>                     | 9L   |
| <b>Special precautions for user</b> | Not available.                                     |
| <b>Other information</b>            |  |
| <b>Passenger and cargo aircraft</b> | Allowed with restrictions.                         |
| <b>Cargo aircraft only</b>          | Allowed with restrictions.                         |


#### IMDG

Not regulated as dangerous goods.

IATA



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

## 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Copper (CAS 7440-50-8)

Listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical**

No (Exempt)

**SARA 313 (TRI reporting)**

| Chemical name | CAS number | % by wt.  |
|---------------|------------|-----------|
| Aluminum      | 7429-90-5  | 90 - 99.9 |
| Copper        | 7440-50-8  | 0.1 - 10  |

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)**

Contains component(s) regulated under the Safe Drinking Water Act.

## US state regulations

### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

Aluminum (CAS 7429-90-5)

Copper (CAS 7440-50-8)

## 16. Other information, including date of preparation or last revision

**Issue date** 05-25-2022

**Version #** 01

**Further information** Transportation Emergency  
Call Chemtrec at:  
US: 800.424.9300  
International: 703.741.5970  
Spain: 900.868.538  
Switzerland: 0800.564.402  
Chemtrec's toll free, mobile-enabled number in Germany – 0800 1817059  
South Korea Toll-free Number – 080-880-0468

**Other information** Revised information in Section 16.

**Disclaimer** Materion Electronic Materials cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.