



SAFETY DATA SHEET

MATERION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance	Antimony Oxide, Sb ₂ O ₃
Identification number	051-005-00-X (Index number)
Registration number	-
Document number	1BO
Synonyms	Antimony and its compounds: antimony(III) oxide, dust (as Sb) * ANTIMONIOUS OXIDE
Materion Code	1BO
Issue date	24-August-2017
Version number	06
Revision date	04-August-2021
Supersedes date	02-September-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Not available.
Uses advised against	None known.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral	Category 4	H302 - Harmful if swallowed. H302 - Harmful if swallowed.
Carcinogenicity	Category 2	H351 - Suspected of causing cancer.

Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard	Category 2	H411 - Toxic to aquatic life with long lasting effects.
--	------------	---

Hazard summary

Harmful if swallowed. Causes severe skin burns and eye damage. Harmful if inhaled. Harmful if swallowed. May cause cancer. Causes damage to organs through prolonged or repeated exposure. Suspected of causing cancer. Exposure to powder or dusts may be irritating to eyes, nose and throat. Prolonged exposure may cause chronic effects. Dangerous for the environment if discharged into watercourses. Occupational exposure to the substance or mixture may cause adverse health effects. The material as sold in solid form is generally not considered hazardous. However, if the process involves grinding, melting, cutting or any other process that causes a release of dust or fumes, hazardous levels of airborne particulate could be generated.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Antimony trioxide

Hazard pictograms



Signal word

Danger

Hazard statements

H302	Harmful if swallowed.
H350	May cause cancer.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H351	Suspected of causing cancer.
H402	Harmful to aquatic life.

H411

Toxic to aquatic life with long lasting effects.

Precautionary statements**Prevention**

P201	Obtain special instructions before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P281	Use personal protective equipment as required.

Response

P301 + P330 + P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P391	Collect spillage.

Storage

P405	Store locked up.
------	------------------

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Supplemental label information

100% of the substance consists of component(s) of unknown acute dermal toxicity. 100% of the substance consists of component(s) of unknown acute inhalation toxicity. 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment. For further information, please contact the Product Stewardship Department at +1.800.862.4118.

2.3. Other hazards

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

SECTION 3: Composition/information on ingredients**3.1. Substances****General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Antimony trioxide	100	1309-64-4 215-175-0	-	051-005-00-X	
Classification: Acute Tox. 4;H302, Skin Corr. 1;H314, Acute Tox. 4;H332, Carc. 2;H351, Aquatic Chronic 2;H411					

List of abbreviations and symbols that may be used above

DSD: Directive 67/548/EEC.

CLP: Regulation No. 1272/2008.

#: This substance has been assigned Union workplace exposure limit(s).

#: This substance has been assigned Community workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. *Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Composition comments

The full text for all H-statements is displayed in section 16. The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures**General information**

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

4.1. Description of first aid measures**Inhalation**

Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control centre immediately.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control centre immediately. For minor skin contact, avoid spreading material on unaffected skin.

Eye contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control centre immediately.

Ingestion Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

4.2. Most important symptoms and effects, both acute and delayed May cause temporary blindness and severe eye damage. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure may cause chronic effects.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media None known.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear suitable protective equipment.

Special firefighting procedures Use water spray to cool unopened containers. Water runoff can cause environmental damage.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate personal protective equipment. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders Keep unnecessary personnel away.

6.2. Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers.

6.4. Reference to other sections For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimise dust generation and accumulation. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Do not get this material on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	MAC	0,5 mg/m ³

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Czech Republic. OELs. Government Decree 361

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	Ceiling	0,2 mg/m ³
	TWA	0,1 mg/m ³

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Finland. Workplace Exposure Limits

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	VME	0,5 mg/m ³

Regulatory status: Indicative limit (VL)

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Material	Type	Value	Form
Antimony trioxide (CAS 1309-64-4)	AGW	0,006 mg/m ³	Respirable fraction.

Greece. OELs (Decree No. 90/1999, as amended)

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	STEL	0,4 mg/m ³
	TWA	0,1 mg/m ³

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Material	Type	Value	Form
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³	Dust.

Ireland. Occupational Exposure Limits

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Italy. Occupational Exposure Limits

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Material	Type	Value	Form
Antimony trioxide (CAS 1309-64-4)	TWA	1 mg/m ³	Dust.

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Netherlands. OELs (binding)

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Norway. Administrative Norms for Contaminants in the Workplace

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TLV	0,5 mg/m ³

Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Spain. Occupational Exposure Limits

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m ³

Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7)

Material	Type	Value	Form
Antimony trioxide (CAS 1309-64-4)	TWA	0,25 mg/m3	Inhalable dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Material	Type	Value	Form
Antimony trioxide (CAS 1309-64-4)	TWA	0,1 mg/m3	Inhalable fraction.

UK. EH40 Workplace Exposure Limits (WELs)

Material	Type	Value
Antimony trioxide (CAS 1309-64-4)	TWA	0,5 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls**Appropriate engineering controls**

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station.

Individual protection measures, such as personal protective equipment

General information Wear chemical protective equipment that is specifically recommended by the manufacturer. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Eye wash fountain is recommended.

Eye/face protection Wear eye/face protection. Chemical respirator with organic vapour cartridge, full facepiece, dust and mist filter.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Wear protective gloves.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Chemical respirator with organic vapour cartridge, full facepiece, dust and mist filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Observe any medical surveillance requirements. Do not get in eyes. Do not get this material in contact with skin. Do not get this material on clothing. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls

Contain spills and prevent releases and observe national regulations on emissions. Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Appearance	Powder.
Physical state	Solid.
Form	Powder.

Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	655 °C (1211 °F)
Initial boiling point and boiling range	1425 °C (2597 °F)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	3,67 kPa (25 °C (77 °F))
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2. Other information	
Molecular formula	O3-Sb2
Molecular weight	291,52 g/mol

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
10.5. Incompatible materials	None known.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of exposure	
Inhalation	Harmful if inhaled.
Skin contact	Causes severe skin burns.
Eye contact	Causes severe eye burns. Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed. Harmful if swallowed.
Symptoms	Burning pain and severe corrosive skin damage. Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes.
11.1. Information on toxicological effects	
Acute toxicity	Causes severe skin burns and eye damage. Harmful if inhaled. Harmful if swallowed. Harmful if swallowed.
Skin corrosion/irritation	Causes severe skin burns and eye damage.

Serious eye damage/eye irritation	Causes severe eye burns. Causes serious eye damage.
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	May cause cancer. Suspected of causing cancer.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Antimony trioxide (CAS 1309-64-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Due to partial or complete lack of data the classification for hazardous to the aquatic environment, acute hazard, is not possible.

Product	Species	Test Results
Antimony trioxide (CAS 1309-64-4)		
Aquatic		
<i>Acute</i>		
Crustacea	EC50	Water flea (Daphnia magna) 361,5 - 496 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) > 80 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

12.2. Persistence and degradability	No data is available on the degradability of this product.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.
12.7. Additional information	

Estonia Dangerous substances in soil Data

Antimony trioxide (CAS 1309-64-4)	Antimony (Sb) 10 mg/kg
	Antimony (Sb) 100 mg/kg
	Antimony (Sb) 20 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
-----------------------	--

Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	UN1549
14.2. UN proper shipping name	ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S. (Antimony trioxide)
14.3. Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Label(s)	6.1
Hazard No. (ADR)	60
Tunnel restriction code	E
14.4. Packing group	III
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number	UN1549
14.2. UN proper shipping name	ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S. (Antimony trioxide)
14.3. Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Label(s)	6.1
14.4. Packing group	III
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number	UN1549
14.2. UN proper shipping name	ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S. (Antimony trioxide)
14.3. Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Label(s)	6.1
14.4. Packing group	III
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

14.1. UN number	UN1549
14.2. UN proper shipping name	Antimony compound, inorganic, solid, n.o.s. (ANTIMONY TRIOXIDE)
14.3. Transport hazard class(es)	
Class	6.1
Subsidiary risk	-
14.4. Packing group	III
14.5. Environmental hazards	No.

ERG Code	6L
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.

IMDG

14.1. UN number	UN1549
14.2. UN proper shipping name	ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S. (ANTIMONY TRIOXIDE), Limited Quantity
14.3. Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
14.4. Packing group	III
14.5. Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-A
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.


ADN; ADR; RID



IATA



IMDG



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Antimony trioxide (CAS 1309-64-4)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents. According to Directive 92/85/EEC as amended, pregnant women should not work with the product, if there is the least risk of exposure.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).
CAS: Chemical Abstract Service.
CEN: European Committee for Standardization.
IATA: International Air Transport Association.
IBC: Intermediate Bulk Container.
IMDG: International Maritime Dangerous Goods.
MAC: Maximum Allowed Concentration.
MARPOL: International Convention for the Prevention of Pollution from Ships.
PBT: Persistent, bioaccumulative, toxic.
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.
STEL: Short term exposure limit.
TLV: Threshold Limit Value.
TWA: Time Weighted Average.
VLE: Exposure Limit Value.
VME: Exposure Average Value.
vPvB: Very persistent and very bioaccumulative.

References

ACGIH
EPA: AQUIRE database
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents

Information on evaluation method leading to the classification of mixture

Not applicable.

Training information

Follow training instructions when handling this material.

Further information

Emergency telephone numbers

Austria - VergiftungsInformationsZentrale, +431.406.43.43

Belgium - Centre Antipoisons - +070.245.245

Bulgaria - Телефон за спешни случаи / факс, +359.2.9154.409

Cyprus - +357.22405611

Czech Republic - Toxikologické informační středisko, +420.224.919.293

Denmark - Akuthjælp ved forgiftning, +82.12.12.12

Estonia - Mürgistusteabekeskuse, 16662

Finland - Myrkytystietokeskus, +(0)9.471.977

France - numéro ORFILA, +33.(0)1.45.42.59.59

Germany - GIZ-Nord Poisons Centre, +49.(0)551.383.1876

Greece - +30.210.64.79.286

Hungary - Az Egészségügyi Toxikológiai Tájékoztató Szolgálat, +36 1 476 6464

Iceland - +354.591.2000

Ireland - National Poisons Information Centre - +353.01.8092566

Italy - Istituto Superiore di Sanità, 064990.2423

Latvia - Valsts Toksikoloģijas centra Saindēšanās un zāļu informācijas centrs, +371.67042473

Liechtenstein - +423.236.61.95

Lithuania - Neatidėliotina informacija apsinuodijus, +370 5 236 20 52

Luxembourg - +352 42 59 91 600

Malta - 2545 0000

Netherlands - NVIC, 030-2748888

Norway - Giftinformasjonen, 22.59.13.00

Poland - Biuro ds. Substancji Chemicznych, +48 42 2538 424

Portugal - 808.250.143

Romania - Biroul RSI si Informare Toxicologica, 021.318.36.06

Slovakia - NTIC, +421.2.5477.4166

Slovenia - Kemična urad Republike Slovenije + 386.14.00.60.51

Spain - Servicio de Información Toxicológica, + 34.91.562.04.20

Sweden - 112

Disclaimer

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.