MATERION

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance Barium oxide

Identification number 056-002-00-7 (Index number)

Registration number

Document number 1DD

BARIUM MONOXIDE **Synonyms**

Materion Code 1DD

Issue date 26-May-2015 **Revision date** 12-March-2019

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Materion Advanced Chemicals Inc.

Address 407 N. 13th Street

> 1316 W. St. Paul Avenue Milwaukee, WI 53233

United States

Division Milwaukee **Telephone** 414.212.0257

e-mail advancedmaterials@materion.com

Laura Hamilton **Contact person**

1.4. Emergency telephone

number

Supersedes date 10-January-2018

Version number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral Category 4

Acute toxicity, inhalation Category 4 H332 - Harmful if inhaled.

Hazard summary Toxic if swallowed. Causes severe skin and eye burns. Harmful if inhaled.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Barium oxide

Hazard pictograms



Signal word None.

Hazard statements

Toxic if swallowed. H301

Causes serious eye damage. H318

Harmful if inhaled. H332

Precautionary statements

Prevention

P264 Wash thoroughly after handling.

Material name: Barium oxide SDS FU

Do not eat, drink or smoke when using this product. P270 Use only outdoors or in a well-ventilated area. P271

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

IF exposed: Call a POISON CENTRE or doctor/physician. P307 + P311 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P301 + P330 + P331

Storage Store away from incompatible materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label

information

None.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Barium oxide	100	1304-28-5 215-127-9	-	056-002-00-7	#
Classification:	Acute Tox. 3;H301, Eye	Dam. 1;H318, Acut	e Tox. 4;H332		1,A

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

In the case of accident or if you feel unwell, seek medical advice immediately (show the label **General information**

where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance.

Call a POISON CENTRE or doctor/physician if you feel unwell.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. **Eye contact** Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Ingestion

IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both

acute and delayed

Direct contact with eyes may cause temporary irritation.

4.3. Indication of any immediate medical attention and special treatment

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media

5.2. Special hazards arising

During fire, gases hazardous to health may be formed.

from the substance or

mixture

Material name: Barium oxide SDS FU

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear suitable protective equipment.

Special firefighting

procedures

Move containers from fire area if you can do so without risk.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate personal protective equipment. Avoid inhalation of dust. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

For emergency responders

Keep unnecessary personnel away.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other

Not available.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimise dust generation and accumulation. Avoid breathing dust. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria, MAK List, OEL Ordinance (GwV), BGBI, II, no. 184/2001

Material	Туре	Value	Form
Barium oxide (CAS 1304-28-5)	MAK	0,5 mg/m3	Inhalable fraction.
	STEL	2 mg/m3	Inhalable fraction.
Belgium. Exposure Limit Values.			
Material	Туре	Value	
Barium oxide (CAS	TWA	0,5 mg/m3	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work Material Value

Barium oxide (CAS	TWA	0,5 mg/m3
1304-28-5)		

Material name: Barium oxide

Material	Туре	Value	
Barium oxide (CAS 1304-28-5)	MAC	0,5 mg/m3	
Czech Republic. OELs. Govei Material	rnment Decree 361 Type	Value	
Barium oxide (CAS 1304-28-5)	Ceiling	2,5 mg/m3	
	TWA	0,5 mg/m3	
Denmark. Exposure Limit Va Material	alues Type	Value	
Barium oxide (CAS 1304-28-5)	TLV	0,5 mg/m3	
	Exposure Limits of Hazardous Substances.	(Annex of Regul	ation No. 293 of 18
September 2001) Material	Туре	Value	
Barium oxide (CAS 1304-28-5)	TWA	0,5 mg/m3	
Finland. Workplace Exposur Material	e Limits Type	Value	
Barium oxide (CAS 1304-28-5)	TWA	0,5 mg/m3	
•	ues (VLEP) for Occupational Exposure to Cho Type	emicals in Franc Value	e, INRS ED 984
France. Threshold Limit Valu Material Barium oxide (CAS			e, INRS ED 984
France. Threshold Limit Valu Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv Compounds in the Work Are	Type VME visory OELs). Commission for the Investigat	Value 0,5 mg/m3 tion of Health Ha	
France. Threshold Limit Valu Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv Compounds in the Work Are Material	Type VME visory OELs). Commission for the Investigat	Value 0,5 mg/m3	
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv. Compounds in the Work Are Material Barium oxide (CAS	Type VME visory OELs). Commission for the Investigat a (DFG)	Value 0,5 mg/m3 tion of Health Ha	nzards of Chemical
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv Compounds in the Work Are Material Barium oxide (CAS 1304-28-5)	Type VME visory OELs). Commission for the Investigat a (DFG) Type	Value 0,5 mg/m3 cion of Health Ha	nzards of Chemical Form
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv Compounds in the Work Are Material Barium oxide (CAS 1304-28-5) Germany. TRGS 900, Limit V Material Barium oxide (CAS	Type VME visory OELs). Commission for the Investigate (DFG) Type TWA Values in the Ambient Air at the Workplace	Value 0,5 mg/m3 tion of Health Ha Value 0,5 mg/m3	nzards of Chemical Form Inhalable fraction.
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv. Compounds in the Work Are Material Barium oxide (CAS 1304-28-5) Germany. TRGS 900, Limit V Material Barium oxide (CAS 1304-28-5) Greece. OELs (Decree No. 90)	Type VME visory OELs). Commission for the Investigate (DFG) Type TWA Values in the Ambient Air at the Workplace Type AGW D/1999, as amended)	Value 0,5 mg/m3 tion of Health Ha Value 0,5 mg/m3 Value 0,5 mg/m3	Form Form Form Form
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv. Compounds in the Work Are Material Barium oxide (CAS 1304-28-5) Germany. TRGS 900, Limit V Material Barium oxide (CAS 1304-28-5) Greece. OELs (Decree No. 90 Material	Type VME visory OELs). Commission for the Investigate (DFG) Type TWA Values in the Ambient Air at the Workplace Type AGW D/1999, as amended) Type	Value 0,5 mg/m3 tion of Health Ha Value 0,5 mg/m3 Value 0,5 mg/m3 Value	Form Form Form Form
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv Compounds in the Work Are Material Barium oxide (CAS 1304-28-5) Germany. TRGS 900, Limit V Material Barium oxide (CAS 1304-28-5) Greece. OELs (Decree No. 90 Material Barium oxide (CAS	Type VME visory OELs). Commission for the Investigate (DFG) Type TWA Values in the Ambient Air at the Workplace Type AGW D/1999, as amended)	Value 0,5 mg/m3 tion of Health Ha Value 0,5 mg/m3 Value 0,5 mg/m3	Form Form Form Form
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv. Compounds in the Work Are Material Barium oxide (CAS 1304-28-5) Germany. TRGS 900, Limit V Material Barium oxide (CAS 1304-28-5) Greece. OELs (Decree No. 90 Material Barium oxide (CAS 1304-28-5)	Type VME visory OELs). Commission for the Investigate (DFG) Type TWA Values in the Ambient Air at the Workplace Type AGW D/1999, as amended) Type	Value 0,5 mg/m3 tion of Health Ha Value 0,5 mg/m3 Value 0,5 mg/m3 Value	Form Form Form Form
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv. Compounds in the Work Are Material Barium oxide (CAS 1304-28-5) Germany. TRGS 900, Limit V Material Barium oxide (CAS 1304-28-5) Greece. OELs (Decree No. 90 Material Barium oxide (CAS 1304-28-5) Harium oxide (CAS 1304-28-5) Hungary. OELs. Joint Decree	Type VME visory OELs). Commission for the Investigate (DFG) Type TWA Values in the Ambient Air at the Workplace Type AGW D/1999, as amended) Type TWA TWA e on Chemical Safety of Workplaces	Value 0,5 mg/m3 tion of Health Have Value 0,5 mg/m3 Value 0,5 mg/m3 Value 0,5 mg/m3	Form Form Form Form
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv Compounds in the Work Are Material Barium oxide (CAS 1304-28-5) Germany. TRGS 900, Limit V Material Barium oxide (CAS 1304-28-5) Greece. OELs (Decree No. 90 Material Barium oxide (CAS 1304-28-5) Hungary. OELs. Joint Decree Material Barium oxide (CAS 1304-28-5)	Type VME visory OELs). Commission for the Investigate (DFG) Type TWA Values in the Ambient Air at the Workplace Type AGW D/1999, as amended) Type TWA TWA e on Chemical Safety of Workplaces Type	Value 0,5 mg/m3 tion of Health Have Value 0,5 mg/m3 Value 0,5 mg/m3 Value 0,5 mg/m3 Value 0,5 mg/m3	Form Form Form Form
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv. Compounds in the Work Are Material Barium oxide (CAS 1304-28-5) Germany. TRGS 900, Limit V. Material Barium oxide (CAS 1304-28-5) Greece. OELs (Decree No. 90) Material Barium oxide (CAS 1304-28-5) Hungary. OELs. Joint Decree Material Barium oxide (CAS 1304-28-5) Hungary. OELs. Regulation 1: Barium oxide (CAS 1304-28-5) Iceland. OELs. Regulation 1:	Type VME visory OELs). Commission for the Investigate (DFG) Type TWA Values in the Ambient Air at the Workplace Type AGW O/1999, as amended) Type TWA e on Chemical Safety of Workplaces Type TWA 54/1999 on occupational exposure limits	Value 0,5 mg/m3 tion of Health Have Value 0,5 mg/m3 Value 0,5 mg/m3 Value 0,5 mg/m3 Value 0,5 mg/m3	Form Form Form Form
France. Threshold Limit Value Material Barium oxide (CAS 1304-28-5) Germany. DFG MAK List (adv. Compounds in the Work Are Material Barium oxide (CAS 1304-28-5) Germany. TRGS 900, Limit V Material Barium oxide (CAS 1304-28-5) Greece. OELs (Decree No. 90 Material Barium oxide (CAS 1304-28-5) Hungary. OELs. Joint Decree Material Barium oxide (CAS 1304-28-5) Iceland. OELs. Regulation 1: Material Barium oxide (CAS	Type VME visory OELs). Commission for the Investigate (DFG) Type TWA Values in the Ambient Air at the Workplace Type AGW O/1999, as amended) Type TWA TWA Son Chemical Safety of Workplaces Type TWA 54/1999 on occupational exposure limits Type TWA	Value 0,5 mg/m3 tion of Health Have Value 0,5 mg/m3 Value 0,5 mg/m3	Form Form Form Form

Material name: Barium oxide

Italy. Occupational Exposure Limits Material	Туре	Value
Barium oxide (CAS 1304-28-5)	TWA	0,5 mg/m3
.atvia. OELs. Occupational exposure Material	e limit values of chemica Type	ll substances in work environment Value
Barium oxide (CAS 1304-28-5)	TWA	0,5 mg/m3
Lithuania. OELs. Limit Values for Ch Material	nemical Substances, Gen Type	neral Requirements Value
Barium oxide (CAS L304-28-5)	TWA	0,5 mg/m3
uxembourg. Binding Occupational Material	exposure limit values (A Type	nnex I), Memorial A Value
Barium oxide (CAS L304-28-5)	TWA	0,5 mg/m3
Malta. OELs. Occupational Exposure 124), Schedules I and V)	Limit Values (L.N. 227.	of Occupational Health and Safety Authority Act (Ca
Material	Туре	Value
Barium oxide (CAS 1304-28-5)	TWA	0,5 mg/m3
Netherlands. OELs (binding) Material	Туре	Value
Barium oxide (CAS 1304-28-5)	TWA	0,5 mg/m3
Norway. Administrative Norms for C Material	Contaminants in the Wor Type	kplace Value
Barium oxide (CAS 1304-28-5)	TLV	0,5 mg/m3
		une 2014 on the maximum permissible concentration nment, Journal of Laws 2014, item 817
Material	Туре	Value
Barium oxide (CAS .304-28-5)	TWA	0,5 mg/m3
Portugal. OELs. Decree-Law n. 290/ Material	2001 (Journal of the Re Type	public - 1 Series A, n.266) Value
Barium oxide (CAS 1304-28-5)	TWA	0,5 mg/m3
Portugal. VLEs. Norm on occupation Material	al exposure to chemical Type	agents (NP 1796) Value
Barium oxide (CAS 1304-28-5)	TWA	0,5 mg/m3
Romania. OELs. Protection of worke Material	rs from exposure to che Type	emical agents at the workplace Value
Barium oxide (CAS 1304-28-5)	TWA	0,5 mg/m3
Slovakia. OELs. Regulation No. 300/ Material	2007 concerning protec Type	ction of health in work with chemical agents Value
Barium oxide (CAS 1304-28-5)	TWA	0,5 mg/m3
working (Official Gazette of the Rep	ublic of Slovenia)	ers against risks due to exposure to chemicals while
Material	Туре	Value
Barium oxide (CAS	TWA	0,5 mg/m3

Material name: Barium oxide

Spain. Occupational Exposure Limits Material Value Type Barium oxide (CAS **TWA** 0,5 mg/m3 1304-28-5) Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7) **Form** Material Value **Type** Barium oxide (CAS **TWA** Total dust. 0,5 mg/m3 1304-28-5) Switzerland. SUVA Grenzwerte am Arbeitsplatz **Material** Value **Form Type** Barium oxide (CAS **STEL** 4 mg/m3 Inhalable dust. 1304-28-5) TW/A 0,5 mg/m3 Inhalable dust. **UK. EH40 Workplace Exposure Limits (WELs) Material Value Type** Barium oxide (CAS **TWA** 0,5 mg/m3 1304-28-5) EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU **Material Type** Value Barium oxide (CAS **TWA** 0,5 mg/m3 1304-28-5) **Biological limit values** No biological exposure limits noted for the ingredient(s). **Recommended monitoring** Follow standard monitoring procedures. procedures **Derived no effect levels** Not available. (DNELs) **Predicted no effect** Not available. concentrations (PNECs) 8.2. Exposure controls Appropriate engineering Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other controls engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Individual protection measures, such as personal protective equipment **General information** Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Eye/face protection Wear safety glasses with side shields (or goggles). Skin protection - Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier. - Other Wear suitable protective clothing. Use of an impervious apron is recommended. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with

organic vapour cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measuresKeep away from food and drink. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Material name: Barium oxide SDS EU

Physical stateSolid.FormSolid.

Colour Not available.

Odour Not available.

Odour threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and Not available.

boiling range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

Not available.

upper (%)

Vapour pressure < 0,0000001 kPa at 25 °C

Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

9.2. Other information

Molecular formula BaO

SECTION 10: Stability and reactivity

10.1. Reactivity Not available.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials None known.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contactDue to lack of data the classification is not possible. **Eye contact**Due to lack of data the classification is not possible.

Ingestion Harmful if swallowed. Harmful if swallowed.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity In high concentrations, vapours are anaesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. Harmful if inhaled. Harmful if swallowed. Harmful if swallowed.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible.

Material name: Barium oxide

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Specific target organ toxicity Due to partial or complete lack of data the classification is not possible.

- single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity

- repeated exposure

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

potential

No data available.

Partition coefficient

Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

12.7. Additional information

Estonia Dangerous substances in groundwater Data

Barium oxide (CAS 1304-28-5) Barium (Ba) 50 ug/l

Barium (Ba) 7000 ug/l

Estonia Dangerous substances in soil Data

Barium oxide (CAS 1304-28-5) Barium (Ba) 2000 mg/kg

> Barium (Ba) 500 mg/kg Barium (Ba) 750 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and

its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Special precautions Dispose in accordance with all applicable regulations.

Material name: Barium oxide SDS FU 8 / 11

SECTION 14: Transport information

ADR

14.1. UN number UN1884 14.2. UN proper shipping **BARIUM OXIDE** 14.3. Transport hazard class(es) **Class** 6.1(PGIII) **Subsidiary risk** Label(s) 6.1 Hazard No. (ADR) 60 **Tunnel restriction** Ε code 14.4. Packing group III 14.5. Environmental No. hazards 14.6. Special precautions Not available. for user **RID 14.1. UN number** UN1884 **BARIUM OXIDE** 14.2. UN proper shipping 14.3. Transport hazard class(es) Class 6.1(PGIII) **Subsidiary risk** Label(s) 6.1 14.4. Packing group III14.5. Environmental No. hazards 14.6. Special precautions Not available. for user **ADN 14.1. UN number** UN1884 14.2. UN proper shipping Barium Oxide 14.3. Transport hazard class(es) 6.1(PGIII) **Subsidiary risk** Label(s) 6.1 14.4. Packing group III 14.5. Environmental No. hazards 14.6. Special precautions Not available. for user **IATA 14.1. UN number** UN1884 14.2. UN proper shipping Barium oxide 14.3. Transport hazard class(es) **Class** 6.1(PGIII) **Subsidiary risk** 14.4. Packing group III 14.5. Environmental No. hazards **ERG Code** 14.6. Special precautions Not available. for user Other information Allowed with restrictions. Passenger and cargo aircraft Cargo aircraft only Allowed with restrictions. **IMDG 14.1. UN number** UN1884 14.2. UN proper shipping **BARIUM OXIDE**

Material name: Barium oxide

name

14.3. Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk - 14.4. Packing group III 14.5. Environmental hazards

Marine pollutant No.
EmS F-A, S-A
14.6. Special precautions Not available.

for user

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulationsThe product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Follow national regulation for work with chemical agents.

Material name: Barium oxide

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations Not available. **References** Not available.

Training information Follow training instructions when handling this material.

Disclaimer Materion Advanced Chemicals Inc. cannot anticipate all

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any

particular use and to comply with all Federal, State, Provincial and Local laws, statutes and

regulations.

Material name: Barium oxide