MATERION

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance Cobalt Silicide

Identification number 234-616-8 (EC number)

SynonymsNone.Document number1HEMaterion Code1HE

Issue date 21-May-2015

Version number 02

Revision date 10-January-2018 **Supersedes date** 21-May-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Supplier

Division

Telephone

Company name Materion Advanced Chemicals Inc.

Address 407 N. 13th Street

1316 W. St. Paul Avenue Milwaukee, WI 53233

United States Milwaukee 414.212.0257

e-mail advancedmaterials@materion.com

Contact person Noreen Atkinson

1.4. Emergency telephone

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Carcinogenicity Category 2 H351 - Suspected of causing

cancer.

Hazard summary Suspected of causing cancer. Prolonged exposure may cause chronic effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Cobalt Silicide

Hazard pictograms



Signal word Warning

Hazard statements

H351 Suspected of causing cancer.

Precautionary statements

Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

IF exposed or concerned: Get medical advice/attention. P308 + P313

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label

information

None.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Cobalt Silicide	90 - 100	12017-12-8 234-616-8	-	-	
Classification:	Carc. 2;H351				

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

SECTION 4: First aid measures

General information IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of

the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur. 4.2. Most important Direct contact with eyes may cause temporary irritation.

symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or

mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting

procedures

Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Material name: Cobalt Silicide SDS FU

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials

(see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

12017-12-8)

Occupational exposure limits

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work						
Material	Туре	Value				
Cobalt Silicide (CAS 12017-12-8)	TWA	0,1 mg/m3				

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Material	Туре	Value
Cobalt Silicide (CAS 12017-12-8)	MAC	0,1 mg/m3

Czech Republic. OELs. Government Decree 361

Material	Туре	Value	
Cobalt Silicide (CAS 12017-12-8)	Ceiling	0,1 mg/m3	
•	TWA	0,05 mg/m3	
Denmark. Exposure Limit Values			
Material	Туре	Value	
Cobalt Silicide (CAS	TLV	0,01 mg/m3	

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Material	Туре	Value
Cobalt Silicide (CAS 12017-12-8)	TWA	0,05 mg/m3
Einland Workplace Exposure Li	mite	

Finiand, workplace Exposure Limits

Material	Туре	Value	
Cobalt Silicide (CAS	TWA	0,02 mg/m3	
12017-12-8)			

Greece. OELs (Decree No. 90/1999, as amended)					
Material	Туре	Value			
Cobalt Silicide (CAS 12017-12-8)	TWA	0,1 mg/m3			

Material name: Cobalt Silicide SDS EU

Material		Type		•	/alue	
Cobalt Silicide (CAS 12017-12-8)		STEL		0	,4 mg/m3	
•		TWA		0	,1 mg/m3	
Iceland. OELs. Regula Material	ation 154/1999 on	occup Type	ational exposur		/alue	Form
Cobalt Silicide (CAS 12017-12-8)		TWA		0	,02 mg/m3	Dust and fume.
Ireland. Occupationa Material	l Exposure Limits	Туре		V	/alue	
Cobalt Silicide (CAS 12017-12-8)		TWA		0),1 mg/m3	
Italy. Occupational E Material	xposure Limits	Туре		V	/alue	
Cobalt Silicide (CAS 12017-12-8)		TWA		0	,02 mg/m3	
Lithuania. OELs. Lim Material	it Values for Chem	ical Su Type	bstances, Gener	=	ents /alue	
Cobalt Silicide (CAS 12017-12-8)		TWA		0	,05 mg/m3	
Poland. MACs. Regula work environment, A		ximun	n permissible co	ncentrations	and intensitie	es of harmful factors in
Material		Type		V	/alue	
Cobalt Silicide (CAS 12017-12-8)		TWA		0	,02 mg/m3	
Portugal. VLEs. Norm Material	on occupational e	xposui Type	re to chemical a	= =	96) /alue	
Cobalt Silicide (CAS 12017-12-8)		TWA		0	,02 mg/m3	
Slovakia. OELs. Regu Material	lation No. 300/200	07 cond Type	cerning protection		n work with c /alue	hemical agents
Cobalt Silicide (CAS 12017-12-8)		TWA		0	,05 mg/m3	
Spain. Occupational I Material	Exposure Limits	Туре		V	/alue	
Cobalt Silicide (CAS 12017-12-8)		TWA		0	,02 mg/m3	
Sweden. OELs. Work Material	Environment Auth	ority (A	AV), Occupation	_	.imit Values (<i>l</i> /alue	AFS 2015:7) Form
Cobalt Silicide (CAS 12017-12-8)		TWA		0	,02 mg/m3	Inhalable dust.
Switzerland. SUVA G Material	renzwerte am Arbe	eitsplat Type	z	V	/alue	Form
Cobalt Silicide (CAS 12017-12-8)		TWA		0	,05 mg/m3	Dust/aerosol, inhalab
UK. EH40 Workplace Material	Exposure Limits (\	WELs) Type		V	/alue	
Cobalt Silicide (CAS 12017-12-8)		TWA		0	,1 mg/m3	
ogical limit values						
France. Biological ind Material	licators of exposur Value	e (IBE) (National Insti Determinant	tute for Rese Specimen	arch and Secu Sampling	rrity (INRS, ND 2065) time
Cobalt Silicide (CAS	15 μg/l		Cobalt	Urine	*	
12017-12-8)						

Material name: Cobalt Silicide SDS EU

Blood

Cobalt

1 µg/l

 $\ ^{*}$ - For sampling details, please see the source document.

Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices

Material	Value	Determinant	Specimen	Sampling time
Cobalt Silicide (CAS 12017-12-8)	0,03 mg/g	Cobalt	Creatinine in urine	*
	0,058 µmol/mmol	Cobalt	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Spain. Biological Limit Values (VLBs), Occupational Exposure Limits for Chemical Agents, Table 4						
Material	Value	Determinant	Specimen	Sampling time		
Cobalt Silicide (CAS 12017-12-8)	15 μg/l	Cobalto	Urine	*		
·	1 μg/l	Cobalto	Blood	*		

^{* -} For sampling details, please see the source document.

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove - Hand protection

supplier.

- Other Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid. Solid. Form

Colour Not available. Odour Not available. **Odour threshold** Not available. Not available. Not available. Melting point/freezing point Initial boiling point and Not available. boiling range Flash point Not available.

Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit -

Not available.

upper (%)

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Explosive properties

Not available.

Not available.

Not available.

Not available.

Not available.

Not oxidising.

9.2. Other information

Molecular formula CoSi2

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contactNo adverse effects due to skin contact are expected. **Eye contact**Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity No data available.

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible. **Serious eye damage/eye**Due to partial or complete lack of data the classification is not possible.

irritation

Respiratory sensitisationDue to partial or complete lack of data the classification is not possible.

Skin sensitisation

Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Suspected of causing cancer.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Cobalt Silicide (CAS 12017-12-8) 2B Possibly carcinogenic to humans.

Reproductive toxicityDue to partial or complete lack of data the classification is not possible. **Specific target organ toxicity**Due to partial or complete lack of data the classification is not possible.

- single exposure

Material name: Cobalt Silicide SDS EU

Specific target organ toxicity

- repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information

Not available.

SECTION 12: Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the 12.1. Toxicity

No data is available on the degradability of this product.

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data available.

12.3. Bioaccumulative

potential

Partition coefficient

n-octanol/water (log Kow)

Not available.

Not available.

Bioconcentration factor (BCF) 12.4. Mobility in soil

12.5. Results of PBT and vPvB

No data available. Not available.

assessment

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.7. Additional information

Estonia Dangerous substances in groundwater Data

Cobalt Silicide (CAS 12017-12-8) Cobalt (Co) 300 UG/L

Cobalt (Co) 5 UG/L

Estonia Dangerous substances in soil Data

Cobalt Silicide (CAS 12017-12-8) Cobalt (Co) 20 mg/kg

Cobalt (Co) 300 mg/kg Cobalt (Co) 50 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Material name: Cobalt Silicide SDS EU

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Young people under 18 years old are not allowed to work with this product according to EU

Directive 94/33/EC on the protection of young people at work. Follow national regulation for work

with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations Information on evaluation method leading to the classification of mixture

Not available. Not applicable.

Disclaimer

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Material name: Cobalt Silicide SDS FU