



SAFETY DATA SHEET

MATERION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance	Lanthanum Fluoride (laf3)
Identification number	237-252-8 (EC number)
Registration number	-
Document number	1LO
Synonyms	None.
Materion Code	1LO
Issue date	21-September-2015
Revision date	19-May-2020

1.3. Details of the supplier of the safety data sheet

Supplier

Company name	Materion Advanced Chemicals Inc.
Address	407 N. 13th Street 1316 W. St. Paul Avenue Milwaukee, WI 53233 United States
Division	Milwaukee
Telephone	414.212.0257
e-mail	advancedmaterials@materion.com
Contact person	Laura Hamilton

1.4. Emergency telephone number

Supersedes date	11-January-2018
Version number	04

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Not available.
Uses advised against	None known.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This substance does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Lanthanum Fluoride (laf3)
Hazard pictograms	None.
Signal word	None.
Hazard statements	The substance does not meet the criteria for classification.

Precautionary statements

Prevention

	Observe good industrial hygiene practices.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P263	Avoid contact during pregnancy/while nursing.
P263	Avoid contact during pregnancy and while nursing.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear eye protection/face protection.
P280	Wear protective gloves.

P281 Use personal protective equipment as required.

Response

P304 + P340 + P312 Wash hands after handling.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical assistance if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/attention.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.

Storage

P403 + P233 Store away from incompatible materials.
Store in a well-ventilated place. Keep container tightly closed.

Disposal

P501 Dispose of waste and residues in accordance with local authority requirements.
Dispose of contents/container (in accordance with related regulations).

Supplemental label information

100% of the substance consists of component(s) of unknown acute oral toxicity. 100% of the substance consists of component(s) of unknown acute dermal toxicity. 100% of the substance consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the substance consists of component(s) of unknown long-term hazards to the aquatic environment. For further information, please contact the Product Stewardship Department at +1.800.862.4118.

2.3. Other hazards

Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Lanthanum Fluoride (laf3)	100	13709-38-1 237-252-8	-	-	#
Classification:	-				

List of abbreviations and symbols that may be used above

DSD: Directive 67/548/EEC.
CLP: Regulation No. 1272/2008.
#: This substance has been assigned Union workplace exposure limit(s).
M: M-factor
PBT: persistent, bioaccumulative and toxic substance.
vPvB: very persistent and very bioaccumulative substance.
All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air.
Skin contact Wash off with soap and water.
Eye contact Rinse with water. Get medical attention if irritation develops and persists.
Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Direct contact with eyes may cause temporary irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special firefighting procedures	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other sections For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Material	Type	Value	Form
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	MAK	2,5 mg/m ³	Inhalable fraction.
	STEL	12,5 mg/m ³	Inhalable fraction.

Belgium. Exposure Limit Values.

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m ³

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m ³

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	MAC	2,5 mg/m ³

Czech Republic. OELs. Government Decree 361

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	Ceiling	5 mg/m ³

Czech Republic. OELs. Government Decree 361

Material	Type	Value
	TWA	2,5 mg/m ³

Denmark. Exposure Limit Values

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TLV	2,5 mg/m ³

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m ³

Finland. Workplace Exposure Limits

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m ³

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	VME	2,5 mg/m ³

Regulatory status: Regulatory indicative (VRI)

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	STEL	10 mg/m ³
	TWA	2,5 mg/m ³

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	0,6 mg/m ³

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m ³

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m ³

Luxembourg. Binding Occupational exposure limit values (Annex I), Memorial A

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m ³

Netherlands. OELs (binding)

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	STEL	2 mg/m ³

Norway. Administrative Norms for Contaminants in the Workplace

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TLV	0,5 mg/m ³

Portugal. OELs. Decree-Law n. 290/2001 (Journal of the Republic - 1 Series A, n.266)

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m ³

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m3

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m3

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m3

Spain. Occupational Exposure Limits

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m3

Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7)

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2 mg/m3

UK. EH40 Workplace Exposure Limits (WELs)

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m3

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU

Material	Type	Value
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	TWA	2,5 mg/m3

Biological limit values**Croatia. BLV. Dangerous Substance Exposure Limit Values at Workplace, Annexes 4 (as amended)**

Material	Value	Determinant	Specimen	Sampling Time
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	7 mg/g	Fluoride	Creatinine in urine	*
	4 mg/g	Fluoride	Creatinine in urine	*

* - For sampling details, please see the source document.

Czech Republic. Limit Values for Indicators of Biological Exposure Tests in Urine and Blood, Annex 2, Tables 1 and 2, Government Decree 432/2003 Sb.

Material	Value	Determinant	Specimen	Sampling Time
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	60 µmol/mmol	Fluoride	Creatinine in urine	*
	10 mg/g	Fluoride	Creatinine in urine	*

* - For sampling details, please see the source document.

France. Biological indicators of exposure (IBE) (National Institute for Research and Security (INRS, ND 2065)

Material	Value	Determinant	Specimen	Sampling Time
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	3 mg/g	Fluorures	Creatinine in urine	*
	10 mg/g	Fluorures	Creatinine in urine	*

* - For sampling details, please see the source document.

Germany. TRGS 903, BAT List (Biological Limit Values)

Material	Value	Determinant	Specimen	Sampling Time
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	7 mg/g	Fluorid	Creatinine in urine	*

Germany. TRGS 903, BAT List (Biological Limit Values)

Material	Value	Determinant	Specimen	Sampling Time
	4 mg/g	Fluorid	Creatinine in urine	*

* - For sampling details, please see the source document.

Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices

Material	Value	Determinant	Specimen	Sampling Time
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	7 mg/g	fluoride	Creatinine in urine	*
	4 mg/g	fluoride	Creatinine in urine	*
	42 µmol/mmol	fluoride	Creatinine in urine	*
	24 µmol/mmol	fluoride	Creatinine in urine	*

* - For sampling details, please see the source document.

Slovakia. BLVs (Biological Limit Value). Regulation no. 355/2006 concerning protection of workers exposed to chemical agents, Annex 2

Material	Value	Determinant	Specimen	Sampling Time
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	7 mg/g	Fluorides	Creatinine in urine	*
	4 mg/g	Fluorides	Creatinine in urine	*

* - For sampling details, please see the source document.

Spain. Biological Limit Values (VLBs), Occupational Exposure Limits for Chemical Agents, Table 4

Material	Value	Determinant	Specimen	Sampling Time
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	3 mg/l	Fluoruros	Urine	*
	2 mg/l	Fluoruros	Urine	*

* - For sampling details, please see the source document.

Switzerland. BAT-Werte (Biological Limit Values in the Workplace as per SUVA)

Material	Value	Determinant	Specimen	Sampling Time
Lanthanum Fluoride (laf3) (CAS 13709-38-1)	4 mg/l	Fluorid	Urine	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Solid.
Form	Solid.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	< 0,0000001 kPa (25 °C (77 °F))
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2. Other information

Molecular formula	F3La
Molecular weight	19 g/mol

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
----------------------------	--

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity	Not known.
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Lanthanum Fluoride (laf3) (CAS 13709-38-1) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity	Due to partial or complete lack of data the classification for hazardous to the aquatic environment, is not possible.
12.2. Persistence and degradability	No data is available on the degradability of this product.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.7. Additional information

Estonia Dangerous substances in groundwater Data

Lanthanum Fluoride (laf3) (CAS 13709-38-1)	Fluoride (as F-ion, total) 1500 ug/l Fluoride (as F-ion, total) 4000 ug/l
--	--

Estonia Dangerous substances in soil Data

Lanthanum Fluoride (laf3) (CAS 13709-38-1)	Fluoride (as F-ion) 1200 mg/kg Fluoride (as F-ion) 2000 mg/kg Fluoride (as F-ion) 450 mg/kg
--	---

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Lanthanum Fluoride (laf3) (CAS 13709-38-1)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations	The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.
National regulations	Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.
15.2. Chemical safety assessment	No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations	Not available.
References	Not available.
Training information	Follow training instructions when handling this material.
Disclaimer	<p>Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.</p>