



SAFETY DATA SHEET

MATERION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture CrSi2-Cr-SiC
Synonyms None.
Document number 1QR
Materion Code 1QR
Issue date 17-July-2015
Version number 03
Revision date 12-January-2018
Supersedes date 25-January-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Materion Advanced Chemicals Inc.
Address 407 N. 13th Street
1316 W. St. Paul Avenue
Milwaukee, WI 53233
United States
Division Milwaukee
Telephone 414.212.0257
e-mail advancedmaterials@materion.com
Contact person Noreen Atkinson

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Environmental hazards

Hazardous to the aquatic environment, acute aquatic hazard Category 1 H400 - Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term aquatic hazard Category 1 H410 - Very toxic to aquatic life with long lasting effects.

Hazard summary Dangerous for the environment if discharged into watercourses. Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Chromium silicide

Hazard pictograms



Signal word Warning

Hazard statements

H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Response

P391 Collect spillage.

Storage

Store away from incompatible materials.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

100 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.
For further information, please contact the Product Stewardship Department at +1.800.862.4118.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Chromium silicide	40 - 60	12018-09-6 234-633-0	-	-	#
Classification:	-				
Chromium	20 - 40	7440-47-3 231-157-5	-	-	#
Classification:	Aquatic Chronic 3;H412				
Silicon carbide	20 - 40	409-21-2 206-991-8	-	-	
Classification:	Water-React. 3;H261				

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments

The full text for all R- and H-phrases is displayed in section 16. The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Direct contact with eyes may cause temporary irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting procedures Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other sections For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid release to the environment.

7.2. Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	MAK	2 mg/m3	
Chromium silicide (CAS 12018-09-6)	MAK	2 mg/m3	
Silicon carbide (CAS 409-21-2)	MAK	5 mg/m3	Respirable fraction.
	STEL	10 mg/m3	Respirable fraction.

Belgium. Exposure Limit Values.

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m3
Silicon carbide (CAS 409-21-2)	TWA	10 mg/m3

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	2 mg/m3	
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m3	
Silicon carbide (CAS 409-21-2)	TWA	5 mg/m3	Inhalable fraction.

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	MAC	2 mg/m ³	
Silicon carbide (CAS 409-21-2)	STEL	4 mg/m ³	Respirable dust.
		10 mg/m ³	Total dust.

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	Ceiling	1,5 mg/m ³	
	TWA	0,5 mg/m ³	Dust.
		0,5 mg/m ³	
Chromium silicide (CAS 12018-09-6)	Ceiling	1,5 mg/m ³	
	TWA	0,5 mg/m ³	
Silicon carbide (CAS 409-21-2)	TWA	5 mg/m ³	Dust.

Denmark. Exposure Limit Values

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TLV	0,5 mg/m ³	Dust.
Chromium silicide (CAS 12018-09-6)	TLV	0,5 mg/m ³	

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	2 mg/m ³	
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m ³	
Silicon carbide (CAS 409-21-2)	TWA	5 mg/m ³	Respirable dust.
		10 mg/m ³	

Finland. Workplace Exposure Limits

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m ³
Chromium silicide (CAS 12018-09-6)	TWA	0,5 mg/m ³
Silicon carbide (CAS 409-21-2)	TWA	0,1 fibers/cm ³

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
Chromium (CAS 7440-47-3)	VME	2 mg/m ³
Chromium silicide (CAS 12018-09-6)	VME	2 mg/m ³
Silicon carbide (CAS 409-21-2)	VME	10 mg/m ³

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Type	Value	Form
Silicon carbide (CAS 409-21-2)	TWA	4 mg/m ³	Inhalable dust.
		0,3 mg/m ³	Respirable dust.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	AGW	2 mg/m ³	Inhalable fraction.
Chromium silicide (CAS 12018-09-6)	AGW	2 mg/m ³	Inhalable fraction.
Silicon carbide (CAS 409-21-2)	AGW	10 mg/m ³	Inhalable fraction.
		1,25 mg/m ³	Respirable fraction.

Greece. OELs (Decree No. 90/1999, as amended)

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	1 mg/m3	
Chromium silicide (CAS 12018-09-6)	TWA	0,5 mg/m3	
Silicon carbide (CAS 409-21-2)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Inhalable

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	2 mg/m3	
Chromium silicide (CAS 12018-09-6)	STEL	2 mg/m3	
Silicon carbide (CAS 409-21-2)	TWA	6 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m3	Dust.

Ireland. Occupational Exposure Limits

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	2 mg/m3	
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m3	
Silicon carbide (CAS 409-21-2)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Total inhalable dust.

Italy. Occupational Exposure Limits

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m3	
Chromium silicide (CAS 12018-09-6)	TWA	0,5 mg/m3	
Silicon carbide (CAS 409-21-2)	TWA	0,1 fibers/cm3	Fiber.
		3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	2 mg/m3	
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m3	
Silicon carbide (CAS 409-21-2)	TWA	6 mg/m3	

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	2 mg/m3	
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m3	
Silicon carbide (CAS 409-21-2)	TWA	5 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
		1 mg/m3	Dust.

Luxembourg. Binding Occupational exposure limit values (Annex I), Memorial A

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	2 mg/m3	
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m3	

Malta. OELs. Occupational Exposure Limit Values (L.N. 227. of Occupational Health and Safety Authority Act (CAP. 424), Schedules I and V)

Components	Type	Value
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m ³

Netherlands. OELs (binding)

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m ³

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TLV	0,5 mg/m ³	
Chromium silicide (CAS 12018-09-6)	TLV	0,5 mg/m ³	
Silicon carbide (CAS 409-21-2)	TLV	0,1 fibers/cm ³	Fiber.
		0,5 mg/m ³	Respirable dust.

Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m ³	
Chromium silicide (CAS 12018-09-6)	TWA	0,5 mg/m ³	
Silicon carbide (CAS 409-21-2)	TWA	10 mg/m ³	Inhalable fraction.

Portugal. OELs. Decree-Law n. 290/2001 (Journal of the Republic - 1 Series A, n.266)

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	2 mg/m ³
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m ³

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m ³	
Silicon carbide (CAS 409-21-2)	TWA	0,1 fibers/cm ³	Fiber.
		3 mg/m ³	Respirable fraction.
		10 mg/m ³	Inhalable fraction.

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	2 mg/m ³	
Silicon carbide (CAS 409-21-2)	TWA	10 mg/m ³	Inhalable fraction.

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Components	Type	Value	Form
Silicon carbide (CAS 409-21-2)	TWA	4 mg/m ³	Inhalable fraction.
		1,5 mg/m ³	Respirable fraction.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	2 mg/m ³
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m ³

Spain. Occupational Exposure Limits

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	2 mg/m ³	
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m ³	
Silicon carbide (CAS 409-21-2)	TWA	3 mg/m ³	Respirable fraction.

Spain. Occupational Exposure Limits Components

Components	Type	Value	Form
		10 mg/m ³	Inhalable fraction.

Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7) Components

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m ³	Total dust.
Chromium silicide (CAS 12018-09-6)	TWA	0,5 mg/m ³	Total dust.
Silicon carbide (CAS 409-21-2)	TWA	0,2 fibers/mL	

Switzerland. SUVA Grenzwerte am Arbeitsplatz Components

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m ³	Inhalable dust.
Silicon carbide (CAS 409-21-2)	TWA	3 mg/m ³	Respirable dust.
		10 mg/m ³	Inhalable dust.

UK. EH40 Workplace Exposure Limits (WELs) Components

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m ³	
Chromium silicide (CAS 12018-09-6)	TWA	0,5 mg/m ³	
Silicon carbide (CAS 409-21-2)	TWA	4 mg/m ³	Respirable.
		10 mg/m ³	Inhalable

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU Components

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	2 mg/m ³
Chromium silicide (CAS 12018-09-6)	TWA	2 mg/m ³

Biological limit values**Czech Republic. Limit Values for Indicators of Biological Exposure Tests in Urine and Blood, Annex 2, Tables 1 and 2, Government Decree 432/2003 Sb.**

Components	Value	Determinant	Specimen	Sampling time
Chromium (CAS 7440-47-3)	0,065 µmol/mmol	Total chromium	Creatinine in urine	*
	0,03 mg/g	Total chromium	Creatinine in urine	*

* - For sampling details, please see the source document.

Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices

Components	Value	Determinant	Specimen	Sampling time
Chromium (CAS 7440-47-3)	0,02 mg/g	chromium	Creatinine in urine	*
	0,043 µmol/mmol	chromium	Creatinine in urine	*
Chromium silicide (CAS 12018-09-6)	0,02 mg/g	chromium	Creatinine in urine	*
	0,043 µmol/mmol	chromium	Creatinine in urine	*

* - For sampling details, please see the source document.

Spain. Biological Limit Values (VLBs), Occupational Exposure Limits for Chemical Agents, Table 4 Components

Components	Value	Determinant	Specimen	Sampling time
Chromium (CAS 7440-47-3)	25 µg/l	Cromo total	Urine	*
	10 µg/l	Cromo total	Urine	*

* - For sampling details, please see the source document.

UK. EH40 Biological Monitoring Guidance Values (BMGVs)

Components	Value	Determinant	Specimen	Sampling time
Chromium (CAS 7440-47-3)	10 umol/mol	Chromium	Creatinine in urine	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance**

Physical state Solid.

Form Solid.

Colour Not available.

Odour Not available.

Odour threshold Not available.

pH Not available.

Melting point/freezing point 1900 °C (3452 °F) estimated

Initial boiling point and boiling range 2642 °C (4787,6 °F) estimated

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Vapour pressure 5229,24 hPa estimated

Vapour density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.

9.2. Other information

Density	5,60 g/cm ³ estimated
Specific gravity	5,6 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
----------------------------	--

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms	Exposure may cause temporary irritation, redness, or discomfort.
-----------------	--

11.1. Information on toxicological effects

Acute toxicity	No data available.
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Chromium (CAS 7440-47-3)	3 Not classifiable as to carcinogenicity to humans.
Silicon carbide (CAS 409-21-2)	2A Probably carcinogenic to humans.

Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity	Very toxic to aquatic life with long lasting effects.
-----------------------	---

12.2. Persistence and degradability	No data is available on the degradability of this product.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not available.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.7. Additional information

Estonia Dangerous substances in groundwater Data

Chromium (CAS 7440-47-3)	Chromium (Cr) 10 UG/L
	Chromium (Cr) 200 UG/L
Chromium silicide (CAS 12018-09-6)	Chromium (Cr) 10 UG/L
	Chromium (Cr) 200 UG/L

Estonia Dangerous substances in soil Data

Chromium (CAS 7440-47-3)	Chromium (Cr) 100 mg/kg
	Chromium (Cr) 300 mg/kg
	Chromium (Cr) 800 mg/kg
Chromium silicide (CAS 12018-09-6)	Chromium (Cr) 100 mg/kg
	Chromium (Cr) 300 mg/kg
	Chromium (Cr) 800 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	UN3077
14.2. UN proper shipping name	Environmentally hazardous substance, solid, n.o.s.
14.3. Transport hazard class(es)	
Class	9
Subsidiary risk	-
Label(s)	9
Hazard No. (ADR)	90
Tunnel restriction code	E
14.4. Packing group	III
14.5. Environmental hazards	Yes
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number	UN3077
------------------------	--------

14.2. UN proper shipping name Environmentally hazardous substance, solid, n.o.s.

14.3. Transport hazard class(es)

Class 9

Subsidiary risk -

Label(s) 9

14.4. Packing group III

14.5. Environmental hazards Yes

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number UN3077

14.2. UN proper shipping name Environmentally Hazardous Solid, N.o.s.

14.3. Transport hazard class(es)

Class 9

Subsidiary risk -

Label(s) 9

14.4. Packing group III

14.5. Environmental hazards Yes

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

14.1. UN number UN3077

14.2. UN proper shipping name Environmentally hazardous substance, solid, n.o.s.

14.3. Transport hazard class(es)

Class 9

Subsidiary risk -

14.4. Packing group III

14.5. Environmental hazards Yes

ERG Code 9L

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN3077

14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., MARINE POLLUTANT

14.3. Transport hazard class(es)

Class 9

Subsidiary risk -


14.4. Packing group III

14.5. Environmental hazards


Marine pollutant Yes

EmS F-A, S-F

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended
Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended
Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.
Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended
Not listed.

Other regulations

The product is classified and labelled in accordance with EC directives or respective national laws. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations Not available.

Information on evaluation method leading to the classification of mixture The classification for health and environmental hazards is derived by a combination of calculator methods and test data, if available.

Disclaimer

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.