

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

<b>Name of the substance</b>	Lead acetate
<b>Identification number</b>	082-005-00-8 (Index number)
<b>Registration number</b>	-
<b>Document number</b>	1UO
<b>Synonyms</b>	None.
<b>Materion Code</b>	1UO
<b>Issue date</b>	15-December-2016
<b>Version number</b>	02
<b>Revision date</b>	12-January-2018
<b>Supersedes date</b>	15-December-2016

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Not available.
<b>Uses advised against</b>	None known.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

##### Health hazards

Reproductive toxicity (fertility, the unborn child)	Category 1A	H360FD - May damage fertility. May damage the unborn child.
Specific target organ toxicity - repeated exposure	Category 2	H373 - May cause damage to organs through prolonged or repeated exposure.

##### Environmental hazards

Hazardous to the aquatic environment, acute aquatic hazard	Category 1	
Hazardous to the aquatic environment, long-term aquatic hazard	Category 1	H410 - Very toxic to aquatic life with long lasting effects.

### Hazard summary

May cause damage to organs through prolonged or repeated exposure. Exposure to powder or dusts may be irritating to eyes, nose and throat. May cause reproductive effects. Dangerous for the environment if discharged into watercourses. Occupational exposure to the substance or mixture may cause adverse health effects. The material as sold in solid form is generally not considered hazardous. However, if the process involves grinding, melting, cutting or any other process that causes a release of dust or fumes, hazardous levels of airborne particulate could be generated.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** lead di(acetate)

#### Hazard pictograms



**Signal word** Danger

#### Hazard statements

H360FD	May damage fertility. May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

##### Prevention

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe dust.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

P308 + P313 IF exposed or concerned: Get medical advice/attention.  
 P391 Collect spillage.

**Storage**

P405 Store locked up.

**Disposal**

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Supplemental label information**

100 % of the mixture consists of component(s) of unknown acute oral toxicity. 100 % of the mixture consists of component(s) of unknown acute inhalation toxicity. 100 % of the mixture consists of component(s) of unknown acute dermal toxicity.  
 For further information, please contact the Product Stewardship Department at +1.800.862.4118.

**2.3. Other hazards** None known.

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

**General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
lead di(acetate)	100	301-04-2 206-104-4	-	082-005-00-8	#
<b>Classification:</b> Repr. 1A;H360FD, STOT RE 2;H373, Aquatic Chronic 1;H410					1
<b>Specific Concentration Limits:</b> STOT RE 2;H373: C >= 0.5 %					

**List of abbreviations and symbols that may be used above**

#: This substance has been assigned Union workplace exposure limit(s).  
 M: M-factor  
 PBT: persistent, bioaccumulative and toxic substance.  
 vPvB: very persistent and very bioaccumulative substance.  
 All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

**SECTION 4: First aid measures**

**General information**

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

**4.1. Description of first aid measures**

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.  
**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.  
**Eye contact** Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.  
**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

**4.2. Most important symptoms and effects, both acute and delayed**

Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure may cause chronic effects.

**4.3. Indication of any immediate medical attention and special treatment needed**

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

**SECTION 5: Firefighting measures**

**General fire hazards**

No unusual fire or explosion hazards noted.

**5.1. Extinguishing media**

**Suitable extinguishing media** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).  
**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

- 5.2. Special hazards arising from the substance or mixture** During fire, gases hazardous to health may be formed.
- 5.3. Advice for firefighters**
- Special protective equipment for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
- Special firefighting procedures** Use water spray to cool unopened containers.
- Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

**For emergency responders** Keep unnecessary personnel away.

### 6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use.

### 6.4. Reference to other sections

Not available.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

### 7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place.

### 7.3. Specific end use(s)

Not available.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Material	Type	Value	Form
lead di(acetate) (CAS 301-04-2)	STEL	0,4 mg/m <sup>3</sup>	Inhalable fraction.

##### Czech Republic. OELs. Government Decree 361

Material	Type	Value
lead di(acetate) (CAS 301-04-2)	Ceiling	0,2 mg/m <sup>3</sup>
	TWA	0,05 mg/m <sup>3</sup>

**Finland. Workplace Exposure Limits**

Material	Type	Value
lead di(acetate) (CAS 301-04-2)	TWA	0,1 mg/m <sup>3</sup>

**France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984**

Material	Type	Value
lead di(acetate) (CAS 301-04-2)	VME	0,1 mg/m <sup>3</sup>

**Regulatory status:** Regulatory binding (VRC)

**Ireland. Occupational Exposure Limits**

Material	Type	Value
lead di(acetate) (CAS 301-04-2)	TWA	0,15 mg/m <sup>3</sup>

**Luxembourg. Binding Occupational exposure limit values (Annex I), Memorial A**

Material	Type	Value
lead di(acetate) (CAS 301-04-2)	TWA	0,15 mg/m <sup>3</sup>

**Norway. Administrative Norms for Contaminants in the Workplace**

Material	Type	Value
lead di(acetate) (CAS 301-04-2)	TLV	0,05 mg/m <sup>3</sup>

**Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817**

Material	Type	Value	Form
lead di(acetate) (CAS 301-04-2)	TWA	0,05 mg/m <sup>3</sup>	Inhalable fraction.

**Portugal. Decree-Law No. 24/2012, Binding Occupational Exposure Limit Values, Annex I (Diário da República - I.a série - No. 26)**

Material	Type	Value
lead di(acetate) (CAS 301-04-2)	TWA	0,15 mg/m <sup>3</sup>

**Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)**

Material	Type	Value	Form
lead di(acetate) (CAS 301-04-2)	TWA	0,1 mg/m <sup>3</sup>	Inhalable fraction.

**Switzerland. SUVA Grenzwerte am Arbeitsplatz**

Material	Type	Value	Form
lead di(acetate) (CAS 301-04-2)	STEL	0,8 mg/m <sup>3</sup>	Inhalable fraction.
	TWA	0,1 mg/m <sup>3</sup>	Inhalable fraction.

**UK. EH40 Workplace Exposure Limits (WELs)**

Material	Type	Value
lead di(acetate) (CAS 301-04-2)	TWA	0,15 mg/m <sup>3</sup>

**Biological limit values****Germany. TRGS 903, BAT List (Biological Limit Values)**

Material	Value	Determinant	Specimen	Sampling Time
lead di(acetate) (CAS 301-04-2)	300 µg/l	Blei	Blood	*

\* - For sampling details, please see the source document.

**Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices**

Material	Value	Determinant	Specimen	Sampling Time
lead di(acetate) (CAS 301-04-2)	300 µg/l	lead	Blood	*
	1,5 µmol/l	lead	Blood	*
	100 µmol/mol hb	zinc protoporphyrin (for pre-screening)	Hemoglobin in blood	

\* - For sampling details, please see the source document.

**Luxembourg. Biological limit values (Annex II), Memorial A, n. 96, p. 1948**

Material	Value	Determinant	Specimen
lead di(acetate) (CAS 301-04-2)	70 ug/ml	Pb	Blood

**Portugal. Decree-Law No. 24/2012, Binding Biological Limit Values, Annex II (Diário da República - I.a série - No. 26)**

Material	Value	Determinant	Specimen
lead di(acetate) (CAS 301-04-2)	70 µg/100 ml	Chumbo	Blood

**Slovakia. BLVs (Biological Limit Value). Regulation no. 355/2006 concerning protection of workers exposed to chemical agents, Annex 2**

Material	Value	Determinant	Specimen	Sampling Time
lead di(acetate) (CAS 301-04-2)	100 µg/l	Lead	Blood	*
	4,03 mg/g	δ-Aminolevulinic acid	Creatinine in urine	
	0,2 mg/g	Coproporphyrin	Creatinine in urine	*
	6 mg/l	δ-Aminolevulinic acid		
	0,3 mg/l	Coproporphyrin	Urine	*

\* - For sampling details, please see the source document.

**Spain. Biological Limit Values (VLBs), Occupational Exposure Limits for Chemical Agents, Table 4**

Material	Value	Determinant	Specimen	Sampling Time
lead di(acetate) (CAS 301-04-2)	70 µg/dl	Plomo	Blood	*

\* - For sampling details, please see the source document.

**Switzerland. BAT-Werte (Biological Limit Values in the Workplace as per SUVA)**

Material	Value	Determinant	Specimen	Sampling Time
lead di(acetate) (CAS 301-04-2)	100 µg/l	Blei (Frauen < 45 Jahre)	Blood	*

\* - For sampling details, please see the source document.

**EU. Directive 98/24/EC: on the protection of workers from the risks related to chemical agents at work, Annex II Binding Biological Limit Values and Health Surveillance Measures**

Material	Value	Determinant
lead di(acetate) (CAS 301-04-2)	70 µg pb/100	
	70 µg/100 ml	Lead

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

**8.2. Exposure controls**

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

**Individual protection measures, such as personal protective equipment**

**General information** Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** Chemical respirator with organic vapour cartridge, full facepiece, dust and mist filter.

**Skin protection**

- **Hand protection** Wear appropriate chemical resistant gloves.

- **Other** Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapour cartridge, full facepiece, dust and mist filter.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Environmental exposure controls** Inform appropriate managerial or supervisory personnel of all environmental releases.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state** Solid.

**Form** Powder.

**Colour** Not available.

**Odour** Not available.

**Odour threshold** Not available.

**pH** 5,5 - 6,5 5% aqueous solution

**Melting point/freezing point** 280 °C (536 °F)

**Initial boiling point and boiling range** Not available.

**Flash point** Not available.

**Evaporation rate** Not available.

**Flammability (solid, gas)** Not available.

#### Upper/lower flammability or explosive limits

**Flammability limit - lower (%)** Not available.

**Flammability limit - upper (%)** Not available.

**Vapour pressure** < 0,0000001 kPa (25 °C (77 °F))

**Vapour density** Not available.

**Relative density** Not available.

#### Solubility(ies)

**Solubility (water)** Not available.

**Partition coefficient (n-octanol/water)** Not available.

**Auto-ignition temperature** Not available.

**Decomposition temperature** Not available.

**Viscosity** Not available.

**Explosive properties** Not explosive.

**Oxidising properties** Not oxidising.

### 9.2. Other information

**Density** 3,25 g/cm<sup>3</sup>

<b>Molecular formula</b>	C2-H4-O2,1/2Pb
<b>Molecular weight</b>	325,29 g/mol
<b>Specific gravity</b>	3,25

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>10.4. Conditions to avoid</b>	Contact with incompatible materials.
<b>10.5. Incompatible materials</b>	Strong oxidising agents.
<b>10.6. Hazardous decomposition products</b>	No hazardous decomposition products are known.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

<b>Inhalation</b>	May cause damage to organs through prolonged or repeated exposure by inhalation. Dust may irritate respiratory system.
<b>Skin contact</b>	Dust or powder may irritate the skin.
<b>Eye contact</b>	Dust may irritate the eyes.
<b>Ingestion</b>	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

**Symptoms** Dusts may irritate the respiratory tract, skin and eyes.

### 11.1. Information on toxicological effects

<b>Acute toxicity</b>	Not known.
<b>Skin corrosion/irritation</b>	Due to partial or complete lack of data the classification is not possible.
<b>Serious eye damage/eye irritation</b>	Due to partial or complete lack of data the classification is not possible.
<b>Respiratory sensitisation</b>	Due to partial or complete lack of data the classification is not possible.
<b>Skin sensitisation</b>	Due to partial or complete lack of data the classification is not possible.
<b>Germ cell mutagenicity</b>	Due to partial or complete lack of data the classification is not possible.
<b>Carcinogenicity</b>	Due to partial or complete lack of data the classification is not possible.

### Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

<b>Reproductive toxicity</b>	May damage fertility. May damage the unborn child.
<b>Specific target organ toxicity - single exposure</b>	Due to partial or complete lack of data the classification is not possible.
<b>Specific target organ toxicity - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.
<b>Aspiration hazard</b>	Due to partial or complete lack of data the classification is not possible.
<b>Mixture versus substance information</b>	No information available.
<b>Other information</b>	Not available.

## SECTION 12: Ecological information

**12.1. Toxicity** Very toxic to aquatic life with long lasting effects.

Product	Species	Test Results
lead di(acetate) (CAS 301-04-2)		
<b>Aquatic</b>		
<i>Acute</i>		
Crustacea	EC50	Calanoid copepod (Eudiaptomus padanus 2,5 - 6,4 mg/l, 48 hours padanus)

Product	Species	Test Results
Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> ) 4,86 - 11,8 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

<b>12.2. Persistence and degradability</b>	No data is available on the degradability of this product.
<b>12.3. Bioaccumulative potential</b>	No data available.
<b>Partition coefficient n-octanol/water (log Kow)</b>	Not available.
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>12.4. Mobility in soil</b>	No data available.
<b>12.5. Results of PBT and vPvB assessment</b>	Not a PBT or vPvB substance or mixture.
<b>12.6. Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>EU waste code</b>	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Disposal methods/information</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Special precautions</b>	Dispose in accordance with all applicable regulations.

## SECTION 14: Transport information

### ADR

<b>14.1. UN number</b>	UN1616
<b>14.2. UN proper shipping name</b>	LEAD ACETATE
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	6.1(PGIII)
<b>Subsidiary risk</b>	-
<b>Label(s)</b>	6.1
<b>Hazard No. (ADR)</b>	60
<b>Tunnel restriction code</b>	E
<b>14.4. Packing group</b>	III
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Not available.

### RID

<b>14.1. UN number</b>	UN1616
<b>14.2. UN proper shipping name</b>	LEAD ACETATE
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	6.1(PGIII)
<b>Subsidiary risk</b>	-
<b>Label(s)</b>	6.1
<b>14.4. Packing group</b>	III
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Not available.



**ADN**

<b>14.1. UN number</b>	UN1616
<b>14.2. UN proper shipping name</b>	LEAD ACETATE
<b>14.3. Transport hazard class(es)</b>	
Class	6.1(PGIII)
Subsidiary risk	-
Label(s)	6.1
<b>14.4. Packing group</b>	III
<b>14.5. Environmental hazards</b>	No.
<b>14.6. Special precautions for user</b>	Not available.

**IATA**

<b>14.1. UN number</b>	UN1616
<b>14.2. UN proper shipping name</b>	Lead acetate
<b>14.3. Transport hazard class(es)</b>	
Class	6.1(PGIII)
Subsidiary risk	-
<b>14.4. Packing group</b>	III
<b>14.5. Environmental hazards</b>	No.
<b>ERG Code</b>	6L
<b>14.6. Special precautions for user</b>	Not available.

**Other information**


<b>Passenger and cargo aircraft</b>	Allowed with restrictions.
<b>Cargo aircraft only</b>	Allowed with restrictions.

**IMDG**

<b>14.1. UN number</b>	UN1616
<b>14.2. UN proper shipping name</b>	LEAD ACETATE, MARINE POLLUTANT
<b>14.3. Transport hazard class(es)</b>	
Class	6.1(PGIII)
Subsidiary risk	-
<b>14.4. Packing group</b>	III
<b>14.5. Environmental hazards</b>	
Marine pollutant	Yes
<b>EmS</b>	F-A, S-A
<b>14.6. Special precautions for user</b>	Not available.

**ADN; ADR; IATA; IMDG; RID**

## Marine pollutant



### General information

IMDG Regulated Marine Pollutant.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

lead di(acetate) (CAS 301-04-2)

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

lead di(acetate) (CAS 301-04-2)

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

lead di(acetate) (CAS 301-04-2)

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

lead di(acetate) (CAS 301-04-2)

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

#### Other EU regulations

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

lead di(acetate) (CAS 301-04-2)

#### Other regulations

Pregnant women should not work with the product, if there is the least risk of exposure. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. This product is not in compliance with Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronics equipment (RoHS).

#### National regulations

Follow national regulation for work with chemical agents. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended.

### 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

## SECTION 16: Other information

<b>List of abbreviations</b>	Not available.
<b>References</b>	Not available.
<b>Information on evaluation method leading to the classification of mixture</b>	Not applicable.
<b>Training information</b>	Follow training instructions when handling this material.
<b>Disclaimer</b>	<p>Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.</p>