



SAFETY DATA SHEET

MATERION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture	CuNiSbS
Synonyms	None.
Document number	1VM
Materion Code	1VM
Issue date	28-February-2017
Version number	02
Revision date	12-January-2018
Supersedes date	28-February-2017

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Not available.
Uses advised against	None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name	Materion Advanced Chemicals Inc.
Address	407 N. 13th Street 1316 W. St. Paul Avenue Milwaukee, WI 53233 United States
Division	Milwaukee
Telephone	414.212.0257
e-mail	advancedmaterials@materion.com
Contact person	Noreen Atkinson

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation	Category 2	H315 - Causes skin irritation.
Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.
Carcinogenicity	Category 2	H351 - Suspected of causing cancer.

Environmental hazards

Hazardous to the aquatic environment, acute aquatic hazard	Category 1	
Hazardous to the aquatic environment, long-term aquatic hazard	Category 1	H410 - Very toxic to aquatic life with long lasting effects.

Hazard summary

Suspected of causing cancer. Causes skin irritation. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects. Dangerous for the environment if discharged into watercourses. Occupational exposure to the substance or mixture may cause adverse health effects. The material as sold in solid form is generally not considered hazardous. However, if the process involves grinding, melting, cutting or any other process that causes a release of dust or fumes, hazardous levels of airborne particulate could be generated.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains:	Nickel
-----------	--------

Hazard pictograms



Signal word

Warning

Hazard statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302 + P352	IF ON SKIN: Wash with plenty of water.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.

Storage

P405	Store locked up.
------	------------------

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Supplemental label information

27 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. 112 % of the mixture consists of component(s) of unknown acute oral toxicity. 62 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 112 % of the mixture consists of component(s) of unknown acute dermal toxicity. For further information, please contact the Product Stewardship Department at +1.800.862.4118.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
copper	40 - 45	7440-50-8 231-159-6	-	-	M=100
Classification:	Aquatic Chronic 1;H410				
Antimony	25 - 35	7440-36-0 231-146-5	-	051-003-00-9	
Classification:	Acute Tox. 4;H302, Acute Tox. 4;H332, Aquatic Chronic 2;H411				
Sulphur	21 - 27	7704-34-9 231-722-6	-	016-094-00-1	
Classification:	Skin Irrit. 2;H315				
Nickel	1 - 5	7440-02-0 231-111-4	01-2119438727-29-0049	028-002-00-7	
Classification:	Skin Sens. 1;H317, STOT SE 3;H335, Carc. 2;H351, STOT RE 2;H373				7,S

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed Headache. Dizziness. Nausea, vomiting. Diarrhoea. Coughing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media Foam. Powder. Dry sand.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting procedures Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers.

6.4. Reference to other sections For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	MAK	0,5 mg/m ³	Inhalable fraction.
	STEL	5 mg/m ³	Inhalable fraction.
copper (CAS 7440-50-8)	MAK	1 mg/m ³	Inhalable fraction.
		0,1 mg/m ³	Fume and respirable dust.
	STEL	4 mg/m ³	Inhalable fraction.
		0,4 mg/m ³	Fume and respirable dust.

Austria. TRK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Components	Type	Value	Form
Nickel (CAS 7440-02-0)	STEL	2 mg/m ³	Inhalable dust.
	TWA	0,5 mg/m ³	Inhalable dust.

Belgium. Exposure Limit Values.

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	TWA	1 mg/m ³	Dust and mist.
		0,2 mg/m ³	Fume.
Nickel (CAS 7440-02-0)	TWA	1 mg/m ³	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
copper (CAS 7440-50-8)	TWA	0,1 mg/m ³
Nickel (CAS 7440-02-0)	TWA	0,05 mg/m ³

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	MAC	0,5 mg/m ³	
copper (CAS 7440-50-8)	MAC	0,21 mg/m ³	Dust and fume.
	STEL	2 mg/m ³	Dust and fume.
Nickel (CAS 7440-02-0)	MAC	0,5 mg/m ³	

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	TWA	0,2 mg/m ³	Fume.
	TWA	1 mg/m ³	

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	Ceiling	1,5 mg/m ³	
	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	Ceiling	2 mg/m ³	Dust.
		0,2 mg/m ³	Fume.
	TWA	1 mg/m ³	Dust.
		0,1 mg/m ³	Fume.
Nickel (CAS 7440-02-0)	Ceiling	1 mg/m ³	

Czech Republic. OELs. Government Decree 361 Components

Components	Type	Value	Form
	TWA	0,5 mg/m ³	

Denmark. Exposure Limit Values Components

Components	Type	Value	Form
copper (CAS 7440-50-8)	TLV	1 mg/m ³	Dust.
		0,1 mg/m ³	Fume.
Nickel (CAS 7440-02-0)	TLV	0,05 mg/m ³	Dust.

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	TWA	1 mg/m ³	Total dust.
		0,2 mg/m ³	Respirable dust.
Nickel (CAS 7440-02-0)	TWA	0,5 mg/m ³	

Finland. Workplace Exposure Limits Components

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	TWA	1 mg/m ³	
		0,1 mg/m ³	Respirable dust and/or fume.
Nickel (CAS 7440-02-0)	TWA	0,01 mg/m ³	Respirable.

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	VME	0,5 mg/m ³	
copper (CAS 7440-50-8)	VLE	2 mg/m ³	Dust.
	VME	1 mg/m ³	Dust.
		0,2 mg/m ³	Fume.
Nickel (CAS 7440-02-0)	VME	1 mg/m ³	

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG) Components

Components	Type	Value	Form
copper (CAS 7440-50-8)	TWA	0,01 mg/m ³	Respirable fraction.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace Components

Components	Type	Value	Form
Nickel (CAS 7440-02-0)	AGW	0,006 mg/m ³	Respirable fraction.

Greece. OELs (Decree No. 90/1999, as amended) Components

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	STEL	2 mg/m ³	Dust.
	TWA	1 mg/m ³	Dust.
		0,2 mg/m ³	Fume.
Nickel (CAS 7440-02-0)	TWA	1 mg/m ³	

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Components

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	STEL	2 mg/m ³	
	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	STEL	4 mg/m ³	
		0,4 mg/m ³	Smoke.
	TWA	1 mg/m ³	
		0,1 mg/m ³	Smoke.
Nickel (CAS 7440-02-0)	Ceiling	0,1 mg/m ³	

Iceland. OELs. Regulation 154/1999 on occupational exposure limits Components

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	Dust.
copper (CAS 7440-50-8)	TWA	1 mg/m ³	Total dust.
		0,1 mg/m ³	Respirable dust.
Nickel (CAS 7440-02-0)	TWA	0,05 mg/m ³	Dust.

Ireland. Occupational Exposure Limits

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	STEL	2 mg/m ³	Dust and mist.
	TWA	1 mg/m ³	Dust and mist.
		0,2 mg/m ³	Fume.
Nickel (CAS 7440-02-0)	TWA	0,5 mg/m ³	

Italy. Occupational Exposure Limits

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
Nickel (CAS 7440-02-0)	TWA	1,5 mg/m ³	Inhalable fraction.

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	STEL	0,5 mg/m ³	Dust.
	TWA	0,2 mg/m ³	Dust.
copper (CAS 7440-50-8)	STEL	1 mg/m ³	
	TWA	0,5 mg/m ³	
Nickel (CAS 7440-02-0)	TWA	0,05 mg/m ³	
Sulphur (CAS 7704-34-9)	TWA	6 mg/m ³	

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	TWA	1 mg/m ³	Inhalable fraction.
		0,2 mg/m ³	Respirable fraction.
Nickel (CAS 7440-02-0)	TWA	0,5 mg/m ³	
Sulphur (CAS 7704-34-9)	TWA	6 mg/m ³	

Netherlands. OELs (binding)

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	TWA	0,1 mg/m ³	Inhalable fraction.

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TLV	0,5 mg/m ³	
copper (CAS 7440-50-8)	TLV	1 mg/m ³	Dust.
		0,1 mg/m ³	Fume.
Nickel (CAS 7440-02-0)	TLV	0,05 mg/m ³	

Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	TWA	0,2 mg/m ³	
Nickel (CAS 7440-02-0)	TWA	0,25 mg/m ³	

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	TWA	1 mg/m ³	Dust and mist.
		0,2 mg/m ³	Fume.
Nickel (CAS 7440-02-0)	TWA	1,5 mg/m ³	Inhalable fraction.

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	STEL	0,5 mg/m ³	
	TWA	0,2 mg/m ³	
copper (CAS 7440-50-8)	STEL	1,5 mg/m ³	Dust.
		0,2 mg/m ³	Fume.
	TWA	0,5 mg/m ³	Dust.
Nickel (CAS 7440-02-0)	STEL	0,5 mg/m ³	
	TWA	0,1 mg/m ³	
Sulphur (CAS 7704-34-9)	STEL	15 mg/m ³	Dust.

Slovakia. OELs for carcinogens and mutagens. Regulation No. 46/2002 on carcinogenic and mutagenic substances

Components	Type	Value	Form
------------	------	-------	------

Nickel (CAS 7440-02-0)	TWA	0,05 mg/m ³	Inhalable fraction.
------------------------	-----	------------------------	---------------------

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Components	Type	Value	Form
------------	------	-------	------

Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	TWA	1 mg/m ³	Inhalable fraction.
		0,2 mg/m ³	Respirable fume.

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Type	Value	Form
------------	------	-------	------

Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	Inhalable fraction.
copper (CAS 7440-50-8)	TWA	1 mg/m ³	Inhalable fraction.
		0,1 mg/m ³	Respirable fume.
Nickel (CAS 7440-02-0)	TWA	0,5 mg/m ³	Inhalable fraction.

Spain. Occupational Exposure Limits

Components	Type	Value	Form
------------	------	-------	------

Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	TWA	1 mg/m ³	Dust and mist.
		0,2 mg/m ³	Fume.
Nickel (CAS 7440-02-0)	TWA	1 mg/m ³	

Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7)

Components	Type	Value	Form
------------	------	-------	------

Antimony (CAS 7440-36-0)	TWA	0,25 mg/m ³	Inhalable dust.
copper (CAS 7440-50-8)	TWA	1 mg/m ³	Total dust.
		0,2 mg/m ³	Respirable dust.
Nickel (CAS 7440-02-0)	TWA	0,5 mg/m ³	Total dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz

Components	Type	Value	Form
------------	------	-------	------

Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	Inhalable dust.
copper (CAS 7440-50-8)	STEL	0,2 mg/m ³	Inhalable dust.
	TWA	0,1 mg/m ³	Inhalable dust.
Nickel (CAS 7440-02-0)	TWA	0,5 mg/m ³	Inhalable dust.

UK. EH40 Workplace Exposure Limits (WELs)

Components	Type	Value	Form
------------	------	-------	------

Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	
copper (CAS 7440-50-8)	STEL	2 mg/m ³	Inhalable dusts and mists.
	TWA	1 mg/m ³	Inhalable dusts and mists.
		0,2 mg/m ³	Fume.
Nickel (CAS 7440-02-0)	TWA	0,5 mg/m ³	

Biological limit values

Czech Republic. Limit Values for Indicators of Biological Exposure Tests in Urine and Blood, Annex 2, Tables 1 and 2, Government Decree 432/2003 Sb.

Components	Value	Determinant	Specimen	Sampling time
------------	-------	-------------	----------	---------------

Nickel (CAS 7440-02-0)	0,077 µmol/mmol	Nickel	Creatinine in urine	*
	0,04 mg/g	Nickel	Creatinine in urine	*

* - For sampling details, please see the source document.

Finland. HTP-arvot, App 2., Biological Limit Values, (BRA/BGV), Social Affairs and Ministry of Health

Components	Value	Determinant	Specimen	Sampling time
------------	-------	-------------	----------	---------------

Nickel (CAS 7440-02-0)	0,1 µmol/l	Nickel	Urine	*
------------------------	------------	--------	-------	---

* - For sampling details, please see the source document.

Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices

Components	Value	Determinant	Specimen	Sampling time
------------	-------	-------------	----------	---------------

Nickel (CAS 7440-02-0)	0,02 mg/g	Nickel	Creatinine in urine	*
------------------------	-----------	--------	---------------------	---

Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices

Components	Value	Determinant	Specimen	Sampling time
	0,038 µmol/mmol	Nickel	Creatinine in urine	*

* - For sampling details, please see the source document.

Switzerland. BAT-Werte (Biological Limit Values in the Workplace as per SUVA)

Components	Value	Determinant	Specimen	Sampling time
Nickel (CAS 7440-02-0)	45 µg/l	Nickel	Urine	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- **Hand protection** Wear appropriate chemical resistant gloves.

- **Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

Environmental exposure controls Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid.

Form Solid.

Colour Not available.

Odour Not available.

Odour threshold Not available.

pH Not available.

Melting point/freezing point 112,8 °C (235,04 °F) estimated

Initial boiling point and boiling range 444,6 °C (832,28 °F) estimated

Flash point 207,2 °C (405,0 °F) estimated

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%)	Not available.
Vapour pressure	0,03 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	232,22 °C (450 °F) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2. Other information	
Density	6,54 g/cm ³ estimated
Specific gravity	6,54 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong acids. Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of exposure	
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	Headache. Dizziness. Nausea, vomiting. Diarrhoea. Coughing. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
11.1. Information on toxicological effects	
Acute toxicity	Not known.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.
Skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.
Carcinogenicity	Suspected of causing cancer.
Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)	
Not listed.	
IARC Monographs. Overall Evaluation of Carcinogenicity	
Nickel (CAS 7440-02-0)	2B Possibly carcinogenic to humans.
Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)	
Nickel (CAS 7440-02-0)	Carcinogenic, Category 2.
Reproductive toxicity	Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.
Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity Very toxic to aquatic life with long lasting effects.

Components	Species	Test results
Antimony (CAS 7440-36-0)		
Aquatic		
Fish	LC50	Sheepshead minnow (Cyprinodon variegatus) 6,2 - 8,3 mg/l, 96 hours
copper (CAS 7440-50-8)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) 0,036 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 0,0319 - 0,0544 mg/l, 96 hours
Sulphur (CAS 7704-34-9)		
Aquatic		
Fish	LC50	Western mosquitofish (Gambusia affinis) > 10000 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

12.2. Persistence and degradability No data is available on the degradability of this product.

12.3. Bioaccumulative potential No data available.

Partition coefficient n-octanol/water (log Kow) Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment Not available.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.7. Additional information

Estonia Dangerous substances in groundwater Data

copper (CAS 7440-50-8)	Copper (Cu) 1000 UG/L Copper (Cu) 15 UG/L
Nickel (CAS 7440-02-0)	Nickel (Ni) 10 UG/L Nickel (Ni) 200 UG/L
Sulphur (CAS 7704-34-9)	Pesticides (total) 0,5 UG/L Pesticides (total) 5 UG/L

Estonia Dangerous substances in soil Data

Antimony (CAS 7440-36-0)	Antimony (Sb) 10 mg/kg Antimony (Sb) 100 mg/kg Antimony (Sb) 20 mg/kg
copper (CAS 7440-50-8)	Copper (Cu) 100 mg/kg Copper (Cu) 150 mg/kg Copper (Cu) 500 mg/kg
Nickel (CAS 7440-02-0)	Nickel (Ni) 150 mg/kg Nickel (Ni) 50 mg/kg Nickel (Ni) 500 mg/kg
Sulphur (CAS 7704-34-9)	Synthetic pesticides (total of active substances) 0,5 mg/kg Synthetic pesticides (total of active substances) 20 mg/kg Synthetic pesticides (total of active substances) 5 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number	UN3178
14.2. UN proper shipping name	Flammable solid, inorganic, n.o.s. (Sulphur)
14.3. Transport hazard class(es)	
Class	4.1
Subsidiary risk	-
Label(s)	4.1
Hazard No. (ADR)	40
Tunnel restriction code	Not available.
14.4. Packing group	III
14.5. Environmental hazards	Yes
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number	UN3178
14.2. UN proper shipping name	Flammable solid, inorganic, n.o.s. (Sulphur)
14.3. Transport hazard class(es)	
Class	4.1
Subsidiary risk	-
Label(s)	4.1
14.4. Packing group	III
14.5. Environmental hazards	Yes
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number	UN3178
14.2. UN proper shipping name	Flammable Solid, N.o.s. (Sulphur)
14.3. Transport hazard class(es)	
Class	4.1
Subsidiary risk	-
Label(s)	4.1
14.4. Packing group	III
14.5. Environmental hazards	Yes
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

14.1. UN number	UN3178
14.2. UN proper shipping name	Flammable solid, inorganic, n.o.s. (Sulfur)

14.3. Transport hazard class(es)

Class 4.1

Subsidiary risk -

14.4. Packing group III

14.5. Environmental hazards Yes

ERG Code 3L

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN3178

14.2. UN proper shipping name FLAMMABLE SOLID, INORGANIC, N.O.S. (Sulfur), MARINE POLLUTANT

14.3. Transport hazard class(es)

Class 4.1

Subsidiary risk -

14.4. Packing group III


14.5. Environmental hazards

Marine pollutant Yes


EmS F-A, S-G

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended
Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Nickel (CAS 7440-02-0)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

copper (CAS 7440-50-8)

Other regulations

Pregnant women should not work with the product, if there is the least risk of exposure. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Disclaimer

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.