



## MATERION

### 1. Chemical and company identification

Name of chemical (Product name)	Stainless Steel Products	
Company name	Materion Advanced Materials Group	
Address	42 Mt. Ebo Road South Brewster, NY 10509 United States	
Telephone	1+845.279.0900	
Emergency telephone number	Chemtrec	1+703.527.3887
Reference number	230	

### 2. Hazards identification

#### GHS classification

Physical hazards	The product is not classified according to GHS.	
Health hazards	Serious eye damage/eye irritation	Category 2B
	Sensitization, respiratory	Category 1
	Sensitization, skin	Category 1
	Germ cell mutagenicity	Category 2
	Carcinogenicity	Category 2
	Reproductive toxicity	Category 1B
	Specific target organ toxicity, single exposure	Category 1 (kidney, respiratory system)
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 1 (respiratory system)
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1

#### GHS label elements

##### Symbols



##### Signal words

Danger

##### Hazard statement

May cause an allergic skin reaction. Causes eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing genetic defects. Suspected of causing cancer. May damage fertility or the unborn child. Causes damage to organs (kidney, respiratory system). Causes damage to organs (respiratory system) through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

#### Precautionary statement

##### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory protection.

<b>Response</b>	IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Collect spillage.
<b>Storage</b>	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Other hazards which do not result in classification</b>	None known.
<b>Supplemental information</b>	100% of the mixture consists of component(s) of unknown acute oral toxicity. 100% of the mixture consists of component(s) of unknown acute dermal toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.
<b>Main symptoms and emergency overview</b>	
<b>Main symptoms</b>	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May cause respiratory irritation. Difficulty in breathing. May cause an allergic skin reaction. Dermatitis. Rash. Edema. Prolonged exposure may cause chronic effects.
<b>Emergency overview</b>	Causes damage to organs. Suspected of causing cancer. Causes eye irritation. May cause irritation to the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause reproductive effects. Suspected of causing genetic defects. Prolonged exposure may cause chronic effects. Dangerous for the environment if discharged into watercourses.

### 3. Composition/information on ingredients

<b>Substance or mixture</b>	Mixture			
	<b>Gazette notification</b>			
<b>Components</b>	<b>CAS Number</b>	<b>ENCS no.</b>	<b>ISHL no.</b>	<b>Concentration (%)</b>
Iron	7439-89-6			70 - 80
Chromium	7440-47-3			10 - 25
Nickel	7440-02-0			5 - 20
Molybdenum	7439-98-7			0.01 - 5
Manganese	7439-96-5			0.01 - 3
Silicon	7440-21-3			0.01 - 2
Phosphorus	7723-14-0			0.01 - 1
Carbon	7440-44-0			≤ 1
<b>Chemical formula</b>	Fe (7439-89-6), Cr (7440-47-3), Ni (7440-02-0), Mo (7439-98-7), Mn (7439-96-5), Si (7440-21-3), P (7723-14-0), C (7440-44-0)			

### 4. First aid measures

<b>If inhaled</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a poison center or doctor/physician.
<b>If on skin</b>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
<b>If in eyes</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>If swallowed</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May cause respiratory irritation. Difficulty in breathing. May cause an allergic skin reaction. Dermatitis. Rash. Edema. Prolonged exposure may cause chronic effects.

<b>Protection of first-aid responders</b>	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
<b>Notes to physician</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
<b>5. Fire-fighting measures</b>	
<b>Extinguishing media</b>	Dry sand.
<b>Extinguishing media to avoid</b>	Carbon dioxide (CO <sub>2</sub> ).
<b>Specific hazards</b>	During fire, gases hazardous to health may be formed.
<b>Special fire fighting procedures</b>	Move containers from fire area if you can do so without risk.
<b>Protection of fire-fighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>6. Accidental release measures</b>	
<b>Personal precautions, protective equipment and emergency measures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Environmental precautions</b>	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
<b>Methods or materials for containment and cleaning up</b>	Prevent product from entering drains.  Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
<b>7. Handling and storage</b>	
<b>Handling</b>	
<b>Technical measures (e.g. Local and general ventilation)</b>	Provide adequate ventilation.
<b>Safe handling advice</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Use personal protection recommended in Section 8 of the SDS.
<b>Contact avoidance measures</b>	Strong acids. Strong oxidizing agents. For further information, please refer to section 10 of the SDS.
<b>Hygiene measures</b>	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
<b>Storage</b>	
<b>Safe storage conditions</b>	Store locked up. Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).
<b>Safe packaging materials</b>	Store in original tightly closed container.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### Japan. OELs - ISHL. (Workplace Environment Assessment Standards)

Components	Type	Value	Form
Carbon (CAS 7440-44-0)	TLV	0.025 mg/m <sup>3</sup>	Dust.
Manganese (CAS 7439-96-5)	TLV	0.2 mg/m <sup>3</sup>	
Molybdenum (CAS 7439-98-7)	TLV	0.025 mg/m <sup>3</sup>	Dust.
Nickel (CAS 7440-02-0)	TLV	0.1 mg/m <sup>3</sup>	

#### Japan. OELs - JSOH (Japan Society of Occupational Health: Recommendation of Occupational Exposure Limits)

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0.5 mg/m <sup>3</sup>	
Manganese (CAS 7439-96-5)	TWA	0.2 mg/m <sup>3</sup>	
Molybdenum (CAS 7439-98-7)	TWA	8 mg/m <sup>3</sup>	Total dust.
		2 mg/m <sup>3</sup>	Respirable dust.
Nickel (CAS 7440-02-0)	TWA	1 mg/m <sup>3</sup>	
Phosphorus (CAS 7723-14-0)	TWA	0.1 mg/m <sup>3</sup>	

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0.5 mg/m <sup>3</sup>	Inhalable fraction.
Manganese (CAS 7439-96-5)	TWA	0.1 mg/m <sup>3</sup>	Inhalable fraction.
		0.02 mg/m <sup>3</sup>	Respirable fraction.
Molybdenum (CAS 7439-98-7)	TWA	3 mg/m <sup>3</sup>	Respirable fraction.
		10 mg/m <sup>3</sup>	Inhalable fraction.
Phosphorus (CAS 7723-14-0)	TWA	0.1 mg/m <sup>3</sup>	

### Engineering measures

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station.

### Personal protective equipment

<b>Respiratory protection</b>	Wear positive pressure self-contained breathing apparatus (SCBA).
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Eye protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and body protection</b>	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

## 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	Solid.
<b>Form</b>	Solid.
<b>Color</b>	Not available.

**Odor** Not available.

**pH** Not available.

**Melting point/Freezing point** 111.38 °F (44.1 °C) estimated

<b>Boiling point, initial boiling point, and boiling range</b>	536 °F (280 °C) estimated
<b>Flash point</b>	Not available.
<b>Combustion characteristics (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	4820.12 hPa estimated
<b>Vapor density</b>	Not available.
<b>Specific gravity</b>	7.8 estimated
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	845.6 °F (452 °C) estimated
<b>Decomposition temperature</b>	Not available.
<b>Viscosity (Coefficient of viscosity)</b>	Not available.
<b>Other information</b>	
<b>Density</b>	7.80 g/cm <sup>3</sup> estimated
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
<b>Incompatible materials</b>	Strong acids. Strong oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

**Acute toxicity** Not known.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
Carbon (CAS 7440-44-0)		
<u>Acute</u>		
<b>Oral</b>		
LD50	Rat	> 10000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Causes eye irritation.

**Respiratory or skin sensitization**

**Japan Society for Occupational Health: Respiratory sensitizer**

Chromium (CAS 7440-47-3)	2 Probable respiratory sensitizer.
Nickel (CAS 7440-02-0)	2 Probable respiratory sensitizer.

**Japan Society for Occupational Health: Skin sensitizer**

Chromium (CAS 7440-47-3)

1 Known skin sensitizer.

Nickel (CAS 7440-02-0)

1 Known skin sensitizer.

**Respiratory sensitization**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Skin sensitization**

May cause an allergic skin reaction.

**Germ cell mutagenicity**

Suspected of causing genetic defects.

**Carcinogenicity**

Suspected of causing cancer.

**ACGIH Carcinogens**

Manganese (CAS 7439-96-5)

A4 Not classifiable as a human carcinogen.

Nickel (CAS 7440-02-0)

A5 Not suspected as a human carcinogen.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Chromium (CAS 7440-47-3)

3 Not classifiable as to carcinogenicity to humans.

Nickel (CAS 7440-02-0)

2B Possibly carcinogenic to humans.

**Japan Society for Occupational Health: Carcinogen**

Nickel (CAS 7440-02-0)

1 Carcinogenic to humans.

**NTP Report on Carcinogens**

Nickel (CAS 7440-02-0)

Known To Be Human Carcinogen.

Reasonably Anticipated to be a Human Carcinogen.

**Reproductive toxicity**

May damage fertility or the unborn child.

**Specific target organ toxicity - single exposure**

Causes damage to organs (kidney, respiratory system). May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure**

Causes damage to organs (respiratory system) through prolonged or repeated exposure.

**Aspiration hazard**

Not an aspiration hazard.

**12. Ecological information****Ecotoxicological data****Product****Species****Test Results**

Stainless Steel Products

**Aquatic**

Fish

LC50

Fish

6.9133 mg/l, 96 hours estimated

**Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

**Persistence and degradability**

No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulation**

No data available.

**Mobility in soil**

No data available for this product.

**Hazardous to the ozone layer**

No data available.

**Other hazardous effects**

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**13. Disposal considerations**

Dispose in accordance with all applicable regulations.

**Residual waste**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**Local disposal regulations**

Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.

## 14. Transport information

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

**National regulations** Follow regulation in section 15 for domestic transportation.

## 15. Regulatory information

### Industrial Safety and Health Act

#### Specified substances regulation

##### Class 2 designated chemical substances

MANGANESE AND ITS COMPOUNDS (EXCEPT MANGANESE OXIDE, BASIC)

NICKEL COMPOUNDS (POWDER, EXCLUDING NICKEL CARBONYL (ITEM NO. 24))

#### Notifiable substances

CHROMIUM AND CHROMIUM COMPOUNDS (EXCLUDING CHROMIC ACID AND CHROMIC ACID SALTS AND DICHROMIC ACID AND DICHROMATE)	Table 9 Ordinance No. 142	10 - 25 %
MANGANESE	Table 9 Ordinance No. 550	0.010 - 3.0 %
MOLYBDENUM AND MOLYBDENUM COMPOUNDS	Table 9 Ordinance No. 603	0.010 - 5.0 %
NICKEL	Table 9 Ordinance No. 418	5.0 - 20 %
YELLOW PHOSPHORUS	Table 9 Ordinance No. 107	0.010 - 1.0 %

#### Labeling substances

CHROMIUM (POWDER)	10 - 25 %
CHROMIUM AND CHROMIUM COMPOUNDS (EXCLUDING CHROMIC ACID AND CHROMIC ACID SALTS AND DICHROMIC ACID AND DICHROMATE)	10 - 25 %
MANGANESE (POWDER)	0.010 - 3.0 %
MOLYBDENUM (POWDER)	0.010 - 5.0 %
MOLYBDENUM AND MOLYBDENUM COMPOUNDS	0.010 - 5.0 %
YELLOW PHOSPHORUS	0.010 - 1.0 %

### Poisonous and Deleterious Substances Control Act

#### Specified poisonous substances

Not regulated.

#### Poisonous substances

PREPARATIONS CONTAINING YELLOW PHOSPHORUS

#### Deleterious substances

Not regulated.

### Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.

#### Class I specified chemical substances

Not regulated.

#### Class II specified chemical substances

Not regulated.

#### Monitoring chemical substances

Not regulated.

#### Priority Assessment Chemical Substances (PACs)

Not regulated.

#### Reporting Exempted Substances

Not regulated.

### Law concerning Pollutant Release and Transfer Register

#### Specified class 1 substances (substance name, ordinance number and content)

NICKEL COMPOUNDS Ordinance No. 309 20 % (Nickel)

**Class 1 substances (substance name, ordinance number and content)**

CHROMIUM AND CHROMIUM(III) COMPOUNDS	Ordinance No. 87	25 %	(Chromium)
MANGANESE AND ITS COMPOUNDS	Ordinance No. 412	3.0 %	(Manganese)
MOLYBDENUM AND ITS COMPOUNDS	Ordinance No. 453	5.0 %	(Molybdenum)
NICKEL	Ordinance No. 308	20 %	(Nickel)

**Class 2 substances (substance name, ordinance number and content)**

Not regulated.

**Ship Safety Law, Dangerous Goods Marine Transport and Storage Rule** Not regulated.

**Air Law, Enforcement Rule** Not regulated.

**Explosives Control Act**

Not regulated.

**Act on Prevention of Marine Pollution and Maritime Disaster**

WHITE PHOSPHORUS (INCLUDE YELLOW PHOSPHORUS) Category: X

**Water Pollution Control Act**

CHROMIUM

**Air Pollution Control Act**

YELLOW PHOSPHORUS

**Sewage Act**

CHROMIUM AND ITS COMPOUNDS, EXCEPT HEXAVALENT CHROMIUM COMPOUNDS (AS CR)	2 MG/L
IRON AND ITS SOLUBLE COMPOUNDS (AS FE)	10 MG/L
MANGANESE AND ITS SOLUBLE COMPOUNDS (AS MN)	10 MG/L

**16. Other information****Bibliography**

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices  
 HSDB® - Hazardous Substances Data Bank  
 IARC Monographs. Overall Evaluation of Carcinogenicity  
 National Toxicology Program (NTP) Report on Carcinogens  
 Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits  
 Japan Chemical Industry Association (JCIA) GHS Guideline, June 2012  
 JIS Z 7252:2014 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"  
 JIS Z 7253:2012 Hazard communication of chemicals based on GHS - Labelling and Safety Data Sheet (SDS)

Materion Advanced Materials Group cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

**Revision information** This document has undergone significant changes and should be reviewed in its entirety.