



PRODUCT INFORMATION SHEET

MATERION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture Ruthenium Chromium Products
Synonyms None.
Document number 234
Issue date 28-October-2015
Version number 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available.
Uses advised against None known.

1.3. Details of the supplier of the product information sheet

Supplier

Company name Materion Advanced Materials Group
Address 42 Mt. Ebo Road South
Brewster, NY 10509
United States
Division
Telephone Supplier Phone 1+845.279.0900
e-mail Not available.
Contact person Not available.

1.4. Emergency telephone number Chemtrec 1+703.527.3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Environmental hazards

Hazardous to the aquatic environment, acute aquatic hazard Category 1 H400 - Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term aquatic hazard Category 3 H412 - Harmful to aquatic life with long lasting effects.

Hazard summary Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Chromium, Ruthenium
Hazard pictograms None.
Signal word Warning
Hazard statements
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention
P273 Avoid release to the environment.
Response
P391 Collect spillage.
Storage Not available.
Disposal
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information 100 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 66,67 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Ruthenium	65 - < 75	7440-18-8 231-127-1	-	-	
Classification:	-				
Chromium	25 - < 45	7440-47-3 231-157-5	-	-	#
Classification:	Aquatic Chronic 3;H412				

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Not available.

Skin contact Not available.

Eye contact Not available.

Ingestion Not available.

4.2. Most important symptoms and effects, both acute and delayed Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing media Not available.

Unsuitable extinguishing media Use class D extinguishing agents, dry sand or sodium chloride on fire.

5.2. Special hazards arising from the substance or mixture Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Not available.

For emergency responders Not available.

6.2. Environmental precautions Not available.

6.3. Methods and material for containment and cleaning up Not available.

6.4. Reference to other sections Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Not available.

7.2. Conditions for safe storage, including any incompatibilities Not available.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Components	Type	Value
Chromium (CAS 7440-47-3)	MAK	2 mg/m ³

Belgium. Exposure Limit Values.

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m ³

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	2 mg/m ³

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Type	Value
Chromium (CAS 7440-47-3)	MAC	2 mg/m ³

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	Ceiling	1,5 mg/m ³	
	TWA	0,5 mg/m ³	Dust.
		0,5 mg/m ³	

Denmark. Exposure Limit Values

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TLV	0,5 mg/m ³	Dust.

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	2 mg/m ³

Finland. Workplace Exposure Limits

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m ³

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
Chromium (CAS 7440-47-3)	VME	2 mg/m ³

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	AGW	2 mg/m ³	Inhalable fraction.

Greece. OELs (Decree No. 90/1999, as amended)

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	1 mg/m ³

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	2 mg/m ³

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0,5 mg/m ³	Dust.

Ireland. Occupational Exposure Limits Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 2 mg/m ³

Italy. Occupational Exposure Limits Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 0,5 mg/m ³

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 2 mg/m ³

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 2 mg/m ³

Luxembourg. Binding Occupational exposure limit values (Annex I), Memorial A Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 2 mg/m ³

Netherlands. OELs (binding) Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 0,5 mg/m ³

Norway. Administrative Norms for Contaminants in the Workplace Components

Type	Value
Chromium (CAS 7440-47-3)	TLV 0,5 mg/m ³

Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 0,5 mg/m ³

Portugal. OELs. Decree-Law n. 290/2001 (Journal of the Republic - 1 Series A, n.266) Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 2 mg/m ³

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 0,5 mg/m ³

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 0,05 mg/m ³

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia) Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 2 mg/m ³

Spain. Occupational Exposure Limits Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 2 mg/m ³

Sweden. Occupational Exposure Limit Values Components

Type	Value	Form
Chromium (CAS 7440-47-3)	TWA 0,5 mg/m ³	Total dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz Components

Type	Value	Form
Chromium (CAS 7440-47-3)	TWA 0,5 mg/m ³	Inhalable dust.

UK. EH40 Workplace Exposure Limits (WELs) Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 0,5 mg/m ³

EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU Components

Type	Value
Chromium (CAS 7440-47-3)	TWA 2 mg/m ³

Biological limit values

Czech Republic. Limit Values for Indicators of Biological Exposure Tests in Urine and Blood, Annex 2, Tables 1 and 2, Government Decree 432/2003 Sb.

Components	Value	Determinant	Specimen	Sampling time
Chromium (CAS 7440-47-3)	0,065 µmol/mmol	Total chromium	Creatinine in urine	*
	0,03 mg/g	Total chromium	Creatinine in urine	*

* - For sampling details, please see the source document.

Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices

Components	Value	Determinant	Specimen	Sampling time
Chromium (CAS 7440-47-3)	0,02 mg/g	chromium	Creatinine in urine	*
	0,043 µmol/mmol	chromium	Creatinine in urine	*

* - For sampling details, please see the source document.

Spain. Biological Limit Values (VLBs), Occupational Exposure Limits for Chemical Agents, Table 4

Components	Value	Determinant	Specimen	Sampling time
Chromium (CAS 7440-47-3)	25 µg/l	Cromo total	Urine	*
	10 µg/l	Cromo total	Urine	*

* - For sampling details, please see the source document.

UK. EH40 Biological Monitoring Guidance Values (BMGVs)

Components	Value	Determinant	Specimen	Sampling time
Chromium (CAS 7440-47-3)	10 umol/mol	Chromium	Creatinine in urine	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Not available.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Not available.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

- **Hand protection** Not available.

- **Other** Not available.

Respiratory protection Not available.

Thermal hazards Not available.

Hygiene measures Not available.

Environmental exposure controls Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid.

Form Not available.

Colour Not available.

Odour Not applicable.

Odour threshold Not available.

pH Not available.

Melting point/freezing point 1900 °C (3452 °F) estimated

Initial boiling point and boiling range	2642 °C (4787,6 °F) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	0,00001 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.
9.2. Other information	
Density	7,14 g/cm ³ estimated
Specific gravity	7,14 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Not available.
10.3. Possibility of hazardous reactions	Not available.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Not available.
10.6. Hazardous decomposition products	Not available.

SECTION 11: Toxicological information

General information	Not available.
Information on likely routes of exposure	
Inhalation	Not available.
Skin contact	Not available.
Eye contact	Not available.
Ingestion	Not available.
Symptoms	Not available.
11.1. Information on toxicological effects	
Acute toxicity	No data available.
Skin corrosion/irritation	Not available.
Serious eye damage/eye irritation	Not available.
Respiratory sensitisation	Not available.
Skin sensitisation	Not available.
Germ cell mutagenicity	Not available.
Carcinogenicity	

IARC Monographs. Overall Evaluation of Carcinogenicity

Chromium (CAS 7440-47-3)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity	Not available.
Specific target organ toxicity - single exposure	Not available.
Specific target organ toxicity - repeated exposure	Not available.
Aspiration hazard	Not available.
Mixture versus substance information	Not available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity

Components	Species	Test results
Chromium (CAS 7440-47-3)		
Aquatic		
Fish	LC50 Carp (Cyprinus carpio)	14,3 mg/l, 96 hours

12.2. Persistence and degradability Not available.

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow) Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

SECTION 14: Transport information

ADR

14.1. UN number UN3077

14.2. UN proper shipping name Environmentally hazardous substance, solid, n.o.s.

14.3. Transport hazard class(es)

Class 9

Subsidiary risk -

Label(s) 9

Hazard No. (ADR) 90

Tunnel restriction code E

14.4. Packing group III

14.5. Environmental hazards Yes

14.6. Special precautions for user Not available.

RID

14.1. UN number UN3077

14.2. UN proper shipping name Environmentally hazardous substance, solid, n.o.s.

14.3. Transport hazard class(es)

Class 9

Subsidiary risk -

Label(s) 9

14.4. Packing group III

14.5. Environmental hazards Yes

14.6. Special precautions for user Not available.

ADN

14.1. UN number UN3077

14.2. UN proper shipping name Environmentally Hazardous Solid, N.o.s.

14.3. Transport hazard class(es)

Class 9

Subsidiary risk -

Label(s) 9

14.4. Packing group III

14.5. Environmental hazards Yes

14.6. Special precautions for user Not available.

IATA

Not regulated as dangerous goods.


IMDG

Not regulated as dangerous goods.

ADN; ADR; RID



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended
Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended
Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended
Not listed.

Restrictions on use

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use

Not regulated.

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended

Not listed.

Directive 94/33/EC on the protection of young people at work, as amended

Not listed.

National regulations Not available.

15.2. Chemical safety assessment Not available.

SECTION 16: Other information

Further information Not available.