# MATERION

# PRODUCT INFORMATION SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or

Nickel Sulfer-doped Product

designation of the mixture

Registration number Document number 289
Synonyms None.

**Issue date** 26-April-2021

Version number 02

**Revision date** 25-May-2022 **Supersedes date** 17-June-2021

## 1.3. Details of the supplier of the product information sheet

**Supplier** 

Company nameMaterion Electronic MaterialsAddress6070 Parkland BoulevardMayfield Heights, OH 44124

**United States** 

**Division** 

**Telephone** 1.216.383.4019

**e-mail** ehs@materion.com **Contact person** Theodore Knudson

**1.4. Emergency telephone** See Section 16.

number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

**Supplier** 

**Company name**Materion Electronic Materials **Address**Materion Electronic Materials

6070 Parkland Boulevard

Mayfield Heights, OH 44124

**United States** 

Division

**Telephone** 1.216.383.4019

**e-mail** ehs@materion.com **Contact person** Theodore Knudson

**1.4. Emergency telephone** See Section 16.

number

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

# Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

Carcinogenicity Category 2 H351 - Suspected of causing

cancer.

Specific target organ toxicity - repeated

exposure

Category 1 (Respiratory system)

H372 - Causes damage to organs (respiratory system) through prolonged or repeated exposure by

inhalation.

Material name: Nickel Sulfer-doped Product

3121 Version #: 02 Revision date: 25-May-2022 Print date: 25-May-2022 1 / 8

**Hazard summary** 

Causes damage to organs through prolonged or repeated exposure. Suspected of causing cancer. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects. Occupational

exposure to the substance or mixture may cause adverse health effects.

#### 2.2. Label elements

## Label according to Regulation (EC) No. 1272/2008 as amended

Contains: NICKEL POWDER; [PARTICLE DIAMETER < 1MM], SULFUR

Hazard pictograms



Signal word Danger

**Hazard statements** 

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.

H372 Causes damage to organs (respiratory system) through prolonged or repeated exposure by

inhalation.

## **Precautionary statements**

_					
D	roz	/ei	18	$\mathbf{a}$	n

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

**Storage** 

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label

2.3. Other hazards

information

No 1907/2006, Annex XIII.

# **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

# **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
NICKEL POWDER; [PARTICLE DIAMETER < 1MM]	99 - 100	7440-02-0 231-111-4	-	028-002-01-4	
Classification: Carc. 2;H351, Aquatic Chronic 3;H412					
SULFUR	0,2 - 0,01	7704-34-9 231-722-6	-	016-094-00-1	
Classification	on: Skin Irrit. 2;	H315			

# **SECTION 4: First aid measures**

**General information** IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice

(show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC)

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema

or other skin disorders: Seek medical attention and take along these instructions.

Material name: Nickel Sulfer-doped Product

3121 Version #: 02 Revision date: 25-May-2022 Print date: 25-May-2022 2 / 8

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic

effects.

4.3. Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

# **SECTION 5: Firefighting measures**

**General fire hazards** No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Dry sand.

**Unsuitable extinguishing** 

media

Do not use water jet as an extinguisher, as this will spread the fire. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting procedures

Move containers from fire area if you can do so without risk.

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders

6.2. Environmental

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Put material in suitable, covered, labeled containers.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

**7.3. Specific end use(s)** Not available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Material name: Nickel Sulfer-doped Product

3121 Version #: 02 Revision date: 25-May-2022 Print date: 25-May-2022 3 / 8

## **Occupational exposure limits**

Norway. Administrative Norms for Contaminants in the Workplace

Components **Value Type** NICKEL POWDER; TLV 0,05 mg/m3

[PARTICLE DIAMETER < 1MM] (CAS 7440-02-0)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Follow standard monitoring procedures.

**Derived no effect levels** 

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Observe any medical surveillance requirements. Always observe good personal hygiene measures,

such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing

should not be allowed out of the workplace.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or

engineering modifications to the process equipment may be necessary to reduce emissions to

acceptable levels.

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Appearance** 

**Physical state** Solid. **Form** Solid. Colour Grey. Odour None.

**Odour threshold** Not applicable. Not applicable.

Melting point/freezing point

1455 °C (2651 °F) estimated / Not applicable.

Initial boiling point and

boiling range

Not applicable.

Flash point Not applicable. **Evaporation rate** Not applicable.

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower Not applicable.

(%)

Flammability limit -Not applicable.

upper (%)

Material name: Nickel Sulfer-doped Product PIS NORWAY 3121 Version #: 02 Revision date: 25-May-2022 Print date: 25-May-2022 4 / 8 **Explosive limit - lower (** Not applicable.

%)

Explosive limit – upper Not applie

(%)

Not applicable.

Vapour pressureNot applicable.Vapour densityNot applicable.Relative densityNot applicable.

Solubility(ies)

Solubility (water) Not available.
Solubility (other) Insoluble.
Partition coefficient Not applicable.

(n-octanol/water)

Auto-ignition temperatureNot applicable.Decomposition temperatureNot applicable.ViscosityNot applicable.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

9.2. Other information

**Density** 8,91 g/cm3 estimated

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

**10.3. Possibility of hazardous** No dangerous reaction known under conditions of normal use.

reactions

**10.4. Conditions to avoid** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the decomposition temperature. Contact with incompatible materials.

**10.5. Incompatible materials** Strong acids.

**10.6. Hazardous** No hazardous decomposition products are known.

decomposition products

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.

**Eye contact** Direct contact with eyes may cause temporary irritation.

**Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** May cause an allergic skin reaction. Prolonged exposure may cause chronic effects.

## 11.1. Information on toxicological effects

**Acute toxicity** None known.

**Skin corrosion/irritation** May cause allergic skin reaction.

Serious eye damage/eye

irritation

None known.

**Respiratory sensitisation** Not a respiratory sensitizer.

**Skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Not classified. **Carcinogenicity** Cancer hazard.

## IARC Monographs. Overall Evaluation of Carcinogenicity

NICKEL POWDER; [PARTICLE DIAMETER < 1MM] 2B Possibly carcinogenic to humans.

(CAS 7440-02-0)

**Reproductive toxicity**Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity Not classified.

- single exposure

Material name: Nickel Sulfer-doped Product

PIS NORWAY

Print date: 25 May 2022

3121 Version #: 02 Revision date: 25-May-2022 Print date: 25-May-2022 5 / 8

Specific target organ toxicity

- repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

Other information Not available.

**SECTION 12: Ecological information** 

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

**Components Species Test Results** 

SULFUR (CAS 7704-34-9)

Aquatic Acute

LC50 Fish Western mosquitofish (Gambusia affinis) > 10000 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

potential

No data available.

**Partition coefficient** n-octanol/water (log Kow)

Not available.

**Bioconcentration factor (BCF)** 

Not available.

No data available.

12.4. Mobility in soil

12.5. Results of PBT and

vPvB assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC)

No 1907/2006, Annex XIII.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**Disposal** methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Special precautions** Dispose in accordance with all applicable regulations.

# **SECTION 14: Transport information**

## **ADR**

14.1. - 14.6.: Not regulated as dangerous goods.

**RID** 

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Material name: Nickel Sulfer-doped Product 3121 Version #: 02 Revision date: 25-May-2022 Print date: 25-May-2022 6/8

PIS NORWAY

## Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

NICKEL POWDER; [PARTICLE DIAMETER < 1MM] (CAS 7440-02-0)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

## **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

NICKEL POWDER; [PARTICLE DIAMETER < 1MM] (CAS 7440-02-0)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

### Other EU regulations

# Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended.

According to Directive 92/85/EEC as amended, pregnant women should not work with the product, **National regulations** 

if there is the least risk of exposure.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

List of abbreviations Not available. Not available. References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

**Training information** Follow training instructions when handling this material.

**Further information** Transportation Emergency

> Call Chemtrec at: US: 800.424.9300

International: 703.741.5970 Spain: 900.868.538 Switzerland: 0800.564.402

Chemtrec's toll free, mobile-enabled number in Germany - 0800 1817059

South Korea Toll-free Number - 080-880-0468

Material name: Nickel Sulfer-doped Product PIS NORWAY Print date: 25-May-2022 7/8

3121 Version #: 02 Revision date: 25-May-2022

## Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

To avoid any misunderstandings or incorrect assumptions by the receiver of the safety information, it should be made clear that the supplied information is not in the form of a Safety Data Sheet (SDS), but is actually a voluntary Product Information Sheet closely following the guidelines of the Safety Data Sheet – COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 (REACH/SDS).

Material name: Nickel Sulfer-doped Product

3121 Version #: 02 Revision date: 25-May-2022 Print date: 25-May-2022 8 / 8