MATERION

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance Silicon dioxide

Identification number 262-373-8 (EC number)

Registration number Document number 2AR **Synonyms** None **Materion Code** 2AR

Issue date 02-November-2018

Version number

Revision date 15-October-2021

1.3. Details of the supplier of the safety data sheet

Supplier

Division

Company name Materion Advanced Chemicals Inc.

Address 407 N. 13th Street

> 1316 W. St. Paul Avenue Milwaukee, WI 53233

United States Milwaukee 414.212.0257

Telephone advancedmaterials@materion.com e-mail

Contact person Laura Hamilton

1.4. Emergency telephone

number

02-November-2018 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Hazard summary May cause damage to organs through prolonged or repeated exposure. Causes serious eye

irritation. May cause irritation to the respiratory system. Exposure to powder or dusts may be

irritating to eyes, nose and throat.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Silicon dioxide

Hazard pictograms



Signal word Warning

Hazard statements

Causes serious eye irritation. H319 H335 May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure. H373

Precautionary statements

Material name: Silicon dioxide

Prevention

Avoid breathing dust/fume/gas/mist/vapours P261

P264 Wash thoroughly after handling.

Use only outdoors or in a well ventilated area. P271

Wear protective gloves/eye protection/face protection. P280

Response

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and P305 + P351 + P338

easy to do. Continue rinsing.

Call a POISON CENTRE or doctor/physician if you feel unwell. P312 If eye irritation persists: Get medical advice/attention. P337 + P313

Storage

Store in a well-ventilated place. Keep container tightly closed P403 + P233

Store locked up. P405

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label

information

For further information, please contact the Product Stewardship Department at +1.800.862.4118.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Silicon dioxide	100	60676-86-0 262-373-8	-	-	
Class	ification: STOT SE 3	;H335, STOT RE 2;F	1373		

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet

to the doctor in attendance.

4.1. Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Get medical Eye contact

attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both

acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure may cause chronic

effects.

4.3. Indication of any immediate medical attention

and special treatment

needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

media

5.2. Special hazards arising

During fire, gases hazardous to health may be formed.

from the substance or

mixture

Material name: Silicon dioxide SDS FII

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Ensure adequate ventilation. For personal protection, see section 8

of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Practice good housekeeping. Avoid contact with eyes and prolonged or repeated contact with skin.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible

materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

	Austria. MAK List, OEL	. Ordinance (Gw\	V), BGBI, II, no	. 184/2001
--	------------------------	------------------	---------------------------	------------

Material	Type	Value	Form
Silicon dioxide (CAS 60676-86-0)	MAK	0,3 mg/m3	Respirable fraction.
Belgium. Exposure Limit Valu	ies		
Material	Туре	Value	Form
Silicon dioxide (CAS 60676-86-0)	TWA	2 mg/m3	Respirable fraction.
		0,1 mg/m3	Respirable dust.
Bulgaria. OELs. Regulation No Material	o 13 on protection of workers a Type	against risks of exposure to o Value	hemical agents at work Form
Silicon dioxide (CAS 60676-86-0)	TWA	10 mg/m3	Inhalable fraction.
		0,07 mg/m3	Respirable fraction.
Croatia. Dangerous Substanc 13/09	e Exposure Limit Values in the	Workplace (ELVs), Annexes	1 and 2, Narodne Novine,
Material	Туре	Value	Form
Silicon dioxide (CAS 60676-86-0)	MAC	0,08 mg/m3	Respirable dust.

Material name: Silicon dioxide SDS FII

amended. Material	Туре	Value	
Silicon dioxide (CAS 50676-86-0)	TWA	2 mg/m3	
Zzech Republic. OELs. Governm Material	ent Decree 361 Type	Value	Form
Silicon dioxide (CAS 50676-86-0)	TWA	4 mg/m3	Dust.
Denmark. Exposure Limit Value Material	s Type	Value	Form
Silicon dioxide (CAS 50676-86-0)	TLV	0,1 mg/m3	Respirable.
Estonia. OELs. Occupational Exp amended	oosure Limits of Hazardous S	ubstances (Regulation No.	105/2001, Annex), as
Material	Туре	Value	Form
Silicon dioxide (CAS 60676-86-0)	TWA	2 mg/m3	Fine dust, respiratory fraction
Finland. Workplace Exposure Li Material	mits Type	Value	
Silicon dioxide (CAS 60676-86-0)	TWA	5 mg/m3	
Germany. DFG MAK List (adviso Compounds in the Work Area (I	OFG)	-	
Material ————————————————————————————————————	Туре	Value	Form
Silicon dioxide (CAS 60676-86-0)	TWA	0,3 mg/m3	Respirable fraction.
Germany. TRGS 900, Limit Valu Material	es in the Ambient Air at the \ Type	Workplace Value	Form
Silicon dioxide (CAS 50676-86-0)	AGW	0,3 mg/m3	Respirable fraction.
celand. OELs. Regulation 154/ Material	1999 on occupational exposu Type	ıre limits Value	Form
Silicon dioxide (CAS 60676-86-0)	TWA	0,1 mg/m3	Respirable dust.
Ireland. Occupational Exposure Material	Limits Type	Value	Form
Silicon dioxide (CAS 50676-86-0)	TWA	0,08 mg/m3	Respirable dust.
Latvia. OELs. Occupational expo Material	osure limit values of chemica Type	l substances in work enviro Value	nment
Silicon dioxide (CAS 50676-86-0)	TWA	1 mg/m3	
Norway. Administrative Norms Material	for Contaminants in the Worl Type	kplace Value	Form
Silicon dioxide (CAS 50676-86-0)	TLV	1,5 mg/m3	Respirable dust.
Poland. Ordinance of the Minist concentrations and intensities of Material			
Silicon dioxide (CAS 60676-86-0)	TWA	2 mg/m3	Inhalable fraction.

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents Material

Type

Value

Silicon dioxide (CAS TWA 0,3 mg/m3

60676-86-0)

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while

working (Official Gazette of the Republic of Slovenia)

MaterialTypeValueFormSilicon dioxide (CASTWA0,3 mg/m3Respirable fraction.

60676-86-0)

Switzerland. SUVA Grenzwerte am Arbeitsplatz

MaterialTypeValueFormSilicon dioxide (CAS
60676-86-0)TWA0,3 mg/m3Respirable fraction.

UK. EH40 Workplace Exposure Limits (WELs)

MaterialTypeValueFormSilicon dioxide (CAS
60676-86-0)TWA0,08 mg/m3Respirable dust.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Not available.

Respiratory protection Wear respirator with dust filter. When airborne exposures exceed or have the potential to exceed

the occupational exposure limits, approved respirators must be used as specified by an Industrial Hygienist or other qualified professional. Respirator users must be medically evaluated to determine if they are physically capable of wearing a respirator. Quantitative and/or qualitative fit testing and respirator training must be satisfactorily completed by all personnel prior to respirator use. Users of tight fitting respirators must be clean shaven on those areas of the face where the respirator seal contacts the face. Use pressure-demand airline respirators when performing jobs with high

potential exposures such as changing filters in a baghouse air cleaning device.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing

and protective equipment to remove contaminants.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

5 / 10

Material name: Silicon dioxide SDS EU

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Solid. Physical state Form Powder. Colour Not available. Odour Not available. Not available. Odour threshold Not available. pН 1710 °C (3110 °F) Melting point/freezing point Initial boiling point and 2230 °C (4046 °F)

boiling range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

Not available.

upper (%)

Vapour pressure < 0,0000001 kPa (25 °C (77 °F))

Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidising propertiesNot oxidising.

9.2. Other information

Heat of combustion 0 kJ/g

(NFPA 30B)

Molecular formula 02Si

Molecular weight 60,08 g/mol

Surface tension 5,2 mN/m (25 °C (77 °F))

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.

10.5. Incompatible materials Chlorine. Fluorine.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Dusts may irritate the respiratory tract, skin and eyes.

11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

Due to partial or complete lack of data the classification is not possible.

irritation

Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible.

Skin sensitisation

Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Silicon dioxide (CAS 60676-86-0) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicityDue to partial or complete lack of data the classification is not possible. **Specific target organ toxicity**Due to partial or complete lack of data the classification is not possible.

- single exposure

Specific target organ toxicity Due to partial or complete lack of data the classification is not possible.

- repeated exposure

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Due to partial or complete lack of data the classification for hazardous to the aquatic environment,

is not possible.

12.2. Persistence and

degradability

No data is available on the degradability of this substance.

12.3. Bioaccumulative

potential

No data available.

Partition coefficient

n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and

vPvB assessment

This substance does not meet vPvB / PBT criteria of Regulation (EC) No 1907/2006, Annex XIII.

12.6. Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.7. Additional information

Estonia Dangerous substances in soil Data

Silicon dioxide (CAS 60676-86-0) Chemical pesticides (As the total sum of the active substances) 0,5

mg/kg

Chemical pesticides (As the total sum of the active substances) 20

mg/kg

Chemical pesticides (As the total sum of the active substances) 5

mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

methods/information

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN2588

14.2. UN proper shipping PESTICIDE, SOLID, TOXIC, N.O.S. (Silicon dioxide)

name

14.3. Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Label(s) 6.1
Hazard No. (ADR) 60
Tunnel restriction E
code

14.4. Packing group14.5. EnvironmentalNo

hazards

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

RID

14.1. UN number UN2588

14.2. UN proper shipping PESTICIDE, SOLID, TOXIC, N.O.S. (Silicon dioxide)

name

14.3. Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Label(s) 6.1

14.4. Packing group III

14.5. Environmental No.

hazards

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

ADN

14.1. UN number UN2588

14.2. UN proper shipping PESTICIDE, SOLID, TOXIC, N.O.S. (Silicon dioxide)

name

14.3. Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Label(s) 6.1

14.4. Packing group III

14.5. Environmental No.

hazards

14.6. Special precautions Read safety instructions, SDS and emergency procedures before handling.

for user

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

ADN; ADR; RID



Material name: Silicon dioxide SDS EU

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents.

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as

amended

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert – Germany).

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization. IATA: International Air Transport Association.

IBC: Intermediate Bulk Container.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative, toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit.

TLV: Threshold Limit Value. TWA: Time Weighted Average. VLE: Exposure Limit Value. VME: Exposure Average Value.

vPvB: Very persistent and very bioaccumulative.

References

Information on evaluation method leading to the classification of mixture

Not available. Not applicable.

Training information

Disclaimer

Follow training instructions when handling this material.

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Material name: Silicon dioxide SDS EU