MATERION

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or Lithium Aluminum Silicate

designation of the mixture

Synonyms None. **Document number** 2IN **Materion Code** 2IN

Issue date 05-September-2018

Version number Λ1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available. Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Materion Advanced Chemicals Inc.

Address 407 N. 13th Street

> 1316 W. St. Paul Avenue Milwaukee, WI 53233

United States Division Milwaukee **Telephone** 414.212.0257

e-mail advancedmaterials@materion.com

Noreen Atkinson **Contact person**

1.4. Emergency telephone

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin corrosion/irritation Category 1B H314 - Causes severe skin burns

and eye damage.

Serious eye damage/eye irritation H318 - Causes serious eye damage. Category 1

Hazard summary Causes severe skin burns and eye damage. Occupational exposure to the substance or mixture

may cause adverse health effects. The material as sold in solid form is generally not considered hazardous. However, if the process involves grinding, melting, cutting or any other process that causes a release of dust or fumes, hazardous levels of airborne particulate could be generated.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Lithium hydroxide

Hazard pictograms



Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Causes serious eye damage. H318

Material name: Lithium Aluminum Silicate SDS FU

Precautionary statements

Prevention

Observe good industrial hygiene practices.

Wash thoroughly after handling. P264

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

Wash hands after handling.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P301 + P330 + P331

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with P303 + P361 + P353

water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and P305 + P351 + P338

easy to do. Continue rinsing.

Immediately call a POISON CENTRE/doctor. P310 Wash contaminated clothing before reuse. P363

Storage

Store away from incompatible materials.

Store in a well-ventilated place. Keep container tightly closed. P403 + P233

Store locked up. P405

Disposal

Dispose of waste and residues in accordance with local authority requirements.

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

Supplemental label information

70,63 % of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. 70,63 % of the mixture consists of component(s) of unknown acute oral toxicity. 70,63 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 70,63 % of the mixture consists of component(s) of unknown acute dermal toxicity. For further information, please contact the Product Stewardship Department at +1.800.862.4118.

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Lithium hydroxide		1310-65-2 215-183-4	-	-	
Classification:	Skin Corr. 1B;H314				
Other components belo	ow reportable 88.96				

levels

88.96

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control centre immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

> present and easy to do. Continue rinsing. Call a physician or poison control centre immediately. Call a physician or poison control centre immediately. Rinse mouth. Do not induce vomiting. If

Ingestion vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

4.2. Most important symptoms and effects, both acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Material name: Lithium Aluminum Silicate

2IN Version #: 01 Issue date: 05-September-2018

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBI. II, no. 184/2001

Components	Туре	Value	Form
Aluminium oxide (CAS 1344-28-1)	MAK	5 mg/m3	Respirable fraction.
		5 mg/m3	Respirable fume.
		10 mg/m3	Inhalable fraction.
	STEL	20 mg/m3	Inhalable fraction.
		10 mg/m3	Respirable fume.

Components	wV), BGBl. II, no. 184/2 Type	Value	Form	
		10 mg/m3	Respirable fraction.	
Belgium. Exposure Limit Values. Components	Туре	Value	Form	
Aluminium oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.	
Bulgaria. OELs. Regulation No 13 on Components	protection of workers a Type	gainst risks of exposure to o Value	of exposure to chemical agents at wo Value Form	
Aluminium oxide (CAS 1344-28-1)	TWA	3,5 mg/m3	Respirable fraction.	
Croatia. Dangerous Substance Expo	sure Limit Values in the \	Workplace (ELVs), Annexes	1 and 2, Narodne Novi	
13/09 Components	Туре	Value	Form	
Aluminium oxide (CAS 1344-28-1)	MAC	4 mg/m3	Respirable dust.	
Lithium hydroxide (CAS 1310-65-2)	STEL	10 mg/m3 1 mg/m3	Total dust.	
1310-03-2) Czech Republic. OELs. Government I	Decree 361			
Components	Туре	Value	Form	
Aluminium oxide (CAS 1344-28-1)	TWA	0,1 mg/m3	Respirable dust.	
Denmark. Exposure Limit Values Components	Туре	Value	Form	
Aluminium oxide (CAS	TLV	5 mg/m3	Total	
1344-28-1)		2 mg/m3	Respirable.	
Estonia. OELs. Occupational Exposu	re Limits of Hazardous S	ubstances. (Annex of Regul	ation No. 293 of 18	
September 2001) Components	Туре	Value	Form	
Aluminium oxide (CAS	TWA	4 mg/m3	Respirable dust.	
1344-28-1)		10 mg/m3	Total dust.	
France. Threshold Limit Values (VLE Components	P) for Occupational Expo Type	5.		
Aluminium oxide (CAS 1344-28-1)	VME	10 mg/m3		
Germany. DFG MAK List (advisory O		Investigation of Health Ha	zards of Chemical	
Compounds in the Work Area (DFG) Components	Туре	Value	Form	
Aluminium oxide (CAS	TWA	4 mg/m3	Inhalable fraction.	
1344-28-1)		1,5 mg/m3	Respirable fraction.	
Germany. TRGS 900, Limit Values in	the Ambient Air at the V	· -	nespirable Hactivili.	
Components	Туре	Value	Form	
Aluminium oxide (CAS 1344-28-1)	AGW	10 mg/m3	Inhalable fraction.	
		1,25 mg/m3	Respirable fraction.	
Greece. OELs (Decree No. 90/1999, Components	as amended) Type	Value	Form	
Aluminium oxide (CAS	TWA	5 mg/m3	Inhalable	
1344-28-1)		10 mg/m3	Respirable.	

Components	n Chemical Safety of Workplaces Type	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	6 mg/m3	Respirable.
Iceland. OELs. Regulation 154/ Components	/1999 on occupational exposure li Type	imits Value	
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	
Ireland. Occupational Exposure Components	e Limits Type	Value	Form
Aluminium oxide (CAS	TWA	4 mg/m3	Respirable dust.
1344-28-1) Lithium hydroxide (CAS	STEL	10 mg/m3 1 mg/m3	Total inhalable dust.
1310-65-2) Italy. Occupational Exposure Li Components	imits Type	Value	Form
Aluminium oxide (CAS	TWA	1 mg/m3	Respirable fraction.
1344-28-1)		<u>-</u>	·
Latvia. OELs. Occupational exp Components	osure limit values of chemical sub Type	ostances in work enviro Value	nment Form
Aluminium oxide (CAS	TWA	6 mg/m3	Decomposition aerosol
1344-28-1)		4 mg/m3	
Norway. Administrative Norms Components	for Contaminants in the Workplac Type	ce Value	
Aluminium oxide (CAS 1344-28-1)	TLV	10 mg/m3	
Poland. MACs. Regulation rega	rding maximum permissible conc	entrations and intensiti	es of harmful factors in t
work environment, Annex 1 Components	Туре	Value	Form
Aluminium oxide (CAS	TWA	2,5 mg/m3	Inhalable fraction.
1344-28-1)		1,2 mg/m3	Respirable fraction.
Portugal. VLEs. Norm on occup Components	ational exposure to chemical age Type	nts (NP 1796) Value	
Aluminium oxide (CAS 1344-28-1)	TWA	10 mg/m3	
Romania. OELs. Protection of w Components	vorkers from exposure to chemica Type	al agents at the workpla Value	ce Form
Aluminium oxide (CAS	STEL	5 mg/m3	Aerosol
1344-28-1)			
	TWA	2 mg/m3	Aerosol
	TWA 300/2007 concerning protection Type	- -	
Components Aluminium oxide (CAS	300/2007 concerning protection	of health in work with	chemical agents
Slovakia. OELs. Regulation No. Components Aluminium oxide (CAS 1344-28-1)	300/2007 concerning protection Type	of health in work with o	chemical agents Form
Components Aluminium oxide (CAS 1344-28-1) Spain. Occupational Exposure I	300/2007 concerning protection Type TWA	of health in work with o Value 4 mg/m3 1,5 mg/m3	chemical agents Form Inhalable fraction.
Components Aluminium oxide (CAS 1344-28-1) Spain. Occupational Exposure I Components Aluminium oxide (CAS	300/2007 concerning protection Type TWA Limits	of health in work with o Value 4 mg/m3 1,5 mg/m3 0,1 mg/m3	chemical agents Form Inhalable fraction.
Components Aluminium oxide (CAS 1344-28-1) Spain. Occupational Exposure I Components Aluminium oxide (CAS 1344-28-1) Sweden. OELs. Work Environments	300/2007 concerning protection Type TWA Limits Type	of health in work with of Value 4 mg/m3 1,5 mg/m3 0,1 mg/m3 Value 10 mg/m3	Inhalable fraction. Respirable fraction.
Components Aluminium oxide (CAS 1344-28-1) Spain. Occupational Exposure I Components Aluminium oxide (CAS 1344-28-1)	300/2007 concerning protection Type TWA Limits Type TWA TWA ent Authority (AV), Occupational	of health in work with of Value 4 mg/m3 1,5 mg/m3 0,1 mg/m3 Value 10 mg/m3 Exposure Limit Values (Inhalable fraction. Respirable fraction. AFS 2015:7)

Components	Туре	Value	Form
Lithium hydroxide (CAS 1310-65-2)	Ceiling	0,02 mg/m3	Inhalable dust.
Switzerland. SUVA Grenz	werte am Arbeitsplatz		
Components	Туре	Value	Form
Aluminium oxide (CAS 1344-28-1)	STEL	24 mg/m3	Fume and respirable dust
,	TWA	3 mg/m3	Respirable dust.
		3 mg/m3	Fume and respirable dust.
UK. EH40 Workplace Exp	osure Limits (WELs)		
Components	Туре	Value	Form
Aluminium oxide (CAS 1344-28-1)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
Lithium hydroxide (CAS 1310-65-2)	STEL	1 mg/m3	
logical limit values	No biological exposure limits noted for the ingredient(s).		
commended monitoring cedures	Follow standard monitoring procedures.		
ived no effect levels IELs)	Not available.		
dicted no effect	Not available.		

concentrations (PNECs)

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves. - Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material and

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid. Solid. **Form**

Colour Not available. Odour Not available. **Odour threshold** Not available. pН Not available. Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Not available.

Flammability limit upper (%)

Not available. Vapour pressure Not available. Vapour density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. Viscosity **Explosive properties** Not explosive. **Oxidising properties** Not oxidising.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous

No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns. Eye contact Causes serious eye damage. Ingestion Causes digestive tract burns.

Symptoms Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Material name: Lithium Aluminum Silicate

Specific target organ toxicity

- single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity

- repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Not available.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

potential

No data available.

Partition coefficient

n-octanol/water (log Kow)

Bioconcentration factor (BCF)

Not available.

Not available.

12.4. Mobility in soil 12.5. Results of PBT

No data available.

and vPvB assessment Not available.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

TATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulationsThis Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as

amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended.

National regulations Follow national regulation for work with chemical agents. Young people under 18 years old are not

allowed to work with this product according to EU Directive 94/33/EC on the protection of young

people at work, as amended.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

Information on evaluation method leading to the classification of mixture

Disclaimer

Not available.

The classification for health and environmental hazards is derived by a combination of calculatior methods and test data, if available.

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.