



SAFETY DATA SHEET

MATERION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

| | |
|------------------------------|-----------------------------|
| Name of the substance | Iron antimonide |
| Identification number | 051-003-00-9 (Index number) |
| Synonyms | None. |
| Document number | 2JC |
| Materion Code | 2JC |
| Issue date | 16-November-2018 |
| Version number | 01 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|-----------------------------|----------------|
| Identified uses | Not available. |
| Uses advised against | None known. |

1.3. Details of the supplier of the safety data sheet

Supplier

| | |
|-----------------------|---|
| Company name | Materion Advanced Chemicals Inc. |
| Address | 407 N. 13th Street 1316 W. St. Paul Avenue Milwaukee, WI 53233 United States |
| Division | Milwaukee |
| Telephone | 414.212.0257 |
| e-mail | advancedmaterials@materion.com |
| Contact person | Noreen Atkinson |

1.4. Emergency telephone number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

| | | |
|----------------------------|------------|------------------------------|
| Acute toxicity, oral | Category 4 | H302 - Harmful if swallowed. |
| Acute toxicity, inhalation | Category 4 | H332 - Harmful if inhaled. |

Environmental hazards

| | | |
|--|------------|---|
| Hazardous to the aquatic environment, long-term aquatic hazard | Category 2 | H411 - Toxic to aquatic life with long lasting effects. |
|--|------------|---|

Hazard summary

Harmful if inhaled. Harmful if swallowed. Dangerous for the environment if discharged into watercourses. Occupational exposure to the substance or mixture may cause adverse health effects. The material as sold in solid form is generally not considered hazardous. However, if the process involves grinding, melting, cutting or any other process that causes a release of dust or fumes, hazardous levels of airborne particulate could be generated.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Iron antimonide

Hazard pictograms



Signal word Warning

Hazard statements

| | |
|------|-----------------------|
| H302 | Harmful if swallowed. |
| H332 | Harmful if inhaled. |

H411

Toxic to aquatic life with long lasting effects.

Precautionary statements**Prevention**

P261 Avoid breathing dust.
 P264 Wash thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P273 Avoid release to the environment.

Response

P301 + P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.
 P330 Rinse mouth.
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312 Call a POISON CENTRE/doctor if you feel unwell.
 P391 Collect spillage.

Storage

Store away from incompatible materials.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

100 % of the mixture consists of component(s) of unknown acute dermal toxicity. 100 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. For further information, please contact the Product Stewardship Department at +1.800.862.4118.

2.3. Other hazards

Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients**3.1. Substances****General information**

| Chemical name | % | CAS-No. / EC No. | REACH Registration No. | INDEX No. | Notes |
|------------------------|--|-------------------------|------------------------|--------------|-------|
| Iron antimonide | 100 | 12022-93-4 234-669-7 | - | 051-003-00-9 | |
| Classification: | Acute Tox. 4;H302, Acute Tox. 4;H332, Aquatic Chronic 2;H411 | | | | 1,A |

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures**General information**

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

4.1. Description of first aid measures**Inhalation**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTRE or doctor/physician if you feel unwell.

Skin contact

Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact

Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures**General fire hazards**

No unusual fire or explosion hazards noted.

5.1. Extinguishing media**Suitable extinguishing media**

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

- 5.2. Special hazards arising from the substance or mixture** During fire, gases hazardous to health may be formed.
- 5.3. Advice for firefighters**
- Special protective equipment for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
- Special firefighting procedures** Use water spray to cool unopened containers.
- Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Prevent product from entering drains. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Minimise dust generation and accumulation. Do not taste or swallow. Avoid breathing dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

| Material | Type | Value | Form |
|----------------------------------|------|-----------------------|---------------------|
| Iron antimonide (CAS 12022-93-4) | MAK | 0,5 mg/m ³ | Inhalable fraction. |
| | STEL | 1,5 mg/m ³ | Inhalable fraction. |

Belgium. Exposure Limit Values.

| Material | Type | Value |
|----------------------------------|------|-----------------------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m ³ |

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

| Material | Type | Value |
|----------------------------------|------|-----------------------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m ³ |

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | MAC | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

Czech Republic. OELs. Government Decree 361

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|---------|-----------|
| Iron antimonide (CAS 12022-93-4) | Ceiling | 1,5 mg/m3 |
|----------------------------------|---------|-----------|

Finland. Workplace Exposure Limits

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | VME | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

Greece. OELs (Decree No. 90/1999, as amended)

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|------|-----------|
| Iron antimonide (CAS 12022-93-4) | STEL | 2 mg/m3 |
| | TWA | 0,5 mg/m3 |

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

| Material | Type | Value | Form |
|----------|------|-------|------|
|----------|------|-------|------|

| | | | |
|----------------------------------|-----|-----------|-------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m3 | Dust. |
|----------------------------------|-----|-----------|-------|

Ireland. Occupational Exposure Limits

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

Italy. Occupational Exposure Limits

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

Netherlands. OELs (binding)

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

Norway. Administrative Norms for Contaminants in the Workplace

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | TLV | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

Poland. MACs. Regulation regarding maximum permissible concentrations and intensities of harmful factors in the work environment, Annex 1

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

| Material | Type | Value |
|----------|------|-------|
|----------|------|-------|

| | | |
|----------------------------------|-----|-----------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m3 |
|----------------------------------|-----|-----------|

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

| Material | Type | Value |
|----------------------------------|------|-----------------------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m ³ |

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

| Material | Type | Value | Form |
|----------------------------------|------|-----------------------|---------------------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m ³ | Inhalable fraction. |

Spain. Occupational Exposure Limits

| Material | Type | Value |
|----------------------------------|------|-----------------------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m ³ |

Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7)

| Material | Type | Value | Form |
|----------------------------------|------|------------------------|-----------------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,25 mg/m ³ | Inhalable dust. |

UK. EH40 Workplace Exposure Limits (WELs)

| Material | Type | Value |
|----------------------------------|------|-----------------------|
| Iron antimonide (CAS 12022-93-4) | TWA | 0,5 mg/m ³ |

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapour cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls Inform appropriate managerial or supervisory personnel of all environmental releases.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance**

Physical state Solid.

Form Solid.

Colour Not available.

Odour Not available.

Odour threshold Not available.

| | |
|---|-------------------|
| pH | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Vapour pressure | 2,44 kPa at 25 °C |
| Vapour density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Explosive properties | Not explosive. |
| Oxidising properties | Not oxidising. |
| 9.2. Other information | |
| Molecular formula | Fe.Sb |
| Molecular weight | 299,36 g/mol |

SECTION 10: Stability and reactivity

| | |
|---|---|
| 10.1. Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| 10.2. Chemical stability | Material is stable under normal conditions. |
| 10.3. Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| 10.4. Conditions to avoid | Contact with incompatible materials. |
| 10.5. Incompatible materials | Strong oxidising agents. |
| 10.6. Hazardous decomposition products | No hazardous decomposition products are known. |

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

| | |
|---------------------|--|
| Inhalation | Harmful if inhaled. |
| Skin contact | No adverse effects due to skin contact are expected. |
| Eye contact | Direct contact with eyes may cause temporary irritation. |
| Ingestion | Harmful if swallowed. |

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

| | |
|--|--|
| Acute toxicity | In high concentrations, vapours are anaesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Harmful if inhaled. Harmful if swallowed. |
| Skin corrosion/irritation | Due to partial or complete lack of data the classification is not possible. |
| Serious eye damage/eye irritation | Due to partial or complete lack of data the classification is not possible. |
| Respiratory sensitisation | Due to partial or complete lack of data the classification is not possible. |
| Skin sensitisation | Due to partial or complete lack of data the classification is not possible. |
| Germ cell mutagenicity | Due to partial or complete lack of data the classification is not possible. |
| Carcinogenicity | Due to partial or complete lack of data the classification is not possible. |

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

| | |
|---|---|
| Reproductive toxicity | Due to partial or complete lack of data the classification is not possible. |
| Specific target organ toxicity - single exposure | Due to partial or complete lack of data the classification is not possible. |
| Specific target organ toxicity - repeated exposure | Due to partial or complete lack of data the classification is not possible. |
| Aspiration hazard | Due to partial or complete lack of data the classification is not possible. |
| Mixture versus substance information | No information available. |
| Other information | Not available. |

SECTION 12: Ecological information

| | |
|--|---|
| 12.1. Toxicity | Toxic to aquatic life with long lasting effects. Due to partial or complete lack of data the classification for hazardous to the aquatic environment, acute hazard, is not possible. |
| 12.2. Persistence and degradability | |
| 12.3. Bioaccumulative potential | No data available. |
| Partition coefficient n-octanol/water (log Kow) | Not available. |
| Bioconcentration factor (BCF) | Not available. |
| 12.4. Mobility in soil | No data available. |
| 12.5. Results of PBT and vPvB assessment | Not a PBT or vPvB substance or mixture. |
| 12.6. Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |
| 12.7. Additional information | |

Estonia Dangerous substances in soil Data

| | |
|----------------------------------|---|
| Iron antimonide (CAS 12022-93-4) | Antimony (Sb) 10 mg/kg Antimony (Sb) 100 mg/kg Antimony (Sb) 20 mg/kg |
|----------------------------------|---|

SECTION 13: Disposal considerations

| | |
|--------------------------------------|--|
| 13.1. Waste treatment methods | |
| Residual waste | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |
| EU waste code | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Disposal methods/information | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Special precautions | Dispose in accordance with all applicable regulations. |

SECTION 14: Transport information

ADR

| | |
|---|---|
| 14.1. UN number | UN1549 |
| 14.2. UN proper shipping name | Antimony compound, inorganic, solid, n.o.s. (Iron antimonide) |
| 14.3. Transport hazard class(es) | |
| Class | 6.1(PGIII) |
| Subsidiary risk | - |
| Label(s) | 6.1 |
| Hazard No. (ADR) | 60 |
| Tunnel restriction code | E |
| 14.4. Packing group | III |

14.5. Environmental hazards No.
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number UN1549
14.2. UN proper shipping name Antimony compound, inorganic, solid, n.o.s. (Iron antimonide)
14.3. Transport hazard class(es)
 Class 6.1(PGIII)
 Subsidiary risk -
 Label(s) 6.1
14.4. Packing group III
14.5. Environmental hazards No.
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number UN1549
14.2. UN proper shipping name Antimony compound, inorganic, solid, n.o.s. (Iron antimonide)
14.3. Transport hazard class(es)
 Class 6.1(PGIII)
 Subsidiary risk -
 Label(s) 6.1
14.4. Packing group III
14.5. Environmental hazards No.
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

14.1. UN number UN1549
14.2. UN proper shipping name Antimony compound, inorganic, solid, n.o.s. (Iron antimonide)
14.3. Transport hazard class(es)
 Class 6.1(PGIII)
 Subsidiary risk -
14.4. Packing group III
14.5. Environmental hazards No.
ERG Code 6L
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.
Other information
 Passenger and cargo aircraft Allowed with restrictions.
 Cargo aircraft only Allowed with restrictions.

IMDG

14.1. UN number UN1549
14.2. UN proper shipping name ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S. (Iron antimonide)
14.3. Transport hazard class(es)
 Class 6.1(PGIII)
 Subsidiary risk -
14.4. Packing group III
14.5. Environmental hazards
 Marine pollutant No.
EmS F-A, S-A
14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Iron antimonide (CAS 12022-93-4)

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. Additional information is given in the Safety Data Sheet.

National regulations

Follow national regulation for work with chemical agents.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

Not available.

Information on evaluation method leading to the classification of mixture

Not applicable.

Disclaimer

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.