MATERION

SAFETY DATA SHEET

1. Identification

Product identifier LiF-NaF-KF

Other means of identification

SDS number 2JT Materion Code 2JT

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Materion Advanced Chemicals Inc.

Address 407 N 13th Street

1316 W. St. Paul Avenue Milwaukee, WI 53233

United States

Telephone 414.212.0257

E-mail advancedmaterials@materion.com

Contact person Noreen Atkinson

Emergency phone number Chemtrec 800.424.9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 2

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Category 1

Specific target organ toxicity, repeated

exposure

Environmental hazards Hazardous to the aquatic environment, Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Fatal if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May

cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat,

drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face

protection.

Material name: LiF-NaF-KF SDS US

2JT Version #: 01 Issue date: 12-18-2018

Response If swallowed: Immediately call a poison center/doctor. If swallowed: Rinse mouth. Do NOT induce

vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Take off contaminated

clothing and wash it before reuse. Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information 11.5% of the mixture consists of component(s) of unknown acute dermal toxicity. 42% of the

mixture consists of component(s) of unknown acute hazards to the aquatic environment. 42% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. For further information, please contact the Product Stewardship Department at +1.800.862.4118.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Potassium Fluoride (KF)		7789-23-3	42
Sodium Fluoride (NaF)	Sodium fluoride (NaF)	7681-49-4	11.5

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison

center or doctor/physician if you feel unwell.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of

a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important

General information

the chemical

symptoms/effects, acute and

delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Prolonged exposure may cause chronic

effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under

observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show

this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media
Unsuitable extinguishing media

Specific hazards arising from

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Material name: LiF-NaF-KF
2JT Version #: 01 Issue date: 12-18-2018

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value		
Potassium Fluoride (KF) (CAS 7789-23-3)	PEL	2.5 mg/m3		
Sodium Fluoride (NaF) (CAS 7681-49-4)	PEL	2.5 mg/m3		
US. OSHA Table Z-2 (29 CFR 1910.1	1000)			
Components	Туре	Value	Form	
Potassium Fluoride (KF) (CAS 7789-23-3)	TWA	2.5 mg/m3	Dust.	
Sodium Fluoride (NaF) (CAS 7681-49-4)	TWA	2.5 mg/m3	Dust.	
US. ACGIH Threshold Limit Values				
Components	Туре	Value		
Potassium Fluoride (KF) (CAS 7789-23-3)	TWA	2.5 mg/m3		

Material name: LiF-NaF-KF SDS US

2JT Version #: 01 Issue date: 12-18-2018

US. ACGIH Threshold Limit Values

Components	Туре	Value	
Sodium Fluoride (NaF)	TWA	2.5 mg/m3	
(CAS 7681-49-4)			
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Type	Value	

Components	Туре	Value	
Potassium Fluoride (KF) (CAS 7789-23-3)	TWA	2.5 mg/m3	
Sodium Fluoride (NaF) (CAS 7681-49-4)	TWA	2.5 mg/m3	

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components	Туре	Value	
Potassium Fluoride (KF) (CAS 7789-23-3)	PEL	2.5 mg/m3	
Sodium Fluoride (NaF) (CAS 7681-49-4)	PEL	2.5 mg/m3	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Potassium Fluoride (KF) (CAS 7789-23-3)	3 mg/l	Fluoride	Urine	*
	2 mg/l	Fluoride	Urine	*
Sodium Fluoride (NaF) (CAS 7681-49-4)	3 mg/l	Fluoride	Urine	*
	2 mg/l	Fluoride	Urine	*

^{* -} For sampling details, please see the source document.

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Keep away from food and drink. Always observe good personal hygiene measures, such as

washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical stateSolid.FormSolid.

Color Not available.

Odor Not available.

Odor threshold Not available.

Material name: LiF-NaF-KF SDS US

2JT Version #: 01 Issue date: 12-18-2018

pH Not available.

Melting point/freezing point 1558.76 °F (848.2 °C) estimated Initial boiling point and boiling 2735.6 °F (1502 °C) estimated

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density 2.67 g/cm3 estimated

Explosive properties Not explosive.

Oxidizing properties Not oxidizing.

Specific gravity 2.67 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition No hazardous decom

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes severe skin burns.

Eye contact Causes serious eye damage.

Ingestion Fatal if swallowed. Causes digestive tract burns.

Material name: LiF-NaF-KF SDS US

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity Fatal if swallowed.

Components Species Test Results

Potassium Fluoride (KF) (CAS 7789-23-3)

Acute

Oral

LD50 Rat 245 mg/kg

Sodium Fluoride (NaF) (CAS 7681-49-4)

Acute Oral

LD50 Mouse 44.3 mg/kg

Rat 32 mg/kg

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Potassium Fluoride (KF) (CAS 7789-23-3) 3 Not classifiable as to carcinogenicity to humans. Sodium Fluoride (NaF) (CAS 7681-49-4) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated

exposure.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Product		Species	Test Results
LiF-NaF-KF			
Aquatic			
Crustacea	EC50	Daphnia	1113.0435 mg/l, 48 hours estimated
Fish	LC50	Fish	2264.5342 mg/l, 96 hours estimated

Material name: LiF-NaF-KF SDS US

Species Test Results Components

Sodium Fluoride (NaF) (CAS 7681-49-4)

Aquatic

Crustacea EC50 Water flea (Daphnia magna) 98 mg/l, 48 hours

LC50 Fish Rainbow trout, donaldson trout 108 - 150 mg/l, 96 hours

(Oncorhynchus mykiss)

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN3288

UN proper shipping name Transport hazard class(es) Toxic solid, inorganic, n.o.s. (Potassium Fluoride (KF))

Class 6.1(PGIII)

Subsidiary risk 6.1 Label(s) Packing group

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling. IB8, IP3, T1, TP33 Special provisions

Packaging exceptions 153 Packaging non bulk 213

240 Packaging bulk

IATA

UN number UN3288

UN proper shipping name Transport hazard class(es) Toxic solid, inorganic, n.o.s. (Potassium Fluoride (KF))

Class 6.1(PGIII)

Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 6L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Material name: LiF-NaF-KF SDS US Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only

Allowed with restrictions.

IMDG

UN number UN3288

UN proper shipping name

TOXIC SOLID, INORGANIC, N.O.S. (Potassium Fluoride (KF))

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Packing group |||

Environmental hazards

Marine pollutant No. EmS F-A, S-A

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT



IATA; IMDG



General information IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Sodium Fluoride (NaF) (CAS 7681-49-4) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Material name: LiF-NaF-KF SDS US

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

Acute toxicity (any route of exposure)

categories Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Contains component(s) regulated under the Safe Drinking Water Act.

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

12-18-2018 Issue date

Version # 01

Disclaimer Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information

and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws,

statutes and regulations.

Material name: LiF-NaF-KF SDS US