



SAFETY DATA SHEET

MATERION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture Ge-Sb-Te-C-In targets
Registration number -
Document number 2NM
Synonyms None.
Materion Code 2NM
Issue date 27-May-2020
Revision date 29-May-2020

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Materion Advanced Chemicals Inc.
Address 407 N. 13th Street
1316 W. St. Paul Avenue
Milwaukee, WI 53233
United States
Division Milwaukee
Telephone 414.212.0257
e-mail advancedmaterials@materion.com
Contact person Laura Hamilton

1.4. Emergency telephone number

Supersedes date 27-May-2020
Version number 02

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available.
Uses advised against None known.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral Category 3

Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard Category 2 H411 - Toxic to aquatic life with long lasting effects.

Hazard summary

May cause an allergic skin reaction. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful if inhaled or swallowed. Irritating to eyes and skin. May cause irritation to the respiratory system. Prolonged exposure may cause chronic effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Germanium, Tellurium

Hazard pictograms



Signal word Warning

Hazard statements

H302 + H332 Harmful if swallowed or if inhaled
H411 Toxic to aquatic life with long lasting effects.
H315 Causes skin irritation.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Precautionary statements

Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P273 Avoid release to the environment.
P280 Wear protective gloves and eye/face protection.

Response

P305 + P351 + P338 IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340 IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P308 + P313 IF exposed or concerned: Get medical advice/attention.
P391 Collect spillage.

Storage

P403 + P233 Store away from incompatible materials.
P405 Store in a well-ventilated place. Keep container tightly closed.
Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

None.

2.3. Other hazards

Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Antimony		7440-36-0 231-146-5	-	051-003-00-9	
Classification:	Aquatic Chronic 2;H411				
Germanium		7440-56-4 231-164-3	-	-	
Classification:	-				
Tellurium		13494-80-9 236-813-4	-	-	
Classification:	Acute Tox. 3;H301				
Other components below reportable levels	2.45				

List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General information

Consult a physician. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
Remove victim immediately from source of exposure.

4.1. Description of first aid measures

Inhalation

Move to fresh air. If breathing stops, provide artificial respiration. Call a physician if symptoms develop or persist. Move into fresh air and keep at rest. Consult a physician for specific advice.

Skin contact

Wash off with soap and water. Call a physician or poison control centre immediately.

Eye contact

Do not rub eyes. Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.

Ingestion

Call a physician or poison control centre immediately. Rinse mouth thoroughly. Call a POISON CENTRE or doctor/physician. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Never give anything by mouth to an unconscious person.

4.2. Most important symptoms and effects, both acute and delayed

Headache. Dizziness. Nausea, vomiting. Diarrhoea. Dusts may irritate the respiratory tract, skin and eyes. Irritating to mouth, throat, and stomach. Coughing.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards

No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing media

Water spray mist or foam. Foam. Dry powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting procedures

Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Avoid inhalation of dust and contact with skin and eyes. Avoid generation and spreading of dust.

For emergency responders

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent product from entering drains. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Sweep or scoop up and remove. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Avoid formation of dusts and aerosols. Dust clouds may be explosive under certain conditions.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store away from incompatible materials (see Section 10 of the SDS). Store in tightly closed original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	MAK	0,5 mg/m ³	Inhalable fraction.
	STEL	5 mg/m ³	Inhalable fraction.
Indium (CAS 7440-74-6)	MAK	0,1 mg/m ³	Inhalable fraction.
	STEL	0,2 mg/m ³	Inhalable fraction.
Tellurium (CAS 13494-80-9)	MAK	0,1 mg/m ³	Inhalable fraction.
	STEL	0,5 mg/m ³	Inhalable fraction.

Belgium. Exposure Limit Values.

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Indium (CAS 7440-74-6)	TWA	0,1 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Type	Value
Antimony (CAS 7440-36-0)	MAC	0,5 mg/m ³
Indium (CAS 7440-74-6)	MAC	0,1 mg/m ³
	STEL	0,3 mg/m ³
Tellurium (CAS 13494-80-9)	MAC	0,1 mg/m ³

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³

Czech Republic. OELs. Government Decree 361

Components	Type	Value
Antimony (CAS 7440-36-0)	Ceiling	1,5 mg/m ³
	TWA	0,5 mg/m ³
Tellurium (CAS 13494-80-9)	Ceiling	0,5 mg/m ³
	TWA	0,1 mg/m ³

Denmark. Exposure Limit Values

Components	Type	Value	Form
Indium (CAS 7440-74-6)	TLV	0,1 mg/m ³	Dust.
Tellurium (CAS 13494-80-9)	TLV	0,1 mg/m ³	Dust.

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Finland. Workplace Exposure Limits

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Indium (CAS 7440-74-6)	TWA	0,1 mg/m ³
Tellurium (CAS 13494-80-9)	STEL	0,3 mg/m ³
	TWA	0,1 mg/m ³

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984

Components	Type	Value
Antimony (CAS 7440-36-0)	VME	0,5 mg/m ³
Regulatory status: Indicative limit (VL)		
Tellurium (CAS 13494-80-9)	VME	0,1 mg/m ³
Regulatory status: Indicative limit (VL)		

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace

Components	Type	Value	Form
Indium (CAS 7440-74-6)	AGW	0,0001 mg/m ³	Respirable fraction.

Greece. OELs (Decree No. 90/1999, as amended)

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Indium (CAS 7440-74-6)	STEL	1 mg/m ³
	TWA	1 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Components	Type	Value
Antimony (CAS 7440-36-0)	STEL	2 mg/m ³
	TWA	0,5 mg/m ³

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	Dust.
Indium (CAS 7440-74-6)	TWA	0,1 mg/m ³	Dust.
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³	Dust.

Ireland. Occupational Exposure Limits

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Indium (CAS 7440-74-6)	STEL	0,3 mg/m ³
	TWA	0,1 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Italy. Occupational Exposure Limits

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Indium (CAS 7440-74-6)	TWA	0,1 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	STEL	0,5 mg/m ³	Dust.
	TWA	0,2 mg/m ³	Dust.

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value	Form
Tellurium (CAS 13494-80-9)	TWA	0,01 mg/m ³	

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Germanium (CAS 7440-56-4)	TWA	2 mg/m ³
Indium (CAS 7440-74-6)	TWA	0,1 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Netherlands. OELs (binding)

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value
Antimony (CAS 7440-36-0)	TLV	0,5 mg/m ³
Indium (CAS 7440-74-6)	TLV	0,1 mg/m ³
Tellurium (CAS 13494-80-9)	TLV	0,1 mg/m ³

Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Tellurium (CAS 13494-80-9)	STEL	0,03 mg/m ³
	TWA	0,01 mg/m ³

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Indium (CAS 7440-74-6)	TWA	0,1 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value
Antimony (CAS 7440-36-0)	STEL	0,5 mg/m ³
	TWA	0,2 mg/m ³
Germanium (CAS 7440-56-4)	STEL	5 mg/m ³
	TWA	2 mg/m ³
Tellurium (CAS 13494-80-9)	STEL	0,15 mg/m ³
	TWA	0,05 mg/m ³

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	Inhalable fraction.
Indium (CAS 7440-74-6)	TWA	0,1 mg/m ³	Inhalable fraction.
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³	Inhalable fraction.

Spain. Occupational Exposure Limits

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³

Spain. Occupational Exposure Limits Components

Components	Type	Value
Indium (CAS 7440-74-6)	TWA	0,1 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7) Components

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,25 mg/m ³	Inhalable dust.
Indium (CAS 7440-74-6)	TWA	0,1 mg/m ³	Total dust.
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³	Total dust.

Switzerland. SUVA Grenzwerte am Arbeitsplatz Components

Components	Type	Value	Form
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³	Inhalable fraction.
Indium (CAS 7440-74-6)	TWA	0,1 mg/m ³	Inhalable fraction.
Tellurium (CAS 13494-80-9)	STEL	0,2 mg/m ³	Inhalable fraction.
	TWA	0,1 mg/m ³	Inhalable fraction.

UK. EH40 Workplace Exposure Limits (WELs) Components

Components	Type	Value
Antimony (CAS 7440-36-0)	TWA	0,5 mg/m ³
Indium (CAS 7440-74-6)	STEL	0,3 mg/m ³
		0 ppm
	TWA	0,1 mg/m ³
Tellurium (CAS 13494-80-9)	TWA	0,1 mg/m ³

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls**Appropriate engineering controls**

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection Wear respirator with dust filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls

Inform appropriate managerial or supervisory personnel of all environmental releases. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Solid.
Physical state	Solid.
Form	Not available.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
pH	Not available.
Melting point/freezing point	156,6 °C (313,88 °F) estimated
Initial boiling point and boiling range	989,9 °C (1813,82 °F) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	0,00001 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
9.2. Other information	
Density	6,26 g/cm ³ estimated
Specific gravity	6,26 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
10.5. Incompatible materials	Acids. Strong oxidising agents. Chlorine.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of exposure	
Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	Toxic if swallowed.
Symptoms	Headache. Dizziness. Nausea, vomiting. Diarrhoea. Dusts may irritate the respiratory tract, skin and eyes. Coughing.

11.1. Information on toxicological effects

Acute toxicity Toxic if swallowed.

Components	Species	Test Results
Tellurium (CAS 13494-80-9)		
Acute Oral		
LD50	Rat	83 mg/kg
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.	
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.	
Respiratory sensitisation	Due to partial or complete lack of data the classification is not possible.	
Skin sensitisation	Due to partial or complete lack of data the classification is not possible.	
Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.	
Carcinogenicity	Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended) Not listed.	
Reproductive toxicity	Not available.	
Specific target organ toxicity - single exposure	Due to partial or complete lack of data the classification is not possible.	
Specific target organ toxicity - repeated exposure	Due to partial or complete lack of data the classification is not possible.	
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.	
Mixture versus substance information	No information available.	
Other information	Not available.	

SECTION 12: Ecological information

12.1. Toxicity	Toxic to aquatic life with long lasting effects. Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.7. Additional information

Estonia Dangerous substances in soil Data

Antimony (CAS 7440-36-0)	Antimony (Sb) 10 mg/kg Antimony (Sb) 100 mg/kg Antimony (Sb) 20 mg/kg
--------------------------	---

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions

Dispose in accordance with all applicable regulations.

SECTION 14: Transport information**ADR**

14.1. UN number	UN3288
14.2. UN proper shipping name	Toxic solids, inorganic, nos (tellurium, antimony)
14.3. Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Hazard No. (ADR)	Not available.
Tunnel restriction code	Not available.
14.4. Packing group	Not available.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number	UN3288
14.2. UN proper shipping name	Toxic solids, inorganic, nos (tellurium, antimony)
14.3. Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
14.4. Packing group	Not available.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number	UN3288
14.2. UN proper shipping name	Toxic Solids, Inorganic, NOS (Tellurium, Antimony)
14.3. Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
14.4. Packing group	Not available.
14.5. Environmental hazards	No.
14.6. Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

ADN; ADR; RID**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended.

National regulations

Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

Not available.

References

Not available.

Training information

Follow training instructions when handling this material.

Disclaimer

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.