



# SAFETY DATA SHEET

**MATERION**

## 1. Identification

Name of the substance or mixture (trade name)	Alumina Ceramic
Synonyms	Aluminum Oxide, Alumina, Al <sub>2</sub> O <sub>3</sub> , Durox AL, Durox UHP
SDS No.	C21
Major recommended uses for the substance or mixture	Not available.
Specific restrictions for use of the substance or mixture	Not available.

### Manufacturer/Importer/Distributor information

#### Manufacturer

Company name	Materion Brush Inc.
Address	6070 Parkland Boulevard Mayfield Heights, OH 44124 United States
Telephone	+1.216.383.4019
Website	www.materion.com
E-mail	ehs@materion.com
Emergency telephone number	+1.216.383.4019

## 2. Hazards identification

### Classification of the substance or mixture

Physical hazards	Not classified.	
Health hazards	Acute toxicity, inhalation	Category 4
	Carcinogenicity	Category 1A
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.	

### GHS labeling elements, including precautionary statements

#### Hazard symbol(s)



Signal word	Warning
Hazard statement(s)	May cause respiratory irritation.

#### Precautionary statement(s)

Prevention	Avoid breathing dust/fume. Use only outdoors or in a well-ventilated area.
Response	IF INHALED: Call a POISON CENTER/doctor if you feel unwell. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Storage	Store locked up.
Disposal	Dispose of waste and residues in accordance with local authority requirements.

Other hazards which do not result in classification	None known.
---	-------------

Supplemental information For further information, please contact the Product Stewardship Department at +1.216.383.4019.

Other information The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone, email or on the company website.

### 3. Composition/information on ingredients

#### Mixture

Common chemical name or technical name	CAS number	Concentration or concentration range
Aluminum Oxide	1344-28-1	94 - 99.9
Calcium Carbonate	1317-65-3	0 - 2
Kaolin	1332-58-7	0 - 2
Talc	14807-96-6	0 - 2

### 4. First-aid measures

#### First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Dusts may irritate the respiratory tract, skin and eyes.

#### Personal protection for first-aid responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### Notes to physician

Treat symptomatically.

### 5. Fire-fighting measures

#### Means of fire extinguishing

**Suitable extinguishing media** Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

#### Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

#### Special fire fighting procedures

Move containers from fire area if you can do so without risk.

#### Protective measures taken by firefighting crews

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

#### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

#### General fire hazards

No unusual fire or explosion hazards noted.

### 6. Control measures for spills and leaks

#### Personal precautions, protective equipment and emergency procedures

**To be taken by those who are not involved in rendering emergency services** Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up.

**To be taken by those who are involved in rendering emergency services** Keep unnecessary personnel away.

#### Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

#### Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. This product is miscible in water. Stop the flow of material, if this is without risk.

**Large Spills:** Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

**Small Spills:** Sweep up or vacuum up spillage and collect in suitable container for disposal.

## 7. Handling and storage

**Precautions for safe handling** Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Practice good housekeeping.

**Conditions for safe storage, including any incompatibilities** Store in original tightly closed container. Store in a well-ventilated place.

## 8. Exposure controls/personal protection

**Control parameters** VENTILATION: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Whenever possible, the use of local exhaust ventilation or other engineering controls is the preferred method of controlling exposure to airborne particulate. Where utilized, exhaust inlets to the ventilation system must be positioned as close as possible to the source of airborne generation. Avoid disruption of the airflow in the area of a local exhaust inlet by equipment such as a man-cooling fan. Check ventilation equipment regularly to ensure it is functioning properly. Provide training on the use and operation of ventilation to all users. Use qualified professionals to design and install ventilation systems. Follow standard monitoring procedures.

### Occupational exposure limits

#### Brazil. OELs (Ordinance No. 3214, 6/8/78, NR-15, Annex 11 (amended through ACGIH))

Components	Type	Value	Form
Aluminum Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Aluminum Oxide (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls** VENTILATION: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.  
If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Whenever possible, the use of local exhaust ventilation or other engineering controls is the preferred method of controlling exposure to airborne particulate. Where utilized, exhaust inlets to the ventilation system must be positioned as close as possible to the source of airborne generation. Avoid disruption of the airflow in the area of a local exhaust inlet by equipment such as a man-cooling fan. Check ventilation equipment regularly to ensure it is functioning properly. Provide training on the use and operation of ventilation to all users. Use qualified professionals to design and install ventilation systems.

### Personal protective measures

**Eyes and face protection** Wear safety glasses with side shields (or goggles). Wear approved safety glasses, goggles, face shield and/or welder's helmet when risk of eye injury is present, particularly during operations that generate dust, mist or fume.

**Skin protection**

**Hand protection**

Wear appropriate chemical resistant gloves. Wear gloves to prevent contact with particulate or solutions. Wear gloves to prevent metal cuts and skin abrasions during handling.

**OSHA Guidelines**

Not available.

**Personal protective measures**

**Respiratory protection**

Wear respirator with dust filter. When airborne exposures exceed or have the potential to exceed the occupational exposure limits, approved respirators must be used as specified by an Industrial Hygienist or other qualified professional. Respirator users must be medically evaluated to determine if they are physically capable of wearing a respirator. Quantitative and/or qualitative fit testing and respirator training must be satisfactorily completed by all personnel prior to respirator use. Users of tight fitting respirators must be clean shaven on those areas of the face where the respirator seal contacts the face. Use pressure-demand airline respirators when performing jobs with high potential exposures such as changing filters in a baghouse air cleaning device.

**Thermal hazards**

Not applicable.

**Hygiene measures**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking.

**9. Physical and chemical properties**

**Appearance**

**Physical state**

Solid.

**Form**

Powder. Various shapes.

**Color**

White. Off-white.

**Odor**

Not applicable.

**Odor threshold**

Not applicable.

**pH**

Not applicable.

**Melting point/freezing point**

3722 °F (2050 °C) / Not applicable.

**Initial boiling point and boiling temperature range**

5396 °F (2980 °C) estimated

**Flash point**

Not applicable.

**Evaporation rate**

Not applicable.

**Flammability (solid, gas)**

Not applicable.

**Upper/lower flammability or explosive limits**

**Flammability limit - lower (%)**

Not applicable.

**Flammability limit - upper (%)**

Not applicable.

**Explosive limit - lower (%)**

Not applicable.

**Explosive limit - upper (%)**

Not applicable.

**Vapor pressure**

0.00001 hPa estimated

**Vapor density**

Not applicable.

**Relative density**

Not applicable.

**Solubility(ies)**

**Solubility (water)**

Not applicable.

**Solubility (other)**

Not applicable.

**Partition coefficient (n-octanol/water)**

Not available.

**Auto-ignition temperature**

Not applicable.

**Decomposition temperature**

Not applicable.

**Viscosity**

Not applicable.

**Other physical and chemical parameters**

**Density**

3.93 g/cm3 estimated

<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.
<b>Specific gravity</b>	3.93 estimated

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Contact with incompatible materials.
<b>Incompatible materials</b>	Acids. Chlorine.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Dust may irritate respiratory system.
<b>Skin contact</b>	Dust or powder may irritate the skin.
<b>Eye contact</b>	Dust may irritate the eyes.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

**Symptoms** Dusts may irritate the respiratory tract, skin and eyes.

**Acute toxicity** Not known.

**Skin irritation and corrosion** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Direct contact with eyes may cause temporary irritation.

### Respiratory or skin sensitization

<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

### Carcinogenicity

#### ACGIH Carcinogens

Aluminum Oxide (CAS 1344-28-1)	A4 Not classifiable as a human carcinogen.
Kaolin (CAS 1332-58-7)	A4 Not classifiable as a human carcinogen.
Talc (CAS 14807-96-6)	A1 Confirmed human carcinogen.
	A4 Not classifiable as a human carcinogen.

#### Brazil. OELs (Ordinance No. 3214, 6/8/78, NR-15, Annex 11 (amended through ACGIH))

Aluminum Oxide (CAS 1344-28-1)	Group A4 Not classifiable as a human carcinogen.
Kaolin (CAS 1332-58-7)	Group A4 Not classifiable as a human carcinogen.
Talc (CAS 14807-96-6)	Group A4 Not classifiable as a human carcinogen.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Talc (CAS 14807-96-6)	2B Possibly carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.
-----------------------	--

**Toxic to reproduction** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Not an aspiration hazard.

## 12. Ecological information

<b>Ecotoxicity</b>	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
<b>Persistence and degradability</b>	No data is available on the degradability of this product.
<b>Bioaccumulative potential</b>	No data available.
<b>Partition coefficient n-octanol / water (log Kow)</b>	Not available.
<b>Bioconcentration factor (BCF)</b>	Not available.
<b>Mobility in soil</b>	This product is miscible in water.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Considerations on final disposal

### Recommended methods for final destination

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>Local disposal regulations</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

## 14. Transport information

### National regulations

#### ANTT

Not regulated as dangerous goods.

### International regulations

#### IATA

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to  
Annex II of MARPOL 73/78 and  
the IBC Code** Not applicable.

## 15. Regulatory information

**Federal regulations** This chemical product safety data sheet was prepared in accordance with the Brazilian Standard (ABNT NBR 14725-4: (Safety data sheet for chemicals (SDS))).

### Chemical Products Controlled by the Federal Police (Ordinance No. 240)

Not applicable.

### Chemical Products for the Manufacture and Synthesis of Narcotics and Psychotropic Subject to Control of the Ministry of Justice (Resolution No. 169 of 15 August 2017, Annex I, List D2)

Not listed.

### Controlled products that must be reported to the Army (Decree No. 3655, Annex 1, as amended)

Not applicable.

### Ozone depleting substances (Decree No. 99.280, Annexes A, B, C and E, as amended)

Not applicable.

### POPs (Decree No. 5.472 promulgates the Stockholm Convention on persistent organic pollutants)

Not listed.

### Use and physiological effects of chemical products (Decree No. 3665, Annex 3)

Not applicable.

### International regulations

**Montreal Protocol**

Not applicable.

**Stockholm Convention**

Not applicable.

**Rotterdam Convention**

Not applicable.

**Kyoto protocol**

Not applicable.

**Basel Convention**

Not applicable.

**16. Other information**

**Significant information, yet not specifically related to the previous sections**

Transportation Emergency  
Call Chemtrec at:  
International: 703.741.5970  
Spain: 900.868.538  
Switzerland: 0800.564.402

**Legends and abbreviations**

Not available.

**Revision information**

Hazards identification: Supplemental information  
Exposure controls/personal protection: Hygiene measures  
Other information: Disclaimer  
Other information: Significant information, yet not specifically related to the previous sections

**Disclaimer**

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.