



# PRODUCT INFORMATION SHEET

**MATERION**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

<b>Trade name or designation of the mixture</b>	Cu/Na <sub>2</sub> SeO <sub>3</sub> Targets
<b>Registration number</b>	-
<b>Document number</b>	G11
<b>Synonyms</b>	None.
<b>Issue date</b>	04-December-2018
<b>Version number</b>	04
<b>Revision date</b>	29-June-2021
<b>Supersedes date</b>	25-September-2020

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Manufacture of computer, electronic and optical products, electrical equipment Scientific research and development Other: Manufacture of medical and defense equipment
<b>Uses advised against</b>	Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Consumer uses: Private households (= general public = consumers)

### 1.3. Details of the supplier of the product information sheet

#### Supplier

<b>Company name</b>	Materion Advanced Materials
<b>Address</b>	6070 Parkland Boulevard Mayfield Heights, OH 44124 United States
<b>Division</b>	
<b>Telephone</b>	1.216.383.4019
<b>e-mail</b>	ehs@materion.com
<b>Contact person</b>	Theodore Knudson

### 1.4. Emergency telephone number

See Section 16.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

##### Health hazards

Acute toxicity, oral	Category 2	H300 - Fatal if swallowed.
Acute toxicity, inhalation	Category 3	H331 - Toxic if inhaled.
Serious eye damage/eye irritation	Category 2	H319 - Causes serious eye irritation.
Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.

##### Environmental hazards

Hazardous to the aquatic environment, long-term aquatic hazard	Category 2	H411 - Toxic to aquatic life with long lasting effects.
--	------------	---

**Hazard summary** Toxic if inhaled. Toxic if swallowed. Causes serious eye irritation. May cause an allergic skin reaction. Occupational exposure to the substance or mixture may cause adverse health effects.

### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** COPPER FLAKES (COATED WITH ALIPHATIC ACID), Sodium Selenite (Na<sub>2</sub>SeO<sub>3</sub>)

## Hazard pictograms



### Signal word

Danger

### Hazard statements

H300 Fatal if swallowed.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

#### Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P284 Wear respiratory protection.

#### Response

P301 + P330 + P310 IF SWALLOWED: Rinse mouth. Immediately obtain medical assistance.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately get medical assistance.  
P305 + P351 + P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
P337 + P313 If eye irritation persists: Get medical advice/attention.  
P362 Take off contaminated clothing and wash before reuse.  
P391 Collect spillage.

#### Storage

P405 Store locked up.

#### Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Supplemental label information

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

### 2.3. Other hazards

Not a PBT or vPvB substance or mixture.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
COPPER FLAKES (COATED WITH ALIPHATIC ACID)	76 - 95	7440-50-8 231-159-6	01-2119480154-42-0080	-	
<b>Classification:</b> -					
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> )	5 - 24	10102-18-8 233-267-9	-	034-003-00-3	
<b>Classification:</b> Acute Tox. 2;H300, Skin Sens. 1;H317, Acute Tox. 3;H331, Aquatic Chronic 1;H410					

## SECTION 4: First aid measures

#### General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 4.1. Description of first aid measures

##### Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

<b>Skin contact</b>	Wash off with soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. If swallowed, seek medical advice immediately and show this container or label.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. May cause an allergic skin reaction. Dermatitis. Rash.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically.

## SECTION 5: Firefighting measures

<b>General fire hazards</b>	No unusual fire or explosion hazards noted.
<b>5.1. Extinguishing media</b>	
<b>Suitable extinguishing media</b>	Water spray. Foam. Powder. Dry sand. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>5.2. Special hazards arising from the substance or mixture</b>	During fire, gases hazardous to health may be formed.
<b>5.3. Advice for firefighters</b>	
<b>Special protective equipment for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Special firefighting procedures</b>	Use water spray to cool unopened containers.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

<b>6.1. Personal precautions, protective equipment and emergency procedures</b>	
<b>For non-emergency personnel</b>	Keep unnecessary personnel away. Ensure adequate ventilation. For personal protection, see section 8 of the PIS.
<b>For emergency responders</b>	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the PIS.
<b>6.2. Environmental precautions</b>	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.
<b>6.3. Methods and material for containment and cleaning up</b>	Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.
<b>6.4. Reference to other sections</b>	Not available.

## SECTION 7: Handling and storage

<b>7.1. Precautions for safe handling</b>	Minimise dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
<b>7.2. Conditions for safe storage, including any incompatibilities</b>	Store locked up. Store in original tightly closed container. Store in a well-ventilated place.
<b>7.3. Specific end use(s)</b>	Not applicable.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

**Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	MAK	1 mg/m <sup>3</sup>	Inhalable fraction.
		0,1 mg/m <sup>3</sup>	Fume and respirable dust.

**Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001**

Components	Type	Value	Form
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	STEL	4 mg/m <sup>3</sup>	Inhalable fraction.
		0,4 mg/m <sup>3</sup>	Fume and respirable dust.
	MAK	0,1 mg/m <sup>3</sup>	Inhalable fraction.
	STEL	0,3 mg/m <sup>3</sup>	Inhalable fraction.

**Belgium. Exposure Limit Values**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	1 mg/m <sup>3</sup>	Dust and mist.
		0,2 mg/m <sup>3</sup>	Fume.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,2 mg/m <sup>3</sup>	

**Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work**

Components	Type	Value	
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	0,1 mg/m <sup>3</sup>	
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,2 mg/m <sup>3</sup>	

**Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	MAC	1 mg/m <sup>3</sup>	
		0,2 mg/m <sup>3</sup>	Dust and fume.
	STEL	2 mg/m <sup>3</sup>	
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)		2 mg/m <sup>3</sup>	Dust and fume.
	MAC	0,1 mg/m <sup>3</sup>	

**Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	0,2 mg/m <sup>3</sup>	Fume.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,2 mg/m <sup>3</sup>	

**Czech Republic. OELs. Government Decree 361**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	Ceiling	2 mg/m <sup>3</sup>	Dust.
		0,2 mg/m <sup>3</sup>	Fume.
	TWA	1 mg/m <sup>3</sup>	Dust.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)		0,1 mg/m <sup>3</sup>	Fume.
	Ceiling	0,2 mg/m <sup>3</sup>	
	TWA	0,1 mg/m <sup>3</sup>	

**Denmark. Exposure Limit Values Components**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TLV	1 mg/m <sup>3</sup>	Dust.
		0,1 mg/m <sup>3</sup>	Fume.

**Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	1 mg/m <sup>3</sup>	Total dust.
		0,2 mg/m <sup>3</sup>	Fine dust.

**Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)**

Components	Type	Value
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,1 mg/m <sup>3</sup>

**Finland. Workplace Exposure Limits Components**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	0,1 mg/m <sup>3</sup>	Respirable dust and/or fume.
		0,02 mg/m <sup>3</sup>	Respirable.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	STEL	0,3 mg/m <sup>3</sup>	
	TWA	0,1 mg/m <sup>3</sup>	

**France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components**

Components	Type	Value	Form	
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	VLE	2 mg/m <sup>3</sup>	Dust.	
	Regulatory status: Indicative limit (VL)	VME	1 mg/m <sup>3</sup>	Dust.
	Regulatory status: Indicative limit (VL)		0,2 mg/m <sup>3</sup>	Fume.
Regulatory status: Indicative limit (VL)				

**Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	0,01 mg/m <sup>3</sup>	Respirable fraction.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,02 mg/m <sup>3</sup>	Inhalable fraction.

**Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace Components**

Components	Type	Value	Form
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	AGW	0,05 mg/m <sup>3</sup>	Inhalable fraction.

**Greece. OELs (Decree No. 90/1999, as amended) Components**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	STEL	2 mg/m <sup>3</sup>	Dust.
	TWA	1 mg/m <sup>3</sup>	Dust.
		0,2 mg/m <sup>3</sup>	Fume.

**Greece. OELs (Decree No. 90/1999, as amended)**

Components	Type	Value	Form
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,2 mg/m <sup>3</sup>	

**Hungary. OELs. Joint Decree on Chemical Safety of Workplaces**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	STEL	4 mg/m <sup>3</sup>	
		0,4 mg/m <sup>3</sup>	Smoke.
	TWA	1 mg/m <sup>3</sup>	
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)		0,1 mg/m <sup>3</sup>	Smoke.
	STEL	0,4 mg/m <sup>3</sup>	
	TWA	0,1 mg/m <sup>3</sup>	

**Iceland. OELs. Regulation 154/1999 on occupational exposure limits**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	1 mg/m <sup>3</sup>	Total dust.
		0,1 mg/m <sup>3</sup>	Respirable dust.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,1 mg/m <sup>3</sup>	

**Ireland. Occupational Exposure Limits**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	1 mg/m <sup>3</sup>	Dust and mist.
		0,2 mg/m <sup>3</sup>	Fume.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,1 mg/m <sup>3</sup>	

**Italy. Occupational Exposure Limits**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	1 mg/m <sup>3</sup>	Dust and mist.
		0,2 mg/m <sup>3</sup>	Fume.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,2 mg/m <sup>3</sup>	

**Latvia. OELs. Occupational exposure limit values of chemical substances in work environment**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	STEL	1 mg/m <sup>3</sup>	
	TWA	0,5 mg/m <sup>3</sup>	

**Lithuania. OELs. Limit Values for Chemical Substances, General Requirements**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	1 mg/m <sup>3</sup>	Inhalable fraction.
		0,2 mg/m <sup>3</sup>	Respirable fraction.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,1 mg/m <sup>3</sup>	

**Netherlands. OELs (binding)**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	0,1 mg/m <sup>3</sup>	Inhalable fraction.

**Norway. Administrative Norms for Contaminants in the Workplace**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TLV	1 mg/m <sup>3</sup>	Dust.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TLV	0,1 mg/m <sup>3</sup> 0,05 mg/m <sup>3</sup>	Fume.

**Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	0,2 mg/m <sup>3</sup>	
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	STEL	0,3 mg/m <sup>3</sup>	
	TWA	0,1 mg/m <sup>3</sup>	

**Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	1 mg/m <sup>3</sup>	Dust and mist.
		0,2 mg/m <sup>3</sup>	Fume.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,2 mg/m <sup>3</sup>	

**Romania. OELs. Protection of workers from exposure to chemical agents at the workplace**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	STEL	1,5 mg/m <sup>3</sup>	Dust.
		0,2 mg/m <sup>3</sup>	Fume.
	TWA	0,5 mg/m <sup>3</sup>	Dust.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	STEL	0,2 mg/m <sup>3</sup>	
	TWA	0,1 mg/m <sup>3</sup>	

**Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	1 mg/m <sup>3</sup>	Inhalable fraction.
		0,2 mg/m <sup>3</sup>	Respirable fume.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,1 mg/m <sup>3</sup>	

**Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)**

Components	Type	Value	Form
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,1 mg/m <sup>3</sup>	Inhalable fraction.

**Spain. Occupational Exposure Limits Components**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	0,1 mg/m <sup>3</sup>	Respirable fraction.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,1 mg/m <sup>3</sup>	

**Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7) Components**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	0,01 mg/m <sup>3</sup>	Respirable dust.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,1 mg/m <sup>3</sup>	Total dust.

**Switzerland. SUVA Grenzwerte am Arbeitsplatz Components**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	STEL	0,2 mg/m <sup>3</sup>	Inhalable fraction.
	TWA	0,1 mg/m <sup>3</sup>	Inhalable fraction.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	STEL	0,16 mg/m <sup>3</sup>	Inhalable dust.
	TWA	0,02 mg/m <sup>3</sup>	Inhalable dust.

**UK. EH40 Workplace Exposure Limits (WELs) Components**

Components	Type	Value	Form
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	STEL	2 mg/m <sup>3</sup>	Inhalable dusts and mists.
	TWA	1 mg/m <sup>3</sup>	Inhalable dusts and mists.
		0,2 mg/m <sup>3</sup>	Fume.
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	TWA	0,1 mg/m <sup>3</sup>	

**Biological limit values****Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices**

Components	Value	Determinant	Specimen	Sampling Time
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	0,075 mg/g	Selenium	Creatinine in urine	*
	0,11 µmol/mmol	Selenium	Creatinine in urine	*

\* - For sampling details, please see the source document.

**Switzerland. BAT-Werte (Biological Limit Values in the Workplace as per SUVA)**

Components	Value	Determinant	Specimen	Sampling Time
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	150 µg/l	Selen	Serum	*

\* - For sampling details, please see the source document.

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

**8.2. Exposure controls**

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.



## Individual protection measures, such as personal protective equipment

<b>General information</b>	Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
- <b>Hand protection</b>	Wear gloves to prevent metal cuts and skin abrasions during handling.
- <b>Other</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>Hygiene measures</b>	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.
<b>Environmental exposure controls</b>	Avoid release to the aquatic environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	Solid.
<b>Form</b>	Solid.
<b>Colour</b>	Copper
<b>Odour</b>	None.
<b>Odour threshold</b>	Not applicable.
<b>pH</b>	Not applicable.
<b>Melting point/freezing point</b>	1083 °C (1981,4 °F) / Not applicable.
<b>Initial boiling point and boiling range</b>	Not applicable.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.
<b>Flammability (solid, gas)</b>	None known.

#### Upper/lower flammability or explosive limits

<b>Flammability limit - lower (%)</b>	Not applicable.
<b>Flammability limit - upper (%)</b>	Not applicable.
<b>Explosive limit - lower (%)</b>	Not applicable.
<b>Explosive limit - lower (%) temperature</b>	Not applicable.
<b>Explosive limit – upper (%)</b>	Not applicable.
<b>Explosive limit - upper (%) temperature</b>	Not applicable.

<b>Vapour pressure</b>	Not applicable.
<b>Vapour density</b>	Not applicable.
<b>Relative density</b>	Not applicable.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Insoluble.
<b>Partition coefficient (n-octanol/water)</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition temperature</b>	Not applicable.
<b>Viscosity</b>	Not available.
<b>Explosive properties</b>	Not explosive.

<b>Oxidising properties</b>	Not oxidising.
<b>9.2. Other information</b>	
<b>Density</b>	7,76 g/cm <sup>3</sup> estimated
<b>Explosive limit</b>	Not applicable.
<b>Specific gravity</b>	7,76 estimated

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>10.2. Chemical stability</b>	Material is stable under normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>10.4. Conditions to avoid</b>	Contact with incompatible materials.
<b>10.5. Incompatible materials</b>	Strong oxidising agents.
<b>10.6. Hazardous decomposition products</b>	No hazardous decomposition products are known.

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

<b>Inhalation</b>	Toxic if inhaled.
<b>Skin contact</b>	May cause an allergic skin reaction.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	Fatal if swallowed.

**Symptoms** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. May cause an allergic skin reaction. Dermatitis. Rash.

### 11.1. Information on toxicological effects

**Acute toxicity** Fatal if swallowed. Toxic if inhaled.

Product	Species	Test Results
Cu/Na <sub>2</sub> SeO <sub>3</sub> Targets		
<u>Acute</u>		
<b>Oral</b>		
LD50	Lamb	496 mg/kg

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Due to partial or complete lack of data the classification is not possible.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Respiratory sensitisation** Due to partial or complete lack of data the classification is not possible.

**Skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Due to partial or complete lack of data the classification is not possible.

**Carcinogenicity** Due to partial or complete lack of data the classification is not possible.

**Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)**

Not listed.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Sodium Selenite (Na<sub>2</sub>SeO<sub>3</sub>) (CAS 10102-18-8) 3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity** Due to partial or complete lack of data the classification is not possible.

**Specific target organ toxicity - single exposure** May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure** Not classified.

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

**Mixture versus substance information** No information available.

**Other information** Not available.

## SECTION 12: Ecological information

**12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.

Product		Species	Test Results
Cu/Na <sub>2</sub> SeO <sub>3</sub> Targets			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Daphnia	100,1019 mg/l, 48 hours estimated
Fish	LC50	Fish	0,0341 mg/l, 96 hours estimated

Components		Species	Test Results
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)			
<b>Aquatic</b>			
<i>Acute</i>			
Crustacea	EC50	Blue crab ( <i>Callinectes sapidus</i> )	0,0031 mg/l
Fish	LC50	Fathead minnow ( <i>Pimephales promelas</i> )	0,0219 - 0,0446 mg/l, 96 hours

Sodium Selenite (Na<sub>2</sub>SeO<sub>3</sub>) (CAS 10102-18-8)

### **Aquatic**

#### *Acute*

Crustacea	EC50	Water flea ( <i>Daphnia magna</i> )	1,1 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout ( <i>Oncorhynchus mykiss</i> )	1,8 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

### **12.2. Persistence and degradability**

**12.3. Bioaccumulative potential** No data available.

**Partition coefficient n-octanol/water (log K<sub>ow</sub>)** Not available.

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** No data available.

**12.5. Results of PBT and vPvB assessment** Not a PBT or vPvB substance or mixture.

**12.6. Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### **12.7. Additional information**

#### **Estonia Dangerous substances in soil Data**

COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	Copper (Cu) 100 mg/kg
	Copper (Cu) 150 mg/kg
	Copper (Cu) 500 mg/kg
Sodium Selenite (Na <sub>2</sub> SeO <sub>3</sub> ) (CAS 10102-18-8)	Selenium (Se) 1 mg/kg
	Selenium (Se) 20 mg/kg
	Selenium (Se) 5 mg/kg

## SECTION 13: Disposal considerations

### **13.1. Waste treatment methods**

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EU waste code** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Disposal methods/information**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Special precautions**

Dispose in accordance with all applicable regulations.

**SECTION 14: Transport information**

**ADR**

- 14.1. UN number UN3288
- 14.2. UN proper shipping name TOXIC SOLID, INORGANIC, N.O.S.
- 14.3. Transport hazard class(es)
  - Class 6.1(PGI, II)
  - Subsidiary risk -
  - Label(s) 6.1
  - Hazard No. (ADR) 60
  - Tunnel restriction code D/E
- 14.4. Packing group II
- 14.5. Environmental hazards No.
- 14.6. Special precautions for user Not available.

**RID**

- 14.1. UN number UN3288
- 14.2. UN proper shipping name TOXIC SOLID, INORGANIC, N.O.S.
- 14.3. Transport hazard class(es)
  - Class 6.1(PGI, II)
  - Subsidiary risk -
  - Label(s) 6.1
- 14.4. Packing group II
- 14.5. Environmental hazards No.
- 14.6. Special precautions for user Not available.

**ADN**

- 14.1. UN number UN3288
- 14.2. UN proper shipping name TOXIC SOLID, INORGANIC, N.O.S.
- 14.3. Transport hazard class(es)
  - Class 6.1(PGI, II)
  - Subsidiary risk -
  - Label(s) 6.1
- 14.4. Packing group II
- 14.5. Environmental hazards No.
- 14.6. Special precautions for user Not available.

**IATA**

- 14.1. UN number UN3288
- 14.2. UN proper shipping name Toxic solid, inorganic, n.o.s.
- 14.3. Transport hazard class(es)
  - Class 6.1(PGI, II)
  - Subsidiary risk -
- 14.4. Packing group II
- 14.5. Environmental hazards No.
- ERG Code 6L
- 14.6. Special precautions for user Not available.
- Other information
  - Passenger and cargo aircraft Allowed with restrictions.
  - Cargo aircraft only Allowed with restrictions.


## IMDG

<b>14.1. UN number</b>	UN3288
<b>14.2. UN proper shipping name</b>	TOXIC SOLID, INORGANIC, N.O.S., MARINE POLLUTANT
<b>14.3. Transport hazard class(es)</b>	
<b>Class</b>	6.1(PGI, II)
<b>Subsidiary risk</b>	-
<b>14.4. Packing group</b>	II
<b>14.5. Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	F-A, S-A
<b>14.6. Special precautions for user</b>	Not available.

ADN; ADR; IATA; IMDG; RID



Marine pollutant



General information                      IMDG Regulated Marine Pollutant.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

**Restrictions on use**

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

Not listed.

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

**Other EU regulations**

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)

Sodium Selenite (Na<sub>2</sub>SeO<sub>3</sub>) (CAS 10102-18-8)

**Other regulations**

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended.

**National regulations**

Follow national regulation for work with chemical agents. Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended.

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

**List of abbreviations**

Not available.

**References**

Not available.

**Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculator methods and test data, if available.

**Training information**

Follow training instructions when handling this material.

**Further information**

Transportation Emergency  
Call Chemtrec at:  
International: 703.741.5970  
Spain: 900.868.538  
Switzerland: 0800.564.402  
Chemtrec's toll free, mobile-enabled number in Germany – 0800 1817059

**Disclaimer**

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

To avoid any misunderstandings or incorrect assumptions by the receiver of the safety information, it should be made clear that the supplied information is not in the form of a Safety Data Sheet (SDS), but is actually a voluntary Product Information Sheet closely following the guidelines of the Safety Data Sheet – COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 (REACH/SDS).