

**MATERION****1. Chemical and company identification**

Name of chemical (Product name)	Cu/Na₂SeO₃ Targets	
Company name	Materion Advanced Materials Germany GmbH	
Address	Borsigstrasse 10 Alzenau 63755 Germany	
Contact person	Hermann Schmiing	
Telephone	49.60.23.91.82.0	Hermann Schmiing
e-mail address	Materion.Germany@materion.com	
Emergency telephone number	49.60.23.91.82.0	
Reference number	G11	

2. Hazards identification**GHS classification**

Physical hazards	The product is not classified according to GHS.	
Health hazards	Acute toxicity, oral	Category 2
	Acute toxicity, inhalation	Category 3
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
	Germ cell mutagenicity	Category 2
	Reproductive toxicity	Category 2
	Specific target organ toxicity, single exposure	Category 1 (digestive system)
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 2 (blood, central nervous system, kidney, liver)
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2

GHS label elements**Symbols****Signal words**

Danger

Hazard statement

Fatal if swallowed. Toxic if inhaled. Toxic to aquatic life with long lasting effects.

Precautionary statement**Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory protection.

Response

IF SWALLOWED: Rinse mouth. Immediately obtain medical assistance. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately get medical assistance. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None known.

Supplemental information

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

Main symptoms and emergency overview**Main symptoms**

Irritation of eyes. May cause respiratory irritation. May cause an allergic skin reaction.

Emergency overview

Toxic if inhaled. Toxic if swallowed. Causes serious eye irritation. May cause an allergic skin reaction. Occupational exposure to the substance or mixture may cause adverse health effects.

3. Composition/information on ingredients

Substance or mixture

Mixture

Components	CAS Number	Gazette notification		Concentration (%)
		ENCS no.	ISHL no.	
Copper	7440-50-8			76 - 95
Sodium Selenite (Na ₂ SeO ₃)	10102-18-8	(1)-507	(1)-507	24
Synonym(s): DISODIUM SELENITE DISODIUM SELENIUM TRIOXIDE				

Chemical formula

Cu (7440-50-8), H₂O₃-Se.2Na (10102-18-8)

4. First aid measures

If inhaled

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

If on skin

Wash off with soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

If in eyes

Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

If swallowed

Rinse mouth. If swallowed, seek medical advice immediately and show this container or label.

Most important symptoms/effects, acute and delayed

Irritation of eyes. May cause respiratory irritation. May cause an allergic skin reaction.

Protection of first-aid responders

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Notes to physician

Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Water spray. Foam. Powder. Dry sand. Carbon dioxide (CO₂).

Extinguishing media to avoid

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards

During fire, gases hazardous to health may be formed.

Special fire fighting procedures

Use water spray to cool unopened containers.

Protection of fire-fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards

No unusual fire or explosion hazards noted.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency measures

Keep unnecessary personnel away. Ensure adequate ventilation.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

Methods or materials for containment and cleaning up

Collect spillage. For waste disposal, see section 13 of the SDS.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation)

Provide adequate ventilation.

Safe handling advice

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not taste or swallow. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Use personal protection recommended in Section 8 of the SDS.

Contact avoidance measures

For further information, please refer to section 10 of the SDS.

Hygiene measures Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Contaminated work clothing should not be allowed out of the workplace.

Storage

Safe storage conditions Store locked up. Store away from incompatible materials (see Section 10 of the SDS).

Safe packaging materials Store in original tightly closed container.

8. Exposure controls/personal protection

Occupational exposure limits

Japan. OELs - JSOH (Japan Society of Occupational Health: Recommendation of Occupational Exposure Limits)

Components	Type	Value
Sodium Selenite (Na ₂ SeO ₃) (CAS 10102-18-8)	TWA	0.1 mg/m ³

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Copper (CAS 7440-50-8)	TWA	1 mg/m ³	Dust and mist.
		0.2 mg/m ³	Fume.
Sodium Selenite (Na ₂ SeO ₃) (CAS 10102-18-8)	TWA	0.2 mg/m ³	

Engineering measures

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear gloves to prevent metal cuts and skin abrasions during handling.

Eye protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Solid.

Color Copper

Odor None.

Odor threshold Not applicable.

pH Not applicable.

Melting point/Freezing point 1981.4 °F (1083 °C) / Not applicable.

Boiling point, initial boiling point, and boiling range Not applicable.

Flash point Not applicable.

Combustion characteristics (solid, gas) None known.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not applicable.

Flammability limit - upper (%) Not applicable.

Explosive limit - lower (%) Not applicable.

Explosive limit - lower (%) temperature Not applicable.

Explosive limit - upper (%) Not applicable.

Explosive limit - upper (%) temperature Not applicable.

Vapor pressure Not applicable.

Vapor density Not applicable.

Evaporation rate	Not applicable.
Specific gravity	7.76 estimated
Solubility(ies)	
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity (Coefficient of viscosity)	Not applicable.
Other information	
Density	7.76 g/cm ³ estimated
Explosive limit	Not applicable.
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Relative density	Not applicable.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Acute toxicity	Fatal if swallowed.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes eye irritation.
Respiratory or skin sensitization	
Japan Society for Occupational Health: Skin sensitizer	
Copper (CAS 7440-50-8)	2 Probable skin sensitizer.
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	Suspected of causing genetic defects.
Carcinogenicity	
IARC Monographs. Overall Evaluation of Carcinogenicity	
Sodium Selenite (Na ₂ SeO ₃) (CAS 10102-18-8)	3 Not classifiable as to carcinogenicity to humans.
Reproductive toxicity	Suspected of damaging fertility or the unborn child.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.

12. Ecological information

Ecotoxicological data			
Components		Species	Test Results
Sodium Selenite (Na ₂ SeO ₃) (CAS 10102-18-8)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1.1 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	1.8 mg/l, 96 hours
Ecotoxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard.		

Persistence and degradability**Bioaccumulation** No data available.**Mobility in soil** No data available for this product.**Hazardous to the ozone layer** No data available.**Other hazardous effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.**13. Disposal considerations**

Dispose in accordance with all applicable regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.**Local disposal regulations** Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.**14. Transport information****IATA**

UN number 2630
UN proper shipping name Selenates or Selenites
Transport hazard class(es)
Class 6.1(PGI, II)
Subsidiary risk -
Label(s) 6.1
Packing group I
Environmental hazards No.
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number 2630
UN proper shipping name Selenates or Selenites
Transport hazard class(es)
Class 6.1(PGI, II)
Subsidiary risk -
Label(s) 6.1
Packing group I
Environmental hazards
Marine pollutant No.
EmS F-A, S-A
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.**General information** IMDG Regulated Marine Pollutant.**IATA; IMDG****National regulations** Follow regulation in section 15 for domestic transportation.**Emergency Response Guide Number** 171

15. Regulatory information

Industrial Safety and Health Act

Notifiable substances

COPPER AND COPPER COMPOUNDS	Table 9 Ordinance No. 379	76 - 95 %
SELENIUM AND SELENIUM COMPOUNDS	Table 9 Ordinance No. 333	5.0 - 24 %

Labeling substances

COPPER (POWDER)	76 - 95 %
COPPER AND COPPER COMPOUNDS	76 - 95 %

Poisonous and Deleterious Substances Control Act

Specified poisonous substances

Not regulated.

Poisonous substances

Not regulated.

Deleterious substances

Not regulated.

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.

Class I specified chemical substances

Not regulated.

Class II specified chemical substances

Not regulated.

Monitoring chemical substances

Not regulated.

Priority Assessment Chemical Substances (PACs)

Not regulated.

Reporting Exempted Substances

Not regulated.

Law concerning Pollutant Release and Transfer Register

Specified class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 1 substances (substance name, ordinance number and content)

SELENIUM AND ITS COMPOUNDS Ordinance No. 242 24 % (Sodium Selenite (Na₂SeO₃))

Class 2 substances (substance name, ordinance number and content)

Not regulated.

Ship Safety Law, Dangerous Goods Marine Transport and Storage Rule

Toxic substances

Air Law, Enforcement Rule

Toxic substances

Explosives Control Act

Not regulated.

Waste Management and Public Cleansing Act

DUST CONTAINING SELENIUM AND ITS COMPOUNDS

SLUDGE, SPENT ACID, AND WASTE ALKALI CONTAINING SELENIUM AND ITS COMPOUNDS

Water Pollution Control Act

COPPER

SELENIUM AND ITS COMPOUNDS (TOTAL SE)

Sewage Act

COPPER AND ITS COMPOUNDS (AS CU)

3 MG/L

SELENIUM AND ITS COMPOUNDS (AS SE)

0.1 MG/L

16. Other information

Bibliography

HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits
Japan Chemical Industry Association (JCIA) GHS Guideline, June 2012
JIS Z 7252:2014 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"
JIS Z 7253:2012 Hazard communication of chemicals based on GHS - Labelling and Safety Data Sheet (SDS)

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.