



CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.

MATERION

Product name: Bismuth Manganese Targets

Issue date: 11-25-2019

Revision date: 07-01-2021


Version #: 02

SDS No: G13

SECTION 1 Chemical product and company identification

Chinese name of chemical	铋锰目标	
English name of chemical	Bismuth Manganese Targets	
Manufacturer/Supplier	Materion Advanced Materials	
Address	6070 Parkland Boulevard Mayfield Heights, OH 44124 United States	
Contact person	Theodore Knudson	
Telephone	EH&S	1.216.383.4019
e-mail	ehs@materion.com	
Emergency telephone number	See Section 16.	
Issue date	11-25-2019	
Revision date	07-01-2021	
Supersedes date	11-25-2019	
SDS No	G13	

SECTION 2 Hazards identification

Emergency overview	Causes damage to organs. Causes eye irritation. May cause reproductive effects.	
GHS hazard categories		
Physical hazards	Not classified.	
Health hazards	Serious eye damage/eye irritation	Category 2B
	Reproductive toxicity	Category 1B
	Specific target organ toxicity, single exposure	Category 1
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
Label elements		
Pictograms		
Signal word	Danger	
Hazard statement		
H320	Causes eye irritation.	
H360	May damage fertility or the unborn child.	
H370	Causes damage to organs.	
H372	Causes damage to organs through prolonged or repeated exposure.	
Precautionary statement		
Prevention	Observe good industrial hygiene practices.	
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	
P260	Do not breathe dust/fume/gas/mist/vapors/spray.	

P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P305 + P351 + P338	Wash hands after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/doctor.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Storage

P405	Store away from incompatible materials. Store locked up.
------	---

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Physical and chemical hazards

The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.

Health hazards

Prolonged inhalation may be harmful. Expected to be a low ingestion hazard. Causes eye irritation.

Environmental hazards

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Supplemental information

For further information, please contact the Product Stewardship Department at +1.800.862.4118.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture		
Chemical name		Concentration (%)	CAS Number
铋		90 - 99.5	7440-69-9
Bismuth			
锰		0.5 - 10	7439-96-5
Manganese			

SECTION 4 First aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms and health effects	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Exposure may cause temporary irritation, redness, or discomfort. Prolonged exposure may cause chronic effects.
Personal protection for first-aid responders	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
Notes to physician	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media	Powder. Dry sand.
Extinguishing media to avoid	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards	None known.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Protection of fire-fighters	Wear suitable protective equipment.
General fire hazards	No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

Environmental precautions Prevent further leakage or spillage if safe to do so. Collect spillage.

Clean-up methods and materials and containment measures The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Prevention of secondary hazards Not available.

SECTION 7 Handling and storage

Handling Avoid prolonged exposure. Use personal protective equipment as required. Observe good industrial hygiene practices.

Storage Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

SECTION 8 Exposure controls/personal protection

Exposure limits

China OELs. Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (GBZ 2.1-2007)

Components	Type	Value
Manganese (CAS 7439-96-5)	PC-TWA	0.15 mg/m ³

Biological limit values No biological exposure limits noted for the ingredient(s).

Monitoring methods Follow standard monitoring procedures.

Engineering measures Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear gloves to prevent metal cuts and skin abrasions during handling.

Eye protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

Hygiene measures Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

SECTION 9 Physical and chemical properties

Appearance

Physical state Solid.

Form Solid.

Color Silver.

Odor None.

Odor threshold	Not applicable.
pH	Not applicable.
Melting point/freezing point	519.8 °F (271 °C) estimated / Not applicable.
Boiling point, initial boiling point, and boiling range	Not applicable.
Flash point	Not applicable.
Flammability limit - lower (%)	Not applicable.
Flammability limit - upper (%)	Not applicable.
Explosive limit - lower (%)	Not applicable.
Explosive limit - lower (%) temperature	Not applicable.
Explosive limit - upper (%)	Not applicable.
Explosive limit - upper (%) temperature	Not applicable.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	Not applicable.
Density	9.57 g/cm ³ estimated
Solubility(ies)	
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	None known.
Other data	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Viscosity	Not applicable.

SECTION 10 Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11 Toxicological information

Acute toxicity	Not known.
Routes of exposure	Inhalation. Eye contact.
Symptoms	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort.
Skin corrosion/irritation	Not relevant, due to the form of the product.
Serious eye damage/eye irritation	Causes eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.

Skin sensitizer	Not a skin sensitizer.
Germ cell mutagenicity	Not classified.
Carcinogenicity	Not classifiable as to carcinogenicity to humans.
Toxic to reproduction	May damage fertility or the unborn child.
Specific target organ toxicity following single exposure	Causes damage to organs.
Specific target organ toxicity following repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Causes damage to organs through prolonged or repeated exposure.

SECTION 12 Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulation	No data available.
Mobility in soil	The product is insoluble in water.
Other hazardous effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Local disposal regulations	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14 Transport information

CNDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15 Regulatory information

Law of the People's Republic of China on Prevention and Control of Occupational Diseases

Classification of occupational disease hazards

MANGANESE AND ITS COMPOUNDS (CAS 7439-96-5)

Regulations on the Control over Safety of Dangerous Chemicals

Catalog of Hazardous Chemicals

MANGANESE METAL POWDER, WETTED WITH NOT LESS THAN 25% WATER (CAS 7439-96-5)

Regulations on Labor Protection in Workplaces Where Toxic Substances Are Used

Directory of Highly Toxic Substances

Manganese (CAS 7439-96-5)

Provision on the Environmental Administration of New Chemical Substances**China Inventory of Existing Chemical Substances**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
 A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Other regulations

This safety data sheet conforms to the following laws, regulations and standards:
 Measures for the Safe Use of Chemicals in Workplaces
 General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009)
 Regulations on Labor Protection in Workplaces Where Toxic Products Are Used
 Packing Symbol of Dangerous Goods(GB190-2009)
 Regulations on the Control over Safety of Dangerous Chemicals
 Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)
 Packing - Pictorial Marking for Handling of Goods (GB/T191-2009)

International regulations**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16 Other information**References**

EPA: AQUIRE database
 GB6944-2012: Classification and Code of Dangerous Goods.
 GB12268-2012: List of Dangerous Goods.
 NLM: Hazardous Substances Data Base
 US. IARC Monographs on Occupational Exposures to Chemical Agents

Further information

Transportation Emergency
 Call Chemtrec at:
 International: 703.741.5970
 Spain: 900.868.538
 Switzerland: 0800.564.402

Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Other information

Revised information in Section 16.