# MATERION

#### PRODUCT INFORMATION SHEET

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Trade name or** Copper Gallium with Sodium Selenite Targets

designation of the mixture

Registration number 
Document number G14

Synonyms None.

**Issue date** 01-February-2021

Version number 01

1.3. Details of the supplier of the product information sheet

**Supplier** 

**Company name** Materion Advanced Materials Germany GmbH

Address Borsigstrasse 10

63755 Alzenau

DE

**Division** 

**Telephone** 49.60.23.91.82.0 H. Schmiing

**e-mail** Materion.Germany@materion.com

Contact person Hermann Schmiing

**1.4. Emergency telephone** 49.60.23.91.82.0 H. Schmiing

number

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Manufacture of computer, electronic and optical products, electrical equipment

Scientific research and development

Other: Manufacture of medical and defense equipment

**Uses advised against** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Consumer uses: Private households (= general public = consumers)

1.3. Details of the supplier of the safety data sheet

**Supplier** 

**Company name** Materion Advanced Materials Germany GmbH

**Address**Borsigstrasse 10
63755 Alzenau

DE

Division

**Telephone** 49.60.23.91.82.0 H. Schmiing

**e-mail** Materion.Germany@materion.com

Contact person Hermann Schmiing

**1.4. Emergency telephone** 49.60.23.91.82.0 H. Schmiing

number

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Physical hazards** 

Corrosive to metals Category 1 H290 - May be corrosive to metals.

**Health hazards** 

Acute toxicity, oral Category 2 H300 - Fatal if swallowed.

Acute toxicity, inhalation Category 3 H331 - Toxic if inhaled.

Serious eye damage/eye irritation Category 1 H318 - Causes serious eye damage.

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

Material name: Copper Gallium with Sodium Selenite Targets

PIS BULGARIA

2527 Version #: 01 Revision date: 01-February-2021 Print date: 01-February-2021 1 / 9

#### **Environmental hazards**

Hazardous to the aquatic environment, long-term aquatic hazard

Category 2

H411 - Toxic to aquatic life with long lasting effects.

#### **Hazard summary**

Toxic if inhaled. Toxic if swallowed. Causes serious eye irritation. May cause an allergic skir reaction. Occupational exposure to the substance or mixture may cause adverse health effects.

#### 2.2. Label elements

#### Label according to Regulation (EC) No. 1272/2008 as amended

Contains: COPPER FLAKES (COATED WITH ALIPHATIC ACID), Gallium, Sodium Selenite (Na2SeO3)

**Hazard pictograms** 



Signal word	Danger
-------------	--------

#### **Hazard statements**

H290 May be corrosive to metals.
H300 Fatal if swallowed.
H317 May cause an allergic skin reaction.

H317 May cause an allergic skin reaction
H318 Causes serious eye damage.

H331 Toxic if inhaled.

H411 Toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

#### Prevention

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.

#### Response

P301 + P330 + P310	IF SWALLOWED: Rinse mouth. Immediately obtain medical assistance.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately get medical assistance.
P305 + P351 + P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P337 + P313	If eve irritation persists: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.
P391 Collect spillage.

**Storage** 

P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Supplemental label** 

information

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

**2.3. Other hazards** Not a PBT or vPvB substance or mixture.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
COPPER FLAKES (COATED WITH ALIPHATIC ACID)	75 - 90	7 <del>44</del> 0-50-8 231-159-6	01-2119480154-42-0080	-	
Classification	ı <b>:</b> -				
Gallium	10 - 20	7440-55-3 231-163-8	-	-	
Cl:::		C 1124.4 E - D	4 11040		

Classification: Skin Corr. 1C;H314, Eye Dam. 1;H318

Material name: Copper Gallium with Sodium Selenite Targets

2527 Version #: 01 Revision date: 01-February-2021 Print date: 01-February-2021 2 / 9

% **Chemical name** CAS-No. / EC REACH Registration No. Index No. **Notes** No. Sodium Selenite (Na2SeO3) 5 - 10 10102-18-8 034-003-00-3 233-267-9 Classification: Acute Tox. 2;H300, Skin Sens. 1;H317, Acute Tox. 3;H331, Aquatic

Chronic 1;H410

**SECTION 4: First aid measures** 

**General information** If you feel unwell, seek medical advice (show the label where possible). Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1. Description of first aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

if symptoms develop or persist.

Skin contact Wash off with soap and water. If skin irritation occurs: Get medical advice/attention. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if

irritation develops and persists.

**Ingestion** Rinse mouth. If swallowed, seek medical advice immediately and show this container or label.

4.2. Most important symptoms and effects, both

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. May cause an allergic skin reaction. Dermatitis. Rash.

acute and delayed

4.3. Indication of any immediate medical attention and special treatment

needed

Provide general supportive measures and treat symptomatically.

**SECTION 5: Firefighting measures** 

**General fire hazards** No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing Water spray. Foam. Powder. Dry sand. Carbon dioxide (CO2).

media

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising During fire, gases hazardous to health may be formed.

from the substance or

mixture

5.3. Advice for firefighters

**Special protective** equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special firefighting

procedures

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

**SECTION 6: Accidental release measures** 

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Ensure adequate ventilation. For personal protection, see

section 8 of the PIS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the PIS.

6.2. Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all

environmental releases.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface

thoroughly to remove residual contamination.

6.4. Reference to other

sections

Not available.

**SECTION 7: Handling and storage** 

7.1. Precautions for safe

handling

Minimise dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Material name: Copper Gallium with Sodium Selenite Targets PIS BULGARIA 2527 Version #: 01 Revision date: 01-February-2021 Print date: 01-February-2021 3/9 7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place.

**7.3. Specific end use(s)** Not applicable.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

Bulgaria. OELs. Regulation No 1 Components	3 on protection of workers a Type	against risks of exposure to chemical agents at work Value
COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)	TWA	0,1 mg/m3
Sodium Selenite (Na2SeO3) (CAS 10102-18-8)	TWA	0,2 mg/m3

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Follow standard monitoring procedures.

Recommended monitoring

procedures

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

#### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

- **Hand protection** Wear gloves to prevent metal cuts and skin abrasions during handling.

Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Keep away from food and drink. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not

be allowed out of the workplace.

**Environmental exposure** 

controls

Avoid release to the aquatic environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

**SECTION 9: Physical and chemical properties** 

### 9.1. Information on basic physical and chemical properties

#### **Appearance**

Physical state Solid.
Form Solid.
Colour Brass.
Odour None.

Odour threshold Not applicable.
pH Not applicable.

**Melting point/freezing point** Undetermined. / Not applicable.

Initial boiling point and

boiling range

Not applicable.

**Flash point** Not applicable.

Material name: Copper Gallium with Sodium Selenite Targets

PIS BULGARIA

2527 Version #: 01 Revision date: 01-February-2021 Print date: 01-February-2021 4 / 9

**Evaporation rate** Not applicable. Flammability (solid, gas) None known.

Upper/lower flammability or explosive limits Flammability limit - lower Not applicable.

Flammability limit - lower

(%) temperature

Not applicable.

Flammability limit -

Not applicable.

upper (%)

Flammability limit -

upper (%) temperature

Not applicable.

**Explosive limit - lower (** 

%)

Not applicable.

**Explosive limit - lower (** 

%) temperature

Not applicable.

Explosive limit – upper

(%)

Not applicable.

**Explosive limit - upper (** 

%) temperature

Not applicable.

Vapour pressure Not applicable. Not applicable. Vapour density **Relative density** Not applicable.

Solubility(ies)

Solubility (water) Non-metallic component can partially dissolve.

**Partition coefficient** 

Not applicable.

(n-octanol/water)

**Auto-ignition temperature** Not applicable. **Decomposition temperature** Not applicable. **Viscosity** Not applicable. Not available. **Explosive properties Oxidising properties** Not oxidising.

9.2. Other information

7,96 g/cm3 estimated **Density** 

**Explosive limit** Not applicable. **Explosivity** Not applicable.

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

#### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** Toxic if inhaled.

Skin contact May cause an allergic skin reaction.

**Eve contact** Causes serious eve irritation.

Ingestion Fatal if swallowed.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred **Symptoms** 

vision. May cause respiratory irritation. May cause an allergic skin reaction. Dermatitis. Rash.

#### 11.1. Information on toxicological effects

Material name: Copper Gallium with Sodium Selenite Targets PIS BULGARIA 2527 Version #: 01 Revision date: 01-February-2021 Print date: 01-February-2021 5/9

**Acute toxicity** Fatal if swallowed. Toxic if inhaled.

**Skin corrosion/irritation** Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

**Respiratory sensitisation** Due to partial or complete lack of data the classification is not possible.

**Skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity**Due to partial or complete lack of data the classification is not possible. **Carcinogenicity**Due to partial or complete lack of data the classification is not possible.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Sodium Selenite (Na2SeO3) (CAS 10102-18-8)

3 Not classifiable as to carcinogenicity to humans.

**Reproductive toxicity**Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity

- single exposure

May cause respiratory irritation.

Specific target organ toxicity

- repeated exposure

Not classified.

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible.

**Mixture versus substance** 

information

No information available.

**Other information** Not available.

#### **SECTION 12: Ecological information**

**12.1. Toxicity** Based on available data, the classification criteria are not met for hazardous to the aquatic

environment, acute hazard.

Product		Species Test Results		
Copper Gallium with Sodium	m Selenite Targets			
Aquatic				
Acute				
Crustacea	EC50	Daphnia	240,2444 mg/l, 48 hours estimated	
Fish	LC50	Fish	0,036 mg/l, 96 hours estimated	
Components		Species	Test Results	

COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)

Aquatic

Acute

Crustacea EC50 Blue crab (Callinectes sapidus) 0,0031 mg/l

Fish LC50 Fathead minnow (Pimephales promelas) 0,0219 - 0,0446 mg/l, 96 hours

Sodium Selenite (Na2SeO3) (CAS 10102-18-8)

**Aquatic** 

Acute

Crustacea EC50 Water flea (Daphnia magna) 1,1 mg/l, 48 hours
Fish LC50 Rainbow trout,donaldson trout 1,8 mg/l, 96 hours

(Oncorhynchus mykiss)

12.2. Persistence and

degradability

**12.3. Bioaccumulative** No data available.

potential

Partition coefficient Not available.

n-octanol/water (log Kow)

**Bioconcentration factor (BCF)** Not available. **12.4. Mobility in soil** No data available.

12.5. Results of PBT and

**vPvB** assessment

Not a PBT or vPvB substance or mixture.

12.6 Other adverse effects

**12.6. Other adverse effects**No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Material name: Copper Gallium with Sodium Selenite Targets

PIS BULGARIA

2527 Version #: 01 Revision date: 01-February-2021 Print date: 01-February-2021 6 / 9

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

**EU** waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**Disposal** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Special precautions

#### **SECTION 14: Transport information**

14.1. UN number UN2630

14.2. UN proper shipping Selenates or Selenites

#### 14.3. Transport hazard class(es)

Class 6.1(PGI, II)

**Subsidiary risk** 6.1 Label(s) Hazard No. (ADR) 66 **Tunnel restriction** C/E

code

methods/information

14.4. Packing group Τ 14.5. Environmental No.

hazards

14.6. Special precautions Not available.

for user

#### RID

**14.1. UN number** UN2630

14.2. UN proper shipping Selenates or Selenites

#### 14.3. Transport hazard class(es)

6.1(PGI, II)

**Subsidiary risk** Label(s) 6.1 14.4. Packing group Ι 14.5. Environmental No.

hazards

14.6. Special precautions Not available.

for user

#### **ADN**

UN2630 **14.1. UN number** 

14.2. UN proper shipping Selenates or Selenites

name

#### 14.3. Transport hazard class(es)

**Class** 6.1(PGI, II)

**Subsidiary risk** Label(s) 6.1 14.4. Packing group Ι 14.5. Environmental No.

hazards

14.6. Special precautions Not available.

for user

#### **IATA**

UN2630 **14.1. UN number** 

14.2. UN proper shipping Selenates and Selenites

name

Material name: Copper Gallium with Sodium Selenite Targets PIS BULGARIA 2527 Version #: 01 Revision date: 01-February-2021 Print date: 01-February-2021 7/9

#### 14.3. Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk Label(s) 6.1

14.4. Packing group I

14.5. Environmental No.

hazards

**14.6. Special precautions** Not available.

for user

**IMDG** 

**14.1. UN number** UN2630 **14.2. UN proper shipping** SELENITES

name

14.3. Transport hazard class(es)

Class 6.1
Subsidiary risk 14.4. Packing group I
14.5. Environmental hazards

Marine pollutantNo.EmSF-A, S-A14.6. Special precautionsNot available.

for user

#### ADN; ADR; IATA; IMDG; RID



**General information** IMDG Regulated Marine Pollutant.

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

#### Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### Other EU regulations

#### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

COPPER FLAKES (COATED WITH ALIPHATIC ACID) (CAS 7440-50-8)

Sodium Selenite (Na2SeO3) (CAS 10102-18-8)

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended.

**National regulations** Follow national regulation for work with chemical agents. Young people under 18 years old are not

allowed to work with this product according to EU Directive 94/33/EC on the protection of young

people at work, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

List of abbreviations Not available. References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Full text of any H-statements** not written out in full under Sections 2 to 15

H300 Fatal if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H331 Toxic if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

**Revision information Training information** 

Physical & Chemical Properties: Multiple Properties Follow training instructions when handling this material.

Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any

particular use and to comply with all Federal, State, Provincial and Local laws, statutes and

regulations.

To avoid any misunderstandings or incorrect assumptions by the receiver of the safety information, it should be made clear that the supplied information is not in the form of a Safety Data Sheet (SDS), but is actually a voluntary Product Information Sheet closely following the guidelines of the Safety Data Sheet - COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 (REACH/SDS).

Material name: Copper Gallium with Sodium Selenite Targets PIS BULGARIA 2527 Version #: 01 Revision date: 01-February-2021 Print date: 01-February-2021 9/9