

**MATERION****1. Chemical and company identification**

| | |
|---------------------------------|---|
| Name of chemical (Product name) | Copper Gallium with Sodium Selenite |
| Company name | Materion Advanced Materials Germany GmbH |
| Address | Borsigstrasse 10 Alzenau 63755 Germany |
| Contact person | Hermann Schmiing |
| Telephone | 49.60.23.91.82.0 |
| e-mail address | Materion.Germany@materion.com |
| Emergency telephone number | 49.60.23.91.82.0 |
| Reference number | G14 |

2. Hazards identification**GHS classification**

| | | |
|-----------------------|--|------------|
| Physical hazards | Corrosive to metals | Category 1 |
| Health hazards | Acute toxicity, oral | Category 2 |
| | Acute toxicity, inhalation | Category 3 |
| | Serious eye damage/eye irritation | Category 1 |
| | Sensitization, skin | Category 1 |
| Environmental hazards | Hazardous to the aquatic environment, long-term hazard | Category 2 |

GHS label elements**Symbols****Signal words**

Danger

Hazard statement

May be corrosive to metals. Fatal if swallowed. May cause an allergic skin reaction. Causes serious eye damage. Toxic if inhaled. Toxic to aquatic life with long lasting effects.

Precautionary statement**Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory protection.

Response

IF SWALLOWED: Rinse mouth. Immediately obtain medical assistance. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately get medical assistance. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None known.

Supplemental information

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

Main symptoms and emergency overview**Main symptoms**

Irritation of eyes. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects.

Emergency overview

Toxic if inhaled. Toxic if swallowed. Causes serious eye irritation. May cause an allergic skin reaction. Occupational exposure to the substance or mixture may cause adverse health effects.

3. Composition/information on ingredients

Substance or mixture

Mixture

| Components | CAS Number | Gazette notification | | Concentration (%) |
|---|------------|----------------------|----------|-------------------|
| | | ENCS no. | ISHL no. | |
| Copper | 7440-50-8 | | | 75 - 90 |
| Gallium | 7440-55-3 | | | 10 - 20 |
| Sodium Selenite (Na ₂ SeO ₃) | 10102-18-8 | (1)-507 | (1)-507 | 10 |
| Synonym(s): DISODIUM SELENITE DISODIUM SELENIUM TRIOXIDE | | | | |

Chemical formula

Cu (7440-50-8), Ga (7440-55-3), H₂O₃-Se.2Na (10102-18-8)

4. First aid measures

If inhaled

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

If on skin

Wash off with soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

If in eyes

Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

If swallowed

Rinse mouth. If swallowed, seek medical advice immediately and show this container or label.

Most important symptoms/effects, acute and delayed

Irritation of eyes. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects.

Protection of first-aid responders

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Notes to physician

Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Water spray. Foam. Powder. Dry sand. Carbon dioxide (CO₂).

Extinguishing media to avoid

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards

None known.

Special fire fighting procedures

Use water spray to cool unopened containers.

Protection of fire-fighters

Wear suitable protective equipment.

General fire hazards

No unusual fire or explosion hazards noted.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency measures

Keep unnecessary personnel away. Ensure adequate ventilation.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.

Methods or materials for containment and cleaning up

Collect spillage.

7. Handling and storage

Handling

Technical measures (e.g. Local and general ventilation)

Provide adequate ventilation.

Safe handling advice Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not taste or swallow. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Hygiene measures Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Contaminated work clothing should not be allowed out of the workplace.

Storage

Safe storage conditions Store locked up. Store away from incompatible materials (see Section 10 of the PIS).

Safe packaging materials Store in original tightly closed container.

8. Exposure controls/personal protection

Occupational exposure limits

Japan. OELs - JSOH (Japan Society of Occupational Health: Recommendation of Occupational Exposure Limits)

| Components | Type | Value |
|--|------|-----------------------|
| Sodium Selenite (Na ₂ SeO ₃) (CAS 10102-18-8) | TWA | 0.1 mg/m ³ |

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|--|------|-----------------------|----------------|
| Copper (CAS 7440-50-8) | TWA | 1 mg/m ³ | Dust and mist. |
| | | 0.2 mg/m ³ | Fume. |
| Sodium Selenite (Na ₂ SeO ₃) (CAS 10102-18-8) | TWA | 0.2 mg/m ³ | |

Engineering measures Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear gloves to prevent metal cuts and skin abrasions during handling.

Eye protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

9. Physical and chemical properties

Appearance

Physical state Solid.

Form Solid.

Color Brass.

Odor None.

Odor threshold Not applicable.

pH Not applicable.

Melting point/Freezing point Undetermined. / Not applicable.

Boiling point, initial boiling point, and boiling range Not applicable.

Flash point Not applicable.

Combustion characteristics (solid, gas) None known.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not applicable.

| | |
|--|--|
| Flammability limit - lower (%) temperature | Not applicable. |
| Flammability limit - upper (%) | Not applicable. |
| Flammability limit - upper (%) temperature | Not applicable. |
| Explosive limit - lower (%) | Not applicable. |
| Explosive limit - lower (%) temperature | Not applicable. |
| Explosive limit - upper (%) | Not applicable. |
| Explosive limit - upper (%) temperature | Not applicable. |
| Vapor pressure | Not applicable. |
| Vapor density | Not applicable. |
| Evaporation rate | Not applicable. |
| Specific gravity | Not applicable. |
| Solubility(ies) | |
| Solubility (water) | Non-metallic component can partially dissolve. |
| Partition coefficient (n-octanol/water) | Not applicable. |
| Auto-ignition temperature | Not applicable. |
| Decomposition temperature | Not applicable. |
| Viscosity (Coefficient of viscosity) | Not applicable. |
| Other information | |
| Density | 7.96 g/cm ³ estimated |
| Explosive limit | Not applicable. |
| Explosivity | Not applicable. |
| Oxidizing properties | Not oxidizing. |
| Relative density | Not applicable. |

10. Stability and reactivity

| | |
|------------------------------------|---|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

| | |
|--|---------------------------------------|
| Acute toxicity | Fatal if swallowed. |
| Skin corrosion/irritation | Causes skin irritation. |
| Serious eye damage/eye irritation | Causes eye irritation. |
| Respiratory or skin sensitization | |
| Japan Society for Occupational Health: Skin sensitizer | |
| Copper (CAS 7440-50-8) | 2 Probable skin sensitizer. |
| Respiratory sensitization | Not a respiratory sensitizer. |
| Skin sensitization | May cause an allergic skin reaction. |
| Germ cell mutagenicity | Suspected of causing genetic defects. |

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Sodium Selenite (Na₂SeO₃) (CAS 10102-18-8)

3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicological data

| Components | Species | Test Results |
|--|---|---|
| Sodium Selenite (Na ₂ SeO ₃) (CAS 10102-18-8) | | |
| Aquatic | | |
| Crustacea | EC50 | Water flea (Daphnia magna) 1.1 mg/l, 48 hours |
| Fish | LC50 | Rainbow trout, donaldson trout (Oncorhynchus mykiss) 1.8 mg/l, 96 hours |
| Ecotoxicity | Based on available data, the classification criteria are not met for hazardous to the aquatic environment, acute hazard. | |
| Persistence and degradability | | |
| Bioaccumulation | No data available. | |
| Mobility in soil | No data available for this product. | |
| Hazardous to the ozone layer | No data available. | |
| Other hazardous effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | |

13. Disposal considerations

Dispose in accordance with all applicable regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Local disposal regulations Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.

14. Transport information

IATA

UN number 2630
UN proper shipping name Selenates or Selenites
Transport hazard class(es)
Class 6.1 (PGI, II)
Subsidiary risk -
Label(s) 6.1
Packing group I
Environmental hazards No.
Special precautions for user Not available.

IMDG

UN number 2630
UN proper shipping name Selenates or Selenites

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk -

Label(s) 6.1

Packing group I

Environmental hazards

Marine pollutant No.

EmS F-A, S-A

Special precautions for user Not available.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and the IBC Code

General information IMDG Regulated Marine Pollutant.

IATA; IMDG



National regulations Follow regulation in section 15 for domestic transportation.

Emergency Response Guide Number 154

15. Regulatory information**Industrial Safety and Health Act****Notifiable substances**

COPPER AND COPPER COMPOUNDS Table 9 Ordinance No. 379 75 - 90 %

SELENIUM AND SELENIUM COMPOUNDS Table 9 Ordinance No. 333 5.0 - 10 %

Labeling substances

COPPER (POWDER) 75 - 90 %

COPPER AND COPPER COMPOUNDS 75 - 90 %

Poisonous and Deleterious Substances Control Act**Specified poisonous substances**

Not regulated.

Poisonous substances

Not regulated.

Deleterious substances

Not regulated.

Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc.**Class I specified chemical substances**

Not regulated.

Class II specified chemical substances

Not regulated.

Monitoring chemical substances

Not regulated.

Priority Assessment Chemical Substances (PACs)

Not regulated.

Reporting Exempted Substances

Not regulated.

Law concerning Pollutant Release and Transfer Register**Specified class 1 substances (substance name, ordinance number and content)**

Not regulated.

Class 1 substances (substance name, ordinance number and content)

SELENIUM AND ITS COMPOUNDS Ordinance No. 242 10 % (Sodium Selenite (Na₂SeO₃))

Class 2 substances (substance name, ordinance number and content)

Not regulated.

Ship Safety Law, Dangerous Goods Marine Transport and Storage Rule Toxic substances

Air Law, Enforcement Rule Toxic substances

Explosives Control Act

Not regulated.

Waste Management and Public Cleansing Act

DUST CONTAINING SELENIUM AND ITS COMPOUNDS

SLUDGE, SPENT ACID, AND WASTE ALKALI CONTAINING SELENIUM AND ITS COMPOUNDS

Water Pollution Control Act

COPPER

SELENIUM AND ITS COMPOUNDS (TOTAL SE)

Sewage Act

COPPER AND ITS COMPOUNDS (AS CU)

3 MG/L

SELENIUM AND ITS COMPOUNDS (AS SE)

0.1 MG/L

16. Other information

Bibliography

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits
Japan Chemical Industry Association (JCIA) GHS Guideline, June 2012
JIS Z 7252:2014 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"
JIS Z 7253:2012 Hazard communication of chemicals based on GHS - Labelling and Safety Data Sheet (SDS)

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.