



# MATERIAL SAFETY DATA SHEET

## MATERION

### 1. Chemical product and company identification

**A. Product name** Nickel Chromium Targets

**Other means of identification**

SDS number G15

**B. Recommended use and Limitations on use**

**Recommended use** Industrial uses: Uses of substances as such or in preparations at industrial sites

**Limitations on use** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**C. Supplier information**

**Company name** Materion Advanced Materials Germany GmbH

**Address**  
Borsigstrasse 10  
Alzenau 63755  
Germany

**Email** Materion.Germany@materion.com

**Contact person** Hermann Schmiing

**Emergency telephone number** 49.60.23.91.82.0

**MSDS number** G15

### 2. Hazards identification

**A. Hazard category/Classification**

**Physical hazards** Not classified.

<b>Health hazards</b>	Sensitization, respiratory	Category 1
	Sensitization, skin	Category 1
	Germ cell mutagenicity	Category 2
	Carcinogenicity	Category 2
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 1
<b>Environmental hazards</b>	Hazardous to the aquatic environment, long-term hazard	Category 4

**B. Warning label items including precautionary statement**

• Pictogram



• Signal word

Danger

• Hazard statement

H317	May cause an allergic skin reaction.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H370	Causes damage to organs.
H372	Causes damage to organs (respiratory system) through prolonged or repeated exposure by inhalation.
H413	May cause long lasting harmful effects to aquatic life.

• Precautionary statement

**Prevention**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.

#### Response

P330	Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/doctor.
P342 + P311	If experiencing respiratory symptoms: Call a poison center/doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P342 + P311	If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
P362 + P364	Take off contaminated clothing and wash it before reuse.

#### Storage

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

#### Disposal

Dispose of waste and residues in accordance with local authority requirements.

**C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard)**

None known.

#### Supplemental information

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

### 3. Composition/information on ingredients

Chemical identity	Common and alternative names	CAS number	ID number	Content in percent (%)
Nickel		7440-02-0	KE-25818	80
Chromium		7440-47-3	KE-05970	20

### 4. First aid measures

#### A. In case of eye contact

Rinse with water. Get medical attention if irritation develops and persists. Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally.

#### B. In case of skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Thoroughly wash skin cuts or wounds to remove all particulate debris from the wound. Seek medical attention for wounds that cannot be thoroughly cleansed. Treat skin cuts and wounds with standard first aid practices such as cleansing, disinfecting and covering to prevent wound infection and contamination before continuing work. Obtain medical help for persistent irritation. Material accidentally implanted or lodged under the skin must be removed.

#### C. In case of inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a poison center or doctor/physician. Breathing difficulty caused by inhalation of particulate requires immediate removal to fresh air. If breathing has stopped, perform artificial respiration and obtain medical help.

#### D. In case of swallowing

Rinse mouth. Get medical attention if symptoms occur. Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person.

#### E. Note to physician

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

<b>Most important symptoms/effects, acute and delayed</b>	May cause respiratory irritation. Difficulty in breathing. May cause an allergic skin reaction. Dermatitis. Rash.
<b>General advice</b>	If exposed or concerned: get medical attention/advice. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

### A. Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media** Powder. Dry sand.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire. Carbon dioxide (CO<sub>2</sub>).

**B. Specific hazards arising from the chemical (example: hazardous combustion products)** This product is not flammable.

### C. Specific methods of fire-fighting

**Special protective equipment for firefighters** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Special fire fighting procedures** Move container from fire area if it can be done without risk.

**Specific methods** Use standard firefighting procedures and consider the hazards of other involved materials.

## 6. Accidental release measures

**A. Personal precautions, protective equipment and emergency measures** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the MSDS. As supplied, this product poses no special release issues.

**B. Environmental precautions** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

**C. Methods and materials for containment and cleaning up** The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the MSDS.

## 7. Handling and storage

**A. Precautions for safe handling** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

**B. Conditions for safe storage (including any incompatibilities)** Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the MSDS).

## 8. Exposure controls/personal protection

### A. Exposure limit values, biological limit values, etc

Korea. OELs. Standards for Exposure to Chemical Substances and Physically Hazardous Factors

Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	0.05 mg/m <sup>3</sup>
Nickel (CAS 7440-02-0)	TWA	1 mg/m <sup>3</sup>

## US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0.5 mg/m <sup>3</sup>	Inhalable fraction.
Nickel (CAS 7440-02-0)	TWA	1.5 mg/m <sup>3</sup>	Inhalable fraction.

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### B. Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Follow standard monitoring procedures.

### C. Personal protective equipment

#### • Respiratory protection

Wear positive pressure self-contained breathing apparatus (SCBA). In case of inadequate ventilation, use respiratory protection.

#### • Eye protection

If contact is likely, safety glasses with side shields are recommended. Wear approved safety glasses, goggles, face shield and/or welder's helmet when risk of eye injury is present, particularly during operations that generate dust, mist or fume.

#### • Hand protection

Wear appropriate chemical resistant gloves. Wear gloves to prevent metal cuts and skin abrasions during handling.

#### • Body protection

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Protective overgarments or work clothing must be worn by persons who may become contaminated with particulate during activities.

### Hygiene measures

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

### A. Appearance

Physical state Solid.

Form Solid.

Color Metallic.

### B. Odor

None.

### C. Odor threshold

Not applicable.

### D. pH

Not applicable.

### E. Melting point/freezing point

Melting point 2651 °F (1455 °C) estimated

Freezing point Not applicable.

### F. Boiling point, initial boiling point, and boiling range

Not applicable.

### G. Flash point

Not applicable.

### H. Evaporation rate

Not applicable.

### I. Flammability (solid, gas)

None known.

### J. Upper/lower limit on flammability or explosive limits

Flammability limit - lower (%) Not applicable.

Flammability limit - lower (%) temperature Not applicable.

Flammability limit - upper (%) Not applicable.

Flammability limit - upper (%) temperature Not applicable.

Explosive limit - lower (%) Not applicable.

Explosive limit - lower (%) temperature	Not applicable.
Explosive limit - upper (%)	Not applicable.
Explosive limit - upper (%) temperature	Not applicable.
K. Vapor pressure	Not applicable.
L. Solubility	
Solubility (water)	Insoluble.
M. Vapor density	Not applicable.
N. Specific gravity	Not applicable.
O. n-octanol/water partition coefficient	Not applicable.
P. Auto-ignition temperature	Not applicable.
Q. Decomposition temperature	Not applicable.
R. Viscosity	Not applicable.
S. Molecular weight	Not available.
Other data	
Density	8.55 g/cm <sup>3</sup> estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

## 10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

### A. Stability and hazardous reaction potential

<b>Stability</b>	Material is stable under normal conditions.
<b>Hazardous reaction potential</b>	No dangerous reaction known under conditions of normal use.

**B. Conditions to avoid (e.g. static discharge, shock or vibration, etc)** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.

**C. Incompatible materials** Strong acids. Strong oxidizing agents.

**D. Hazardous decomposition products** No hazardous decomposition products are known.

## 11. Toxicological information

### A. Information on likely routes of exposure

- **Respiratory organs** May cause irritation to the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Prolonged inhalation may be harmful.
- **Skin** May cause an allergic skin reaction.
- **Eyes** Not relevant, due to the form of the product.
- **Mouth** Expected to be a low ingestion hazard.

### B. Information on health hazards

- **Acute toxicity (list all possible routes of exposure)** Not known.
- **Corrosivity or irritation to the skin** Prolonged skin contact may cause temporary irritation.
- **Serious eye damage/eye irritation** Not likely, due to the form of the product.
- **Respiratory sensitization** May cause allergy or asthma symptoms or breathing difficulties if inhaled. Not a respiratory sensitizer.
- **Skin sensitization** May cause an allergic skin reaction.
- **Carcinogenic properties /Carcinogenicity** Suspected of causing cancer.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Chromium (CAS 7440-47-3)

3 Not classifiable as to carcinogenicity to humans.

Nickel (CAS 7440-02-0)

2B Possibly carcinogenic to humans.

- **Mutagenic properties /Mutagenicity** Suspected of causing genetic defects.
- **Reproductive toxicity** Not classified.
- **Specific target organ toxicity - single exposure** Causes damage to organs. May cause respiratory irritation.
- **Specific target organ toxicity - repeated exposure** Causes damage to organs through prolonged or repeated exposure. May cause damage to organs (respiratory system) through prolonged or repeated exposure.
- **Aspiration hazard** Not an aspiration hazard.

## 12. Ecological information

- A. Ecotoxicity** May cause long lasting harmful effects to aquatic life.
- Hazardous to the aquatic environment, acute hazard** Very toxic to aquatic life.
- Hazardous to the aquatic environment, long-term hazard** May cause long lasting harmful effects to aquatic life.
- B. Persistence/degradability** No data is available on the degradability of this product.
- C. Bioaccumulative potential** No data available.
- D. Mobility in soil** The product is immiscible with water and will spread on the water surface.
- E. Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

- A. Method of disposal** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not contaminate ponds, waterways or ditches with chemical or used container.
- B. Disposal considerations (including disposal of contaminated containers or packaging)** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
- Waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

## 14. Transport information

### IATA

- A. UN number** Not applicable.
- B. UN proper shipping name** Not applicable.
- C. Transport hazard class(es)**
- Class** Not applicable.
- Subsidiary risk** -
- D. Packing group** Not applicable.
- E. Environmental hazards** No.
- F. Special precautions for user** Not applicable.

### IMDG

- A. UN number** Not applicable.
- B. UN proper shipping name** Not applicable.
- C. Transport hazard class(es)**
- Class** Not applicable.
- Subsidiary risk** -
- D. Packing group** Not applicable.
- E. Environmental hazards**
- Marine pollutant** No.
- EmS** Not applicable.

**F. Special precautions for user** Not applicable.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## 15. Regulatory information

### A. Restrictions under the Industrial Safety and Health Law

#### Harmful Substances Prohibited from Manufacturing

Not regulated.

#### Harmful Substances Requiring Permission for Manufacture or Use

Not regulated.

#### Controlled Hazardous Substances

Chromium (CAS 7440-47-3)

Nickel (CAS 7440-02-0)

#### Harmful Substances Requiring Special Medical Examination

Chromium (CAS 7440-47-3)

Nickel (CAS 7440-02-0)

#### Workplace Environmental Monitoring Harmful Materials

Chromium (CAS 7440-47-3)

Nickel (CAS 7440-02-0)

#### Occupational Exposure Limit

Chromium (CAS 7440-47-3)

Nickel (CAS 7440-02-0)

### B. Restrictions under the Chemicals Control Law (Previously Toxic Chemicals Control Law)

#### Accidental Release Prevention Substances

Not regulated.

#### Act on the Registration and Evaluation of Chemicals

##### Banned Toxic Chemicals

Not regulated.

##### Designated Existing Chemicals Subject to Registration (PEC) (MoE No. 2015-92)

Not listed.

##### Restricted Chemical Substances

Not regulated.

##### Toxic Chemicals

Not regulated.

### C. Restrictions under the Dangerous Substance Safety Management Act

### D. Restrictions under the Wastes Control Act

#### Halogenated Materials in Waste Organic Solvents

Not regulated.

#### Hazardous Substances

Not regulated.

### E. Restrictions under other foreign or domestic laws

#### Clean Air Conservation Act

##### Air Pollutants

Chromium (CAS 7440-47-3)

Nickel (CAS 7440-02-0)

**Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides (Rules on PIC, MoE No. 2014-252, Dec. 31, 2014; Standards for Pesticides, RDA No. 2014-26), as amended**

Not listed.

##### Specific Air Pollutants

Nickel (CAS 7440-02-0)

**Further information** This material safety data sheet was prepared in accordance with Article 41 of the Industrial Safety and Health Law.

### Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information

### Bibliography

ACGIH  
EPA: ACQUIRE database  
NLM: Hazardous Substances Data Base  
US. IARC Monographs on Occupational Exposures to Chemical Agents  
Korea. Accidental Release Prevention Substances (Presidential Decree of Toxic Chemical Control Law, Executive Order No. 19203)  
Korea. Dangerous Substances Threshold Quantity (Presidential Decree of Dangerous Substances Safety Management Act No. 18406, Schedule 1)  
Korea. Harmful Substances Prohibited from Manufacturing (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 29)  
Korea. Harmful Substances Requiring Permission for Manufacture or Use (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 30)  
Korea. OELs. Regulation for Permitted Concentration of Hazardous Substances (Ministry of Labor (MOL) Public Notice No. 1986-45, as amended)  
Korea. Prohibited Chemical Substances (TCCL Article 11)  
Korea. Regulated volatile organic compounds (VOCs) (MOE Notice No. 2001-36, March 8, 2001, as amended)  
Korea. Restricted Chemical Substances (TCCL Article 11)  
Korea. Toxic Chemical Control Law (TCCL), Existing Chemicals Inventory (KECI)  
Korea. Toxic Chemical Control Law (TCCL), pre-1997 List  
Korea. Toxic Chemicals (TCCL Article 10)  
Korea. Toxic Release Inventory (TRI) Chemicals (TCCL Article 14)  
Korea. Accidental Release Prevention Substances (Pres. Decree of Toxic Chemical Control Law, Ex. Order No. 19203, Tables 2 & 3, Dec 28, 2005)  
Korea. OELs (ISHL Article 42; MOL Public Notice No. 1986-45, as amended through MOEL Notice 2013-38, August 14, 2013)  
Korea. Prohibited Chemical Substances (AREC "K-REACH" Article 27; Designation of Toxic, Restricted or Banned Chemicals Appendices 4 and 5)  
Korea. Restricted Chemical Substances (AREC "K-REACH" Article 27; Designation of Toxic, Restricted or Banned Chemicals Appendices 2 and 3)  
KECI, January 27, 2015, amended through MoE 2016-138, July 13, 2016  
Korea. Toxic Chemicals (AREC "K-REACH" Article 20; Designation of Toxic, Restricted or Banned Chemicals Appendix 1)  
Korea. Toxic Release Inventory (TRI) Chemicals (MOE Public Notice No. 2002-166, Nov. 8, 2002)

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

**Other information** Revised information in Section 3.