



# PRODUCT INFORMATION SHEET

**MATERION**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name or designation of the mixture** Nickel Chromium Targets  
**Registration number** -  
**Document number** G15  
**Synonyms** None.  
**Issue date** 27-November-2018  
**Version number** 04  
**Revision date** 11-July-2023  
**Supersedes date** 01-July-2021

### 1.3. Details of the supplier of the product information sheet

#### Supplier

**Company name** Materion Electronic Materials  
**Address** 6070 Parkland Boulevard  
Mayfield Heights, OH 44124  
United States  
**Division**  
**Telephone** 1.216.383.4019  
**e-mail** ehs@materion.com  
**Contact person** Theodore Knudson

**1.4. Emergency telephone number** See Section 16.

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Manufacture of computer, electronic and optical products, electrical equipment  
Scientific research and development  
Other: Manufacture of medical and defense equipment  
**Uses advised against** Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
Consumer uses: Private households (= general public = consumers)

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

**Company name** Materion Electronic Materials  
**Address** 6070 Parkland Boulevard  
Mayfield Heights, OH 44124  
United States  
**Division**  
**Telephone** 1.216.383.4019  
**e-mail** ehs@materion.com  
**Contact person** Theodore Knudson

**1.4. Emergency telephone number** See Section 16.

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

##### Health hazards

|                    |            |   |
|--------------------|------------|---|
| Skin sensitisation | Category 1 | H317 - May cause an allergic skin reaction. |
| Carcinogenicity    | Category 2 | H351 - Suspected of causing cancer.         |

Specific target organ toxicity - repeated exposure

Category 1 (Respiratory system)

H372 - Causes damage to organs (respiratory system) through prolonged or repeated exposure by inhalation.  
H372 - Causes damage to organs (Respiratory system) through prolonged or repeated exposure.

## Hazard summary

Causes damage to organs through prolonged or repeated exposure. Suspected of causing cancer. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects. Occupational exposure to the substance or mixture may cause adverse health effects.

## 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

#### Contains:

Chromium, NICKEL POWDER; [PARTICLE DIAMETER < 1MM]

#### Hazard pictograms



#### Signal word

Danger

#### Hazard statements

The material as sold in solid form is generally not considered hazardous. However, if the process involves grinding, melting, cutting or any other process that causes a release of dust or fumes, hazardous levels of airborne particulate could be generated.

H317 May cause an allergic skin reaction.

H372 Causes damage to organs (respiratory system) through prolonged or repeated exposure by inhalation.

H351 Suspected of causing cancer.

H372 Causes damage to organs (Respiratory system) through prolonged or repeated exposure

## Precautionary statements

### Prevention

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves.

P281 Use personal protective equipment as required.

### Response

P302 + P350 If on skin: Wash with plenty of water.

P304 + P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing

P308 + P311 If exposed or concerned: Call a poison centre/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTRE/doctor.

P363 Wash contaminated clothing before reuse.

### Storage

P405 Store locked up.

### Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

## Supplemental label information

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

## 2.3. Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

## General information

| Chemical name   | %       | CAS-No. / EC No.       | REACH Registration No. | Index No.    | Notes |
|---|---------|------------------------|------------------------|--------------|-------|
| NICKEL POWDER; [PARTICLE DIAMETER < 1MM]                    | 50 - 99 | 7440-02-0<br>231-111-4 | -                      | 028-002-01-4 |       |
| <b>Classification:</b> Carc. 2;H351, Aquatic Chronic 3;H412 |         |                        |                        |              | 7,S   |
| Chromium  | 1 - 50  | 7440-47-3<br>231-157-5 | -                      | -            | #     |
| <b>Classification:</b> Aquatic Chronic 3;H412               |         |                        |                        |              |       |

## List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**Composition comments** The full text for all H-statements is displayed in section 16.

## SECTION 4: First aid measures

### General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

### 4.1. Description of first aid measures

#### Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

#### Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.

#### Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.

#### Ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth.

### 4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.

### 4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## SECTION 5: Firefighting measures

### General fire hazards

No unusual fire or explosion hazards noted.

### 5.1. Extinguishing media

#### Suitable extinguishing media

Dry sand. Extinguish with foam, carbon dioxide, dry powder or water fog.

#### Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire. Carbon dioxide (CO<sub>2</sub>).

### 5.2. Special hazards arising from the substance or mixture

This product is not flammable.

### 5.3. Advice for firefighters

#### Special protective equipment for firefighters

Wear suitable protective equipment.

#### Special firefighting procedures

Move containers from fire area if you can do so without risk.

### Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. For personal protection, see section 8 of the PIS.

|  |  |
|--|--|
| <b>For emergency responders</b>                                  | Use personal protection recommended in Section 8 of the PIS.   |
| <b>6.2. Environmental precautions</b>                            | Avoid discharge into drains, water courses or onto the ground. Collect spillage.   |
| <b>6.3. Methods and material for containment and cleaning up</b> | The product is immiscible with water and will spread on the water surface. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. |
| <b>6.4. Reference to other sections</b>                          | For personal protection, see section 8. For waste disposal, see section 13. For personal protection, see section 8 of the PIS. For waste disposal, see section 13 of the PIS.  |

## SECTION 7: Handling and storage

|  |   |
|--|---|
| <b>7.1. Precautions for safe handling</b>                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. |
| <b>7.2. Conditions for safe storage, including any incompatibilities</b> | Store locked up. Store in a closed container away from incompatible materials. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).   |
| <b>7.3. Specific end use(s)</b>  | Not relevant.   |

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Slovakia. OELs for carcinogens and mutagens. Regulation No. 46/2002 on carcinogenic and mutagenic substances

| Components  | Type | Value                  | Form                |
|---|------|------------------------|---------------------|
| NICKEL POWDER;<br>[PARTICLE DIAMETER < 1MM] (CAS 7440-02-0) | TWA  | 0,05 mg/m <sup>3</sup> | Inhalable fraction. |

##### EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU

| Components               | Type | Value               |
|--------------------------|------|---------------------|
| Chromium (CAS 7440-47-3) | TWA  | 2 mg/m <sup>3</sup> |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Recommended monitoring procedures** Follow standard monitoring procedures.

**Derived no effect levels (DNELs)** Not available.

**Predicted no effect concentrations (PNECs)** Not available.

### 8.2. Exposure controls

#### Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

**Eye/face protection** If contact is likely, safety glasses with side shields are recommended.

#### Skin protection

**- Hand protection** Wear appropriate chemical resistant gloves. Wear gloves to prevent metal cuts and skin abrasions during handling.

**- Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

**Environmental exposure controls** Avoid release to the aquatic environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

**Physical state** Solid.  
**Form** Solid.  
**Colour** Metallic.

**Odour** None.

**Odour threshold** Not applicable.

**pH** Not applicable.

**Melting point/freezing point** 1455 °C (2651 °F) estimated / Not applicable.

**Initial boiling point and boiling range** Not applicable.

**Flash point** Not applicable.

**Evaporation rate** Not applicable.

**Flammability (solid, gas)** None known.

#### Upper/lower flammability or explosive limits

**Flammability limit - lower (%)** Not applicable.

**Flammability limit - lower (%) temperature** Not applicable.

**Flammability limit - upper (%)** Not applicable.

**Flammability limit - upper (%) temperature** Not applicable.

**Explosive limit - lower (%)** Not applicable.

**Explosive limit - lower (%) temperature** Not applicable.

**Explosive limit – upper (%)** Not applicable.

**Explosive limit - upper (%) temperature** Not applicable.

**Vapour pressure** Not applicable.

**Vapour density** Not applicable.

**Relative density** Not applicable.

#### Solubility(ies)

**Solubility (water)** Insoluble.

**Partition coefficient (n-octanol/water)** Not applicable.

**Auto-ignition temperature** Not applicable.

**Decomposition temperature** Not applicable.

**Viscosity** Not applicable.

**Explosive properties** Not explosive.

**Oxidising properties** Not oxidising.

### 9.2. Other information

**Density** 8,31 g/cm<sup>3</sup> estimated

## SECTION 10: Stability and reactivity

**10.1. Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

|   |  |
|---|--|
| <b>10.3. Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.                                      |
| <b>10.4. Conditions to avoid</b>                | Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials. |
| <b>10.5. Incompatible materials</b>             | Strong acids. Strong oxidising agents.   |
| <b>10.6. Hazardous decomposition products</b>   | No hazardous decomposition products are known.   |

## SECTION 11: Toxicological information

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

### Information on likely routes of exposure

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | Prolonged inhalation may be harmful.  |
| <b>Skin contact</b> | May cause an allergic skin reaction.  |
| <b>Eye contact</b>  | Not likely, due to the form of the product.   |
| <b>Ingestion</b>    | May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure. |

**Symptoms** May cause an allergic skin reaction. Dermatitis. Rash.

### 11.1. Information on toxicological effects

|  |   |
|--|---|
| <b>Acute toxicity</b>                    | Not known.  |
| <b>Skin corrosion/irritation</b>         | Due to partial or complete lack of data the classification is not possible. Not relevant, due to the form of the product. |
| <b>Serious eye damage/eye irritation</b> | Due to partial or complete lack of data the classification is not possible. Not likely, due to the form of the product.   |
| <b>Respiratory sensitisation</b>         | Not a respiratory sensitizer. Due to partial or complete lack of data the classification is not possible                  |
| <b>Skin sensitisation</b>                | May cause an allergic skin reaction.  |
| <b>Germ cell mutagenicity</b>            | Due to partial or complete lack of data the classification is not possible.   |
| <b>Carcinogenicity</b>                   | Suspected of causing cancer.  |

#### IARC Monographs. Overall Evaluation of Carcinogenicity

|   |   |
|---|---|
| Chromium (CAS 7440-47-3)                                    | 3 Not classifiable as to carcinogenicity to humans. |
| NICKEL POWDER; [PARTICLE DIAMETER < 1MM]<br>(CAS 7440-02-0) | 2B Possibly carcinogenic to humans.                 |

|   |  |
|---|--|
| <b>Reproductive toxicity</b>                              | Due to partial or complete lack of data the classification is not possible.                          |
| <b>Specific target organ toxicity - single exposure</b>   | Due to partial or complete lack of data the classification is not possible.                          |
| <b>Specific target organ toxicity - repeated exposure</b> | Causes damage to organs (Respiratory system) through prolonged or repeated exposure.                 |
| <b>Aspiration hazard</b>                                  | Not an aspiration hazard. Due to partial or complete lack of data the classification is not possible |
| <b>Mixture versus substance information</b>               | Not applicable.  |
| <b>Other information</b>                                  | Not available.   |

## SECTION 12: Ecological information

|  |   |
|--|---|
| <b>12.1. Toxicity</b>                                  | Based on available data, the classification criteria are not met for hazardous to the aquatic environment. Not relevant, due to the form of the product.                                |
| <b>12.2. Persistence and degradability</b>             | No data is available on the degradability of any ingredients in the mixture.  |
| <b>12.3. Bioaccumulative potential</b>                 | Not applicable.   |
| <b>Partition coefficient n-octanol/water (log Kow)</b> | Not applicable.   |
| <b>Bioconcentration factor (BCF)</b>                   | Not available.  |
| <b>12.4. Mobility in soil</b>                          | No data available.  |
| <b>12.5. Results of PBT and vPvB assessment</b>        | This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.   |
| <b>12.6. Other adverse effects</b>                     | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

|                                     |  |
|-------------------------------------|--|
| <b>Residual waste</b>               | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| <b>Contaminated packaging</b>       | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.       |
| <b>EU waste code</b>                | The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.   |
| <b>Disposal methods/information</b> | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.                         |
| <b>Special precautions</b>          | Dispose in accordance with all applicable regulations.   |

## SECTION 14: Transport information

### ADR

14.1. - 14.6.: Not regulated as dangerous goods.

### RID

14.1. - 14.6.: Not regulated as dangerous goods.

### ADN

14.1. - 14.6.: Not regulated as dangerous goods.

### IATA

14.1. - 14.6.: Not regulated as dangerous goods.

### IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

**General information** IMDG Regulated Marine Pollutant.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulations

**Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended**

Not listed.

**Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended**

Not listed.

**Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended**

Not listed.

**Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended**

Chromium (CAS 7440-47-3)

NICKEL POWDER; [PARTICLE DIAMETER < 1MM] (CAS 7440-02-0)

**Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA**

Not listed.

#### Authorisations

**Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended**

Not listed.

#### Restrictions on use

**Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended**

NICKEL POWDER; [PARTICLE DIAMETER < 1MM] (CAS 7440-02-0)

**Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.**

Not listed.

**Other EU regulations**

**Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended**

Not listed.

**Other regulations**

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended.

**National regulations**

Follow national regulation for work with chemical agents. According to Directive 92/85/EEC as amended, pregnant women should not work with the product, if there is the least risk of exposure.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

**List of abbreviations**

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstract Service.

CEN: European Committee for Standardization.

IATA: International Air Transport Association.

IBC: Intermediate Bulk Container.

IMDG: International Maritime Dangerous Goods.

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative, toxic.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

STEL: Short term exposure limit.

TWA: Time Weighted Average.

vPvB: Very persistent and very bioaccumulative.

**References**

Not available.

**Information on evaluation method leading to the classification of mixture**

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

**Training information**

Follow training instructions when handling this material.

**Further information**

Transportation Emergency

Call Chemtrec at:

US: 800.424.9300

International: 703.741.5970

Spain: 900.868.538

Switzerland: 0800.564.402

Chemtrec's toll free, mobile-enabled number in Germany – 0800 1817059

South Korea Toll-free Number – 080-880-0468

**Disclaimer**

To avoid any misunderstandings or incorrect assumptions by the receiver of the safety information, it should be made clear that the supplied information is not in the form of a Safety Data Sheet (SDS), but is actually a voluntary Product Information Sheet closely following the guidelines of the Safety Data Sheet – COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 (REACH/SDS).