



SAFETY DATA SHEET

MATERION

1. Identification

| | |
|--------------------------------------|--|
| Product identifier | Nickel Chromium Targets |
| Other means of identification | |
| SDS number | G15 |
| Recommended use | Manufacture of computer, electronic and optical products, electrical equipment Scientific research and development Other: Manufacture of medical and defense equipment |
| Recommended restrictions | Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Consumer uses: Private households (= general public = consumers) |

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

| | | |
|-------------------------------|--|----------------|
| Company name | Materion Advanced Materials | |
| Address | 6070 Parkland Boulevard Mayfield Heights, OH 44124 United States | |
| Telephone | EH&S | 1.216.383.4019 |
| Website | www.materion.com | |
| E-mail | ehs@materion.com | |
| Contact person | Theodore Knudson | |
| Emergency phone number | See Section 16. | |
| Supplier | See above. | |

2. Hazard identification

| | | |
|------------------------------|---|-------------|
| Physical hazards | Not classified. | |
| Health hazards | Sensitization, skin | Category 1 |
| | Carcinogenicity | Category 1A |
| | Specific target organ toxicity, repeated exposure | Category 1 |
| Environmental hazards | Not classified. | |

Label elements



| | |
|--------------------------------|--|
| Signal word | Danger |
| Hazard statement | May cause an allergic skin reaction. May cause cancer. Causes damage to organs (respiratory system) through prolonged or repeated exposure by inhalation. |
| Precautionary statement | |
| Prevention | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not eat, drink, or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory protection. |

| | |
|---------------------------------|---|
| Response | Rinse mouth. If on skin: Wash with plenty of water. If exposed or concerned: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. |
| Storage | Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Other hazards | None known. |
| Supplemental information | For further information, please contact the Product Stewardship Department at +1.216.383.4019. |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|---------------|--------------------------|------------|---------|
| Nickel | | 7440-02-0 | 50 - 99 |
| Chromium | | 7440-47-3 | 1 - 50 |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

| | |
|---|---|
| Inhalation | Move to fresh air. Call a physician if symptoms develop or persist. Breathing difficulty caused by inhalation of particulate requires immediate removal to fresh air. If breathing has stopped, perform artificial respiration and obtain medical help. |
| Skin contact | Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Thoroughly wash skin cuts or wounds to remove all particulate debris from the wound. Seek medical attention for wounds that cannot be thoroughly cleansed. Treat skin cuts and wounds with standard first aid practices such as cleansing, disinfecting and covering to prevent wound infection and contamination before continuing work. Obtain medical help for persistent irritation. Material accidentally implanted or lodged under the skin must be removed. |
| Eye contact | Rinse with water. Get medical attention if irritation develops and persists. Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. |
| Ingestion | Rinse mouth. Get medical attention if symptoms occur. Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person. |
| Most important symptoms/effects, acute and delayed | May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| General information | If exposed or concerned: get medical attention/advice. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. |

5. Fire-fighting measures

| | |
|--|---|
| Suitable extinguishing media | Powder. Dry sand. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. Carbon dioxide (CO ₂). |
| Specific hazards arising from the chemical | This product is not flammable. |
| Special protective equipment and precautions for firefighters | Wear suitable protective equipment. |
| Fire fighting equipment/instructions | Move container from fire area if it can be done without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. |
| General fire hazards | No unusual fire or explosion hazards noted. |

6. Accidental release measures

| | |
|--|---|
| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. As supplied, this product poses no special release issues. |
| Methods and materials for containment and cleaning up | The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. |

7. Handling and storage

| | |
|---|--|
| Precautions for safe handling | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities | Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Type | Value | Form |
|--------------------------|------|-----------------------|---------------------|
| Chromium (CAS 7440-47-3) | TWA | 0.5 mg/m ³ | Inhalable fraction. |
| Nickel (CAS 7440-02-0) | TWA | 1.5 mg/m ³ | Inhalable fraction. |

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Type | Value |
|--------------------------|------|-----------------------|
| Chromium (CAS 7440-47-3) | TWA | 0.5 mg/m ³ |
| Nickel (CAS 7440-02-0) | TWA | 1.5 mg/m ³ |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components | Type | Value | Form |
|--------------------------|------|------------------------|-------|
| Chromium (CAS 7440-47-3) | TWA | 0.5 mg/m ³ | Total |
| Nickel (CAS 7440-02-0) | TWA | 0.05 mg/m ³ | |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Type | Value | Form |
|--------------------------|------|-----------------------|---------------------|
| Chromium (CAS 7440-47-3) | TWA | 0.5 mg/m ³ | Inhalable fraction. |
| Nickel (CAS 7440-02-0) | TWA | 1.5 mg/m ³ | Inhalable fraction. |

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components | Type | Value | Form |
|--------------------------|------|-----------------------|---------------------|
| Chromium (CAS 7440-47-3) | TWA | 0.5 mg/m ³ | |
| Nickel (CAS 7440-02-0) | TWA | 1 mg/m ³ | Inhalable fraction. |

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

| Components | Type | Value |
|--------------------------|------|-----------------------|
| Chromium (CAS 7440-47-3) | TWA | 0.5 mg/m ³ |
| Nickel (CAS 7440-02-0) | TWA | 1 mg/m ³ |

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

| Components | Type | Value | Form |
|--------------------------|-----------|-----------------------|---------------------|
| Chromium (CAS 7440-47-3) | 15 minute | 1.5 mg/m ³ | |
| | 8 hour | 0.5 mg/m ³ | |
| Nickel (CAS 7440-02-0) | 15 minute | 3 mg/m ³ | Inhalable fraction. |
| | 8 hour | 1.5 mg/m ³ | Inhalable fraction. |

| | |
|--|---|
| Biological limit values | No biological exposure limits noted for the ingredient(s). |
| Appropriate engineering controls | Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Follow standard monitoring procedures. |
| Individual protection measures, such as personal protective equipment | |
| Eye/face protection | Wear safety glasses with side shields (or goggles). Wear approved safety glasses, goggles, face shield and/or welder's helmet when risk of eye injury is present, particularly during operations that generate dust, mist or fume. |
| Skin protection | |
| Hand protection | Wear appropriate chemical resistant gloves. Wear gloves to prevent metal cuts and skin abrasions during handling. |
| Other | Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Protective overgarments or work clothing must be worn by persons who may become contaminated with particulate during activities. |
| Respiratory protection | Wear positive pressure self-contained breathing apparatus (SCBA). In case of inadequate ventilation, use respiratory protection. |
| Thermal hazards | Not applicable. |
| General hygiene considerations | Observe any medical surveillance requirements. When using, do not eat, drink or smoke. Do not breathe dust. Avoid contact with clothing. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. |

9. Physical and chemical properties**Appearance**

| | |
|---|---|
| Physical state | Solid. |
| Form | Solid. |
| Color | Metallic. |
| Odor | None. |
| Odor threshold | Not applicable. |
| pH | Not applicable. |
| Melting point/freezing point | 2651 °F (1455 °C) estimated / Not applicable. |
| Initial boiling point and boiling range | Not applicable. |
| Flash point | Not applicable. |
| Evaporation rate | Not applicable. |
| Flammability (solid, gas) | None known. |
| Upper/lower flammability or explosive limits | |
| Flammability limit - lower (%) | Not applicable. |

| | |
|---|----------------------------------|
| Flammability limit - lower (%) temperature | Not applicable. |
| Flammability limit - upper (%) | Not applicable. |
| Flammability limit - upper (%) temperature | Not applicable. |
| Explosive limit - lower (%) | Not applicable. |
| Explosive limit - lower (%) temperature | Not applicable. |
| Explosive limit - upper (%) | Not applicable. |
| Explosive limit - upper (%) temperature | Not applicable. |
| Vapor pressure | Not applicable. |
| Vapor density | Not applicable. |
| Relative density | Not applicable. |
| Solubility(ies) | |
| Solubility (water) | Insoluble. |
| Partition coefficient (n-octanol/water) | Not applicable. |
| Auto-ignition temperature | Not applicable. |
| Decomposition temperature | Not applicable. |
| Viscosity | Not applicable. |
| Other information | |
| Density | 8.31 g/cm ³ estimated |
| Explosive properties | Not explosive. |
| Oxidizing properties | Not oxidizing. |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Contact with incompatible materials. |
| Incompatible materials | Strong acids. Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Information on likely routes of exposure

| | |
|---------------------|---|
| Inhalation | Prolonged inhalation may be harmful. |
| Skin contact | May cause an allergic skin reaction. |
| Eye contact | Not relevant, due to the form of the product. |
| Ingestion | Expected to be a low ingestion hazard. |

Symptoms related to the physical, chemical and toxicological characteristics May cause an allergic skin reaction. Prolonged exposure may cause chronic effects.

Information on toxicological effects

| | |
|----------------------------------|--|
| Acute toxicity | Not known. |
| Skin corrosion/irritation | Prolonged skin contact may cause temporary irritation. |

| | |
|--|--|
| Serious eye damage/eye irritation | Not likely, due to the form of the product. |
| Respiratory or skin sensitization | |
| Canada - Alberta OELs: Irritant | |
| Chromium (CAS 7440-47-3) | Irritant |
| Respiratory sensitization | Not a respiratory sensitizer. |
| Skin sensitization | May cause an allergic skin reaction. |
| Germ cell mutagenicity | Not classified. |
| Carcinogenicity | May cause cancer. |
| ACGIH Carcinogens | |
| Nickel (CAS 7440-02-0) | A5 Not suspected as a human carcinogen. |
| Canada - Manitoba OELs: carcinogenicity | |
| Nickel (CAS 7440-02-0) | Not suspected as a human carcinogen. |
| IARC Monographs. Overall Evaluation of Carcinogenicity | |
| Chromium (CAS 7440-47-3) | 3 Not classifiable as to carcinogenicity to humans. |
| Nickel (CAS 7440-02-0) | 2B Possibly carcinogenic to humans. |
| US. National Toxicology Program (NTP) Report on Carcinogens | |
| Nickel (CAS 7440-02-0) | Known To Be Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen. |
| Reproductive toxicity | Not classified. |
| Specific target organ toxicity - single exposure | Not classified. |
| Specific target organ toxicity - repeated exposure | May cause damage to organs (respiratory system) through prolonged or repeated exposure. |
| Aspiration hazard | Not an aspiration hazard. |
| Chronic effects | Prolonged exposure may cause chronic effects. |
| Further information | Symptoms may be delayed. |
| 12. Ecological information | |
| Ecotoxicity | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| Persistence and degradability | No data is available on the degradability of this product. |
| Bioaccumulative potential | No data available. |
| Mobility in soil | No data available. |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |
| 13. Disposal considerations | |
| Disposal instructions | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | D007: Waste Chromium The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. |

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Ontario. Toxic Substances. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)

Chromium (CAS 7440-47-3)

Nickel (CAS 7440-02-0)

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | Yes |
| Taiwan | Taiwan Chemical Substance Inventory (TCSI) | Yes |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

| | |
|----------------------------|---|
| Issue date | 11-06-2019 |
| Revision date | 07-01-2021 |
| Version # | 03 |
| Further information | Transportation Emergency Call Chemtrec at: International: 703.741.5970 Spain: 900.868.538 Switzerland: 0800.564.402 |

Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Information for this safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the mandatory requirements of WHMIS. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this form. If user requires independent information on ingredients in this or any other material, we recommend contact with the Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (1-800-263-8466) or CSST in Montreal, Quebec (514-873-3990).