



# CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.

**MATERION**

Product name: Nickel Chromium Targets

Issue date: 11-26-2019

Version #: 01

SDS No: G15

## SECTION 1 Chemical product and company identification

Chinese name of chemical	镍铬目标
English name of chemical	Nickel Chromium Targets
Manufacturer/Supplier	Materion Advanced Materials Germany GmbH
Address	Borsigstrasse 10 Alzenau, 63755 Germany
Contact person	Hermann Schmiing
Telephone	49.60.23.91.82.0
e-mail	Materion.Germany@materion.com
Emergency telephone number	49.60.23.91.82.0
Issue date	11-26-2019
SDS No	G15

## SECTION 2 Hazards identification

**Emergency overview** Suspected of causing cancer. May cause sensitization by skin contact. Prolonged exposure may cause chronic effects. Harmful to aquatic organisms.

### Hazard categories

Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
	Carcinogenicity	Category 2
	Specific target organ toxicity, repeated exposure	Category 1 (Respiratory system)
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3

### Label elements

#### Pictograms



#### Signal word

Danger

#### Hazard statement

H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H372	Causes damage to organs (respiratory system) through prolonged or repeated exposure by inhalation.
H402	Harmful to aquatic life.

#### Precautionary statement

##### Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.

P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	Wear respiratory protection.

**Response**

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P342 + P311	If experiencing respiratory symptoms: Call a poison center/doctor.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

**Storage**

P405	Store locked up.
------	------------------

**Disposal**

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

**Physical and chemical hazards**

The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.

**Health hazards**

Prolonged inhalation may be harmful. May cause an allergic skin reaction. Expected to be a low ingestion hazard. Direct contact with eyes may cause temporary irritation.

**Environmental hazards**

Harmful to aquatic life. The product is not expected to be hazardous to the environment.

**Supplemental information**

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

**SECTION 3 Composition/information on ingredients**

Substance/mixture	Mixture		
Chemical name	Concentration (%)	CAS Number	
Nickel	50 - 99	7440-02-0	
Chromium	1 - 50	7440-47-3	

**SECTION 4 First aid measures**

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist. Breathing difficulty caused by inhalation of particulate requires immediate removal to fresh air. If breathing has stopped, perform artificial respiration and obtain medical help.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Thoroughly wash skin cuts or wounds to remove all particulate debris from the wound. Seek medical attention for wounds that cannot be thoroughly cleansed. Treat skin cuts and wounds with standard first aid practices such as cleansing, disinfecting and covering to prevent wound infection and contamination before continuing work. Obtain medical help for persistent irritation. Material accidentally implanted or lodged under the skin must be removed.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists. Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur. Induce vomiting immediately as directed by medical personnel. Never give anything by mouth to an unconscious person.
<b>Most important symptoms and health effects</b>	May cause an allergic skin reaction. Prolonged exposure may cause chronic effects.
<b>Personal protection for first-aid responders</b>	If exposed or concerned: get medical attention/advice. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
<b>Notes to physician</b>	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

## SECTION 5 Fire-fighting measures

Extinguishing media	Powder. Dry sand.
Extinguishing media to avoid	Carbon dioxide (CO <sub>2</sub> ).
Specific hazards	This product is not flammable.
Special fire fighting procedures	Move container from fire area if it can be done without risk.
Protection of fire-fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

## SECTION 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. As supplied, this product poses no special release issues.

**For emergency responders** As supplied, this product poses no special release issues.

**Environmental precautions** Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

**Clean-up methods and materials and containment measures** The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

**Prevention of secondary hazards** Not available.

## SECTION 7 Handling and storage

**Handling** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

**Storage** Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## SECTION 8 Exposure controls/personal protection

### Exposure limits

China OELs. Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (GBZ 2.1-2007)

Components	Type	Value
Chromium (CAS 7440-47-3)	PC-TWA	0.05 mg/m <sup>3</sup>
Nickel (CAS 7440-02-0)	PC-TWA	1 mg/m <sup>3</sup>

**Biological limit values** No biological exposure limits noted for the ingredient(s).

**Monitoring methods** Follow standard monitoring procedures.

**Engineering measures** Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Follow standard monitoring procedures.

### Personal protective equipment

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. In case of inadequate ventilation, use respiratory protection.

<b>Hand protection</b>	Wear appropriate chemical resistant gloves. Wear gloves to prevent metal cuts and skin abrasions during handling.
<b>Eye protection</b>	If contact is likely, safety glasses with side shields are recommended. Wear approved safety glasses, goggles, face shield and/or welder's helmet when risk of eye injury is present, particularly during operations that generate dust, mist or fume.
<b>Skin and body protection</b>	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Protective overgarments or work clothing must be worn by persons who may become contaminated with particulate during activities.
<b>Hygiene measures</b>	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## SECTION 9 Physical and chemical properties

### Appearance

<b>Physical state</b>	Solid.
<b>Form</b>	Solid.
<b>Color</b>	Metallic.
<b>Odor</b>	None.
<b>Odor threshold</b>	Not applicable.
<b>pH</b>	Not applicable.
<b>Melting point/freezing point</b>	2651 °F (1455 °C) estimated / Not applicable.
<b>Boiling point, initial boiling point, and boiling range</b>	Not applicable.
<b>Flash point</b>	Not applicable.
<b>Flammability limit - lower (%)</b>	Not applicable.
<b>Flammability limit - lower (%) temperature</b>	Not applicable.
<b>Flammability limit - upper (%)</b>	Not applicable.
<b>Flammability limit - upper (%) temperature</b>	Not applicable.
<b>Explosive limit - lower (%)</b>	Not applicable.
<b>Explosive limit - lower (%) temperature</b>	Not applicable.
<b>Explosive limit - upper (%)</b>	Not applicable.
<b>Explosive limit - upper (%) temperature</b>	Not applicable.
<b>Vapor pressure</b>	Not applicable.
<b>Vapor density</b>	Not applicable.
<b>Relative density</b>	Not applicable.
<b>Density</b>	8.31 g/cm <sup>3</sup> estimated
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Insoluble.
<b>Partition coefficient (n-octanol/water)</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition temperature</b>	Not applicable.
<b>Evaporation rate</b>	Not applicable.
<b>Flammability (solid, gas)</b>	None known.

**Other data**

<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.
<b>Viscosity</b>	Not applicable.

**SECTION 10 Stability and reactivity**

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Contact with incompatible materials.
<b>Incompatible materials</b>	Strong acids. Strong oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

**SECTION 11 Toxicological information**

<b>Acute toxicity</b>	Not known.
<b>Routes of exposure</b>	Inhalation. Skin contact.
<b>Symptoms</b>	Prolonged exposure may cause chronic effects. Dermatitis. Rash.
<b>Skin corrosion/irritation</b>	Prolonged skin contact may cause temporary irritation.
<b>Serious eye damage/eye irritation</b>	Not likely, due to the form of the product.
<b>Respiratory or skin sensitization</b>	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.
<b>Skin sensitizer</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	Not classified.
<b>Carcinogenicity</b>	Suspected of causing cancer.

**China OELs for hazardous agents in the workplace: Carcinogen Category**

CHROMIUM TRIOXIDE, CHROMATE, DICHROMATE, AS CR (CAS 7440-47-3)	Carcinogenic to humans.
NICKEL METAL (CAS 7440-02-0)	Possible human carcinogen.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Chromium (CAS 7440-47-3)	3 Not classifiable as to carcinogenicity to humans.
Nickel (CAS 7440-02-0)	2B Possibly carcinogenic to humans.

<b>Toxic to reproduction</b>	Not classified.
<b>Specific target organ toxicity following single exposure</b>	Not classified.
<b>Specific target organ toxicity following repeated exposure</b>	May cause damage to organs (respiratory system) through prolonged or repeated exposure.
<b>Aspiration hazard</b>	Not an aspiration hazard.
<b>Chronic effects</b>	Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated exposure.

**SECTION 12 Ecological information**

<b>Ecotoxicity</b>	Harmful to aquatic life.
<b>Persistence and degradability</b>	No data is available on the degradability of this product.
<b>Bioaccumulation</b>	No data available.
<b>Mobility in soil</b>	The product is insoluble in water.
<b>Other hazardous effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## SECTION 13 Disposal considerations

<b>Residual waste</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>Local disposal regulations</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

## SECTION 14 Transport information

### CNDG

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15 Regulatory information

### Law of the People's Republic of China on Prevention and Control of Occupational Diseases

#### Classification of occupational disease hazards

Chromium (CAS 7440-47-3)

### Regulations on the Control over Safety of Dangerous Chemicals

Not regulated.

### Regulations on Labor Protection in Workplaces Where Toxic Substances Are Used

#### Directory of Highly Toxic Substances

Chromium (CAS 7440-47-3)

Nickel (CAS 7440-02-0)

### Provision on the Environmental Administration of New Chemical Substances

#### China Inventory of Existing Chemical Substances

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### Other regulations

This safety data sheet conforms to the following laws, regulations and standards:  
Measures for the Safe Use of Chemicals in Workplaces  
General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009 )  
Regulations on Labor Protection in Workplaces Where Toxic Products Are Used  
Packing Symbol of Dangerous Goods(GB190-2009)  
Regulations on the Control over Safety of Dangerous Chemicals  
Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)  
Packing - Pictorial Marking for Handling of Goods (GB/T191-2009)

### China. National Catalogue of Hazardous Wastes

Nickel (CAS 7440-02-0)

### International regulations

#### Stockholm Convention

Not applicable.

**Rotterdam Convention**

Not applicable.

**Montreal Protocol**

Not applicable.

**Kyoto protocol**

Not applicable.

**Basel Convention**

Not applicable.

**SECTION 16 Other information****Bibliography**

EPA: AQUIRE database

GB6944-2012: Classification and Code of Dangerous Goods.

GB12268-2012: List of Dangerous Goods.

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.