

**MATERION****1. Chemical and company identification**

Name of chemical (Product name) Chromium Targets

Supplier's company name, address and phone number

Company name Materion Advanced Materials

Address 6070 Parkland Boulevard
Mayfield Heights, OH 44124 United States

Contact person Theodore Knudson

Telephone EH&S 1.216.383.4019

e-mail address ehs@materion.com

Emergency telephone number See Section 16.

Reference number G24

2. Hazards identification**GHS classification**

The product is not classified according to GHS.

GHS label elements

Pictograms None.

Signal words None.

Hazard statement The material as sold in solid form is generally not considered hazardous. However, if the process involves grinding, melting, cutting or any other process that causes a release of dust or fumes, hazardous levels of airborne particulate could be generated.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification None known.

Supplemental information For further information, please contact the Product Stewardship Department at +1.216.383.4019.

Main symptoms and emergency overview

Main symptoms None known.

Emergency overview The material as sold in solid form is generally not considered hazardous. However, if the process involves grinding, melting, cutting or any other process that causes a release of dust or fumes, hazardous levels of airborne particulate could be generated.

3. Composition/information on ingredients

Substance or mixture Substance

Chemical name or generic name	CAS Number	Gazette notification		
		ENCS no.	ISHL no.	Concentration (%)
Chromium	7440-47-3			100

Chemical formula Cr (7440-47-3)

4. First aid measures

If inhaled Move to fresh air. Call a physician if symptoms develop or persist.

If on skin Wash off with soap and water. Get medical attention if irritation develops and persists.

If in eyes Rinse with water. Get medical attention if irritation develops and persists.

If swallowed Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed	None known.
Protection of first-aid responders	If exposed or concerned: get medical attention/advice. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Notes to physician	Treat symptomatically.

5. Fire-fighting measures

Extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.
Extinguishing media to avoid	None known.
Specific hazards	This product is not flammable.
Special fire fighting procedures	Use standard firefighting procedures and consider the hazards of other involved materials. Use water spray to cool unopened containers.
Protection of fire-fighters	Use protective equipment appropriate for surrounding materials.
General fire hazards	No unusual fire or explosion hazards noted. None known.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Ensure suitable personal protection (including respiratory protection) during removal of spillages in a confined area. For personal protection, see section 8 of the SDS.
Environmental precautions	Collect spillage.
Methods and materials for containment and cleaning up	Avoid dust formation. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the SDS.
Prevention of secondary hazards	None known.

7. Handling and storage

Handling	
Technical measures (e.g. Local and general ventilation)	Provide adequate ventilation.
Safe handling advice	Wash hands thoroughly after handling. Observe good industrial hygiene practices. Use personal protection recommended in Section 8 of the SDS.
Contact avoidance measures	Strong oxidizing agents. For further information, please refer to section 10 of the SDS.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Storage	
Safe storage conditions	Store locked up. Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).
Safe packaging materials	Store in original tightly closed container.

8. Exposure controls/personal protection

Control parameters	Follow standard monitoring procedures.
--------------------	--

Occupational exposure limits

Japan. OELs - JSOH (Japan Society of Occupational Health: Recommendation of Occupational Exposure Limits)

Material	Type	Value
Chromium Targets	TWA	0.5 mg/m ³
Components	Type	Value
Chromium (CAS 7440-47-3)	TWA	0.5 mg/m ³

US. ACGIH Threshold Limit Values

Material	Type	Value	Form
Chromium Targets	TWA	0.5 mg/m ³	Inhalable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Chromium (CAS 7440-47-3)	TWA	0.5 mg/m ³	Inhalable fraction.

Engineering measures Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station.

Personal protective equipment

Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand protection	Wear gloves to prevent metal cuts and skin abrasions during handling.
Eye protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear suitable protective clothing.

9. Physical and chemical properties

Physical state	Solid.
Form	Solid.
Color	Light grey.
Odor	None.
Odor threshold	Not applicable.
Melting point/freezing point	3452 °F (1900 °C) / Not applicable.
Boiling point, initial boiling point, and boiling range	Not applicable.
Combustibility	None known.
Lower and upper explosion limit / flammability limit	
Explosive limit - lower (%)	Not applicable.
Explosive limit - lower (%) temperature	Not applicable.
Explosive limit - upper (%)	Not applicable.
Explosive limit - upper (%) temperature	Not applicable.
Flash point	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
pH	Not applicable.
Kinematic viscosity	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water) (log value)	Not applicable.
Vapor pressure	Not applicable.
Density and/or relative density	
Density	7.14 g/cm ³ estimated
Relative density	Not applicable.
Vapor density	Not applicable.
Particle characteristics	Not available.
Other information	
Evaporation rate	Not applicable.
Explosive properties	Not explosive.
Molecular formula	Cr
Molecular weight	52 g/mol
Oxidizing properties	Not oxidizing.

Viscosity (Coefficient of viscosity) Not applicable.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Strong acids.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological information

Acute toxicity None known.

Skin corrosion/irritation Not likely, due to the form of the product.

Serious eye damage/eye irritation None known.

Respiratory or skin sensitization

Japan Society for Occupational Health: Respiratory sensitizer

Chromium (CAS 7440-47-3) 2 Probable respiratory sensitizer.

Japan Society for Occupational Health: Skin sensitizer

Chromium (CAS 7440-47-3) 1 Known skin sensitizer.

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization Not a skin sensitizer.

Germ cell mutagenicity Not classified.

Carcinogenicity Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Chromium (CAS 7440-47-3) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Not classified.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not an aspiration hazard.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this substance.

Bioaccumulation No data available.

Mobility in soil Not applicable.

Hazardous to the ozone layer No data available.

Other hazardous effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Local disposal regulations Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.

14. Transport information

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

National regulations Follow regulation in section 15 for domestic transportation.

15. Regulatory information

Industrial Safety and Health Act

Notifiable substances

CHROMIUM AND CHROMIUM COMPOUNDS (EXCLUDING Table 9 Ordinance No. 142
CHROMIC ACID AND CHROMIC ACID SALTS AND
DICHROMIC ACID AND DICHROMATE)

Labeling substances

CHROMIUM (POWDER)
CHROMIUM AND CHROMIUM COMPOUNDS (EXCLUDING
CHROMIC ACID AND CHROMIC ACID SALTS AND
DICHROMIC ACID AND DICHROMATE)

Poisonous and Deleterious Substances Control Act

Specified poisonous substances

Not regulated.

Poisonous substances

Not regulated.

Deleterious substances

Not regulated.

Act on the Regulation of Manufacture and Evaluation of Chemical Substances

Class I specified chemical substances

Not regulated.

Class II specified chemical substances

Not regulated.

Monitoring chemical substances

Not regulated.

Priority Assessment Chemical Substances (PACs)

Not regulated.

Reporting Exempted Substances

Not regulated.

Law concerning Pollutant Release and Transfer Register

Specified class 1 substances (substance name, ordinance number and content)

Not regulated.

Class 1 substances (substance name, ordinance number and content)

CHROMIUM AND CHROMIUM(III) Ordinance No. 87
COMPOUNDS (AS CR)

Class 2 substances (substance name, ordinance number and content)

Not regulated.

Ship Safety Law, Dangerous Goods Marine Transport and Storage Rule Not regulated.

Air Law, Enforcement Rule Not regulated.

Explosives Control Act

Not regulated.

Water Pollution Control Act

CHROMIUM

Sewage Act

CHROMIUM AND ITS COMPOUNDS, EXCEPT
HEXAVALENT CHROMIUM COMPOUNDS (AS CR) 2 MG/L

16. Other information**Bibliography**

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
HSDB® - Hazardous Substances Data Bank
IARC Monographs. Overall Evaluation of Carcinogenicity
National Toxicology Program (NTP) Report on Carcinogens
Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits
Japan Chemical Industry Association (JCIA) GHS Guideline, June 2012
JIS Z 7252:2014 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)"
JIS Z 7253:2012 Hazard communication of chemicals based on GHS - Labelling and Safety Data Sheet (SDS)

Further information

Transportation Emergency
Call Chemtrec at:
International: 703.741.5970
Spain: 900.868.538
Switzerland: 0800.564.402

Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Other information

Revised information in Section 16.