MATERION

PRODUCT INFORMATION SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of the substance Nickel (Bulk form)

Identification number 028-002-01-4 (Index number)

Registration number **Document number** G36 **Synonyms** None.

Issue date 08-February-2019

Version number

1.3. Details of the supplier of the product information sheet

Supplier

Company name Materion Advanced Materials Germany GmbH

Address Borsigstrasse 10

63755 Alzenau

DE

Division

49.60.23.91.82.0 **Telephone**

e-mail Materion.Germany@materion.com

Contact person Hermann Schmiing 1.4. Emergency telephone 49.60.23.91.82.0

number

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment

Manufacture of computer, electronic and optical products, electrical equipment

Scientific research and development

Other: Manufacture of medical and defense equipment

Uses advised against Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Consumer uses: Private households (= general public = consumers)

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Materion Advanced Materials Germany GmbH

Address Borsigstrasse 10

63755 Alzenau

DF

Division

Telephone 49.60.23.91.82.0

e-mail Materion.Germany@materion.com

Contact person Hermann Schmiing 1.4. Emergency telephone 49.60.23.91.82.0

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The substance has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitisation Category 1 H317 - May cause an allergic skin

reaction.

Carcinogenicity Category 2 H351 - Suspected of causing

cancer.

Material name: Nickel (Bulk form) PIS POLAND 1/7

2650 Version #: 01 Revision date: 08-February-2019 Print date: 08-February-2019 Category 1

H372 - Causes damage to organs (respiratory system) through prolonged or repeated exposure by inhalation.

Hazard summary May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs

through prolonged or repeated exposure.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Nickel (Bulk form) **Contains:**

Hazard pictograms



Signal word Danger

Hazard statements

May cause an allergic skin reaction. H317 Suspected of causing cancer. H351

Causes damage to organs (respiratory system) through prolonged or repeated exposure by H372

inhalation.

Precautionary statements

Prevention

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202

Do not breathe dust/fume/gas/mist/vapours/spray. P260

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment. P273

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response

P302 + P350 If on skin: Wash with plenty of water.

P308 + P313 If exposed or concerned: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. P362 + P364

Storage

Store locked up. P405

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

Supplemental label

information

Not a PBT or vPvB substance or mixture. 2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

General information

Chemical name	% CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Nickel (Bulk form)	100 7440-02-0 231-111-4	-	028-002-01-4	
Classification:	Skin Sens. 1;H317, Carc. 2;H351, STOT RE 1;H372			7,S

SECTION 4: First aid measures

General information If you feel unwell, seek medical advice (show the label where possible).

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

PIS POLAND 2650 Version #: 01 Revision date: 08-February-2019 Print date: 08-February-2019 2/7

4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Powder. Dry sand. Water Spray or Fog

Unsuitable extinguishing

media

Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or

mixture

No unusual fire or explosion hazards noted.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear suitable protective equipment.

Special firefighting

procedures

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the PIS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the PIS.

6.2. Environmental

Avoid discharge into drains, water courses or onto the ground.

precautions

6.3. Methods and material for

containment and cleaning up

Stop the flow of material, if this is without risk. For waste disposal, see section 13 of the PIS.

6.4. Reference to other

sections

For personal protection, see section 8 of the PIS. For waste disposal, see section 13 of the PIS.

0,25 mg/m3

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Do not handle until all safety precautions have been read and understood. Wear appropriate

personal protective equipment. Wash hands thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Store locked up. Store away from incompatible materials (see Section 10 of the PIS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Nickel (Bulk form) (CAS

Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817

Material Value Type

TWA

7440-02-0)

No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels

concentrations (PNECs)

Predicted no effect

Biological limit values

Not available.

(DNELs)

Not available.

Material name: Nickel (Bulk form) 2650 Version #: 01 Revision date: 08-February-2019 Print date: 08-February-2019 3 / 7

PIS POLAND

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Use personal protective equipment as required. Personal protection equipment should be chosen **General information**

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

- Hand protection Wear gloves to prevent metal cuts and skin abrasions during handling.

- Other Use personal protective equipment as required.

Respiratory protection In case of inadequate ventilation, use respiratory protection. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Observe any medical surveillance requirements. Contaminated work clothing should not be allowed **Hygiene measures**

out of the workplace.

Environmental exposure

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid. **Form** Solid.

Colour Grey metallic.

Odour None.

Odour threshold Not applicable. Not applicable.

Melting point/freezing point 1455 °C (2651 °F) / Not applicable.

Initial boiling point and

boiling range

Not applicable.

Flash point Not applicable. **Evaporation rate** Not applicable. Flammability (solid, gas) None known. Upper/lower flammability or explosive limits

Explosive limit - lower (

Not applicable.

%)

Explosive limit – upper

(%)

Not applicable.

Explosive limit - upper (

%) temperature

Not applicable. Not applicable.

Vapour pressure Not available.

Vapour density Not applicable. Not applicable.

Relative density Not applicable.

Solubility(ies)

Solubility (water) Insoluble. **Partition coefficient** Not applicable. (n-octanol/water) Not applicable. **Auto-ignition temperature** Not applicable. **Decomposition temperature** Not applicable. **Viscosity** Not applicable. **Explosive properties** Not explosive. **Oxidising properties** Not oxidising.

Material name: Nickel (Bulk form) PIS POLAND Print date: 08-February-2019

2650 Version #: 01 Revision date: 08-February-2019 9.2. Other information

Density 8,91 g/cm3 estimated

Molecular formula

Molecular weight 58,69 g/mol

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

10.5. Incompatible materials Strong acids.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. Skin contact May cause an allergic skin reaction. **Eye contact** Not likely, due to the form of the product. Ingestion Expected to be a low ingestion hazard.

Symptoms May cause respiratory irritation. May cause an allergic skin reaction. Dermatitis. Rash.

11.1. Information on toxicological effects

Acute toxicity None known.

May cause skin irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Not likely, due to the form of the product.

Respiratory sensitisation Not a respiratory sensitizer.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Not classified.

Suspected of causing cancer. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Nickel (Bulk form) (CAS 7440-02-0) Possibly carcinogenic to humans. 2B

Not classified. Reproductive toxicity Specific target organ toxicity

- single exposure

Not classified.

Specific target organ toxicity

- repeated exposure

Aspiration hazard Not an aspiration hazard. Mixture versus substance

information

No information available.

Other information Not available.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

Product Species Test Results

Nickel (Bulk form) (CAS 7440-02-0)

Aquatic

EC50 Crustacea Water flea (Daphnia magna) 1 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 2,923 mg/l, 96 hours

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

May cause damage to organs through prolonged or repeated exposure.

12.3. Bioaccumulative No data available.

potential

Material name: Nickel (Bulk form) PIS POLAND

2650 Version #: 01 Revision date: 08-February-2019 Print date: 08-February-2019 5 / 7

Partition coefficient Not applicable.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product

residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Nickel (Bulk form) (CAS 7440-02-0) Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Material name: Nickel (Bulk form) PIS POLAND 2650 Version #: 01 Revision date: 08-February-2019 Print date: 08-February-2019 6/7

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Nickel (Bulk form) (CAS 7440-02-0)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended.

National regulations According to Directive 92/85/EEC as amended, pregnant women should not work with the product,

if there is the least risk of exposure.

This safety data sheet conforms to the following laws, regulations and standards:

Act on the management of packaging and packaging waste of June 13, 2013

Regulation of the Minister of Health of June 11, 2012 on the categories of dangerous substances and dangerous preparations whose packaging should be fitted with child-resistant closures and a

tactile warning of danger

REGULATION OF THE MINISTER OF HEALTH of February 2, 2011 on tests and measurements of

factors harmful to health in working environments

Regulation of Ministry of Labor and Social Policy of June 6, 2014. On the matter of maximum permissible concentrations and intensities of harmful factors in the work environment (Journal of

Laws 2014, item. 817)

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation for work with chemical agents in accordance with Directive 98/24/EC, as amended.

Poland. Substances that could yield hazardous waste (Law on waste, DZ.U. poz. 21/2013, Annex 4)

Not listed.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

Ceiling: Short Term Exposure Limit Ceiling value.

STEL: Short-Term Exposure Limit. TWA: Time Weighted Average Value.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculatior methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H372 Causes damage to organs (respiratory system) through prolonged or repeated exposure by

inhalation.

Revision information Training information

None.

Follow training instructions when handling this material. Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and

regulations.

To avoid any misunderstandings or incorrect assumptions by the receiver of the safety information, it should be made clear that the supplied information is not in the form of a Safety Data Sheet (SDS), but is actually a voluntary Product Information Sheet closely following the guidelines of the Safety Data Sheet - COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 (REACH/SDS).

Material name: Nickel (Bulk form) PIS POLAND Revision date: 08-February-2019 Print date: 08-February-2019