



MATERIAL SAFETY DATA SHEET

MATERION

1. Chemical product and company identification

A. Product name Nickel Aluminum Targets

Other means of identification

SDS number G36

B. Recommended use and Limitations on use

Recommended use Industrial uses: Uses of substances as such or in preparations at industrial sites

Limitations on use Consumer uses: Private households (= general public = consumers)

C. Supplier information

Company name Materion Advanced Materials

Address 6070 Parkland Boulevard
Mayfield Heights OH 44124
United States

Telephone EH&S 1.216.383.4019

Email ehs@materion.com

Contact person Theodore Knudson

Emergency telephone number See Section 16.

Importer

Company name See above.

MSDS number G36

2. Hazards identification

A. Hazard category/Classification

Physical hazards Not classified.

Health hazards	Sensitization, skin	Category 1
	Carcinogenicity	Category 2
	Specific target organ toxicity, single exposure	Category 1
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure (inhalation)	Category 1 (Lung, Respiratory system)

Environmental hazards Not classified.

B. Warning label items including precautionary statement

• Pictogram



• Signal word Danger

• Hazard statement

H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H370	Causes damage to organs.
H372	Causes damage to organs (respiratory system) through prolonged or repeated exposure by inhalation.

• Precautionary statement

Prevention

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.

P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302 + P350	If on skin: Wash with plenty of water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308 + P311	IF exposed or concerned: Call a POISON CENTER/doctor.
P308 + P313	If exposed or concerned: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Storage

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Disposal

P501	Dispose of contents/container (in accordance with related regulations).
------	---

C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard) None known.

Supplemental information For further information, please contact the Product Stewardship Department at +1.216.383.4019.

3. Composition/information on ingredients

Chemical identity	Common and alternative names	CAS number	ID number	Content in percent (%)
Nickel		7440-02-0	KE-25818	80 - 98
Aluminum		7429-90-5	KE-00881	1 - 20

4. First aid measures

A. In case of eye contact	Rinse with water. Get medical attention if irritation develops and persists.
B. In case of skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
C. In case of inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
D. In case of swallowing	Rinse mouth. Get medical attention if symptoms occur.
E. Note to physician	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
Most important symptoms/effects, acute and delayed	May cause respiratory irritation. Coughing. Discomfort in the chest. Shortness of breath. May cause an allergic skin reaction. Dermatitis. Rash. Prolonged exposure may cause chronic effects.
General advice	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

A. Suitable (and unsuitable) extinguishing media	
Suitable extinguishing media	Powder. Dry sand.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire. Carbon dioxide (CO2).
B. Specific hazards arising from the chemical (example: hazardous combustion products)	None known.

C. Specific methods of fire-fighting

Special protective equipment for firefighters Wear suitable protective equipment.

Special fire fighting procedures Move containers from fire area if you can do so without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

A. Personal precautions, protective equipment and emergency measures Keep unnecessary personnel away.

B. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

C. Methods and materials for containment and cleaning up The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the MSDS.

7. Handling and storage

A. Precautions for safe handling Do not handle until all safety precautions have been read and understood. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

B. Conditions for safe storage (including any incompatibilities) Store locked up. Keep container tightly closed.

8. Exposure controls/personal protection

A. Exposure limit values, biological limit values, etc

Korea. OELs. Standards for Exposure to Chemical Substances and Physically Hazardous Factors

Components	Type	Value	Form
Aluminum (CAS 7429-90-5)	TWA	5 mg/m ³	Fume.
		2 mg/m ³	
		10 mg/m ³	Dust.
Nickel (CAS 7440-02-0)	TWA	1 mg/m ³	

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Aluminum (CAS 7429-90-5)	TWA	1 mg/m ³	Respirable fraction.
Nickel (CAS 7440-02-0)	TWA	1.5 mg/m ³	Inhalable fraction.

Biological limit values No biological exposure limits noted for the ingredient(s).

B. Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

C. Personal protective equipment

• **Respiratory protection** Wear positive pressure self-contained breathing apparatus (SCBA).

• **Eye protection** Not available.

• **Hand protection** Wear gloves to prevent metal cuts and skin abrasions during handling.

• **Body protection** Wear suitable protective clothing.

Hygiene measures Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

A. Appearance

Physical state Solid.

Form Solid. Particulate.

Color Light grey.

B. Odor	None.
C. Odor threshold	Not applicable.
D. pH	Not applicable.
E. Melting point/freezing point	
Melting point	1220 °F (660 °C) estimated
Freezing point	Not applicable.
F. Boiling point, initial boiling point, and boiling range	Not applicable.
G. Flash point	Not applicable.
H. Evaporation rate	Not applicable.
I. Flammability (solid, gas)	None known.
J. Upper/lower limit on flammability or explosive limits	
Flammability limit - lower (%)	Not applicable.
Flammability limit - upper (%)	Not applicable.
Explosive limit - lower (%)	Not applicable.
Explosive limit - lower (%) temperature	Not applicable.
Explosive limit - upper (%)	Not applicable.
Explosive limit - upper (%) temperature	Not applicable.
K. Vapor pressure	Not applicable.
L. Solubility	
Solubility (water)	Insoluble.
M. Vapor density	Not applicable.
N. Specific gravity	Not applicable.
O. n-octanol/water partition coefficient	Not applicable.
P. Auto-ignition temperature	Not applicable.
Q. Decomposition temperature	Not applicable.
R. Viscosity	Not applicable.
S. Molecular weight	Not available.
Other data	
Density	7.85 g/cm ³ estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
A. Stability and hazardous reaction potential	
Stability	Material is stable under normal conditions.
Hazardous reaction potential	No dangerous reaction known under conditions of normal use.
B. Conditions to avoid (e.g. static discharge, shock or vibration, etc)	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
C. Incompatible materials	Strong acids.
D. Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

A. Information on likely routes of exposure

- **Respiratory organs** Causes damage to organs through prolonged or repeated exposure by inhalation. May cause irritation to the respiratory system.
- **Skin** May cause an allergic skin reaction.
- **Eyes** Not likely, due to the form of the product.
- **Mouth** Expected to be a low ingestion hazard.

B. Information on health hazards

- **Acute toxicity (list all possible routes of exposure)** Not known.
- **Corrosivity or irritation to the skin** Not relevant, due to the form of the product.
- **Serious eye damage/eye irritation** Not likely, due to the form of the product.
- **Respiratory sensitization** Not a respiratory sensitizer.
- **Skin sensitization** May cause an allergic skin reaction.
- **Carcinogenic properties /Carcinogenicity** Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Nickel (CAS 7440-02-0)

2B Possibly carcinogenic to humans.

- **Mutagenic properties /Mutagenicity** Not classified.
- **Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.
- **Specific target organ toxicity - single exposure** Causes damage to organs. May cause respiratory irritation.
- **Specific target organ toxicity - repeated exposure** Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Not an aspiration hazard.

12. Ecological information

A. Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product	Species	Test Results
Nickel Aluminum Targets		
Aquatic		
<i>Acute</i>		
Fish	LC50	Fish
		0.0612 mg/l, 4 days estimated
Components	Species	Test Results
Nickel (CAS 7440-02-0)		
Aquatic		
<i>Acute</i>		
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)
		0.06 mg/l, 4 days

Hazardous to the aquatic environment, acute hazard The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

B. Persistence/degradability

No data is available on the degradability of any ingredients in the mixture.

C. Bioaccumulative potential

No data available.

D. Mobility in soil

The product is immiscible with water and will spread on the water surface.

E. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

A. Method of disposal	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container (in accordance with related regulations).
B. Disposal considerations (including disposal of contaminated containers or packaging)	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

14. Transport information

IATA


A. UN number	UN3178
B. UN proper shipping name	Flammable solid, inorganic, n.o.s.
C. Transport hazard class(es)	
Class	4.1
Subsidiary risk	-
D. Packing group	III
E. Environmental hazards	No.
ERG Code	3L
F. Special precautions for user	Read safety instructions, MSDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.

IMDG

A. UN number	UN3178
B. UN proper shipping name	FLAMMABLE SOLID, INORGANIC, N.O.S.
C. Transport hazard class(es)	
Class	4.1
Subsidiary risk	-
D. Packing group	III
E. Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-G
F. Special precautions for user	Read safety instructions, MSDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

IATA; IMDG



15. Regulatory information

A. Restrictions under the Industrial Safety and Health Law
Harmful Substances Prohibited from Manufacturing
Not regulated.
Harmful Substances Requiring Permission for Manufacture or Use
Not regulated.

Controlled Hazardous Substances

Aluminum (CAS 7429-90-5)

Nickel (CAS 7440-02-0)

Harmful Substances Requiring Special Medical Examination

Aluminum (CAS 7429-90-5)

Nickel (CAS 7440-02-0)

Workplace Environmental Monitoring Harmful Materials

Aluminum (CAS 7429-90-5)

Nickel (CAS 7440-02-0)

Occupational Exposure Limit

Aluminum (CAS 7429-90-5)

Nickel (CAS 7440-02-0)

B. Restrictions under the Chemicals Control Law (Previously Toxic Chemicals Control Law)**Accidental Release Prevention Substances**

Not regulated.

Act on the Registration and Evaluation of Chemicals**Banned Toxic Chemicals**

Not regulated.

Designated Existing Chemicals Subject to Registration (PEC) (MoE No. 2015-92)

Not listed.

Restricted Chemical Substances

Not regulated.

Toxic Chemicals

Not regulated.

C. Restrictions under the Dangerous Substance Safety Management Act**D. Restrictions under the Wastes Control Act****Halogenated Materials in Waste Organic Solvents**

Not regulated.

Hazardous Substances

Not regulated.

E. Restrictions under other foreign or domestic laws**Clean Air Conservation Act****Air Pollutants**

Aluminum (CAS 7429-90-5)

Nickel (CAS 7440-02-0)

Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides (Rules on PIC, MoE No. 2014-252, Dec. 31, 2014; Standards for Pesticides, RDA No. 2014-26), as amended

Not listed.

Specific Air Pollutants

Nickel (CAS 7440-02-0)

Further information

This material safety data sheet was prepared in accordance with Article 41 of the Industrial Safety and Health Law.

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Korea	Existing Chemicals List (ECL)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

A. Source of information

ACGIH
EPA: AQUIRE database
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents
Korea. Accidental Release Prevention Substances (Presidential Decree of Toxic Chemical Control Law, Executive Order No. 19203)
Korea. Dangerous Substances Threshold Quantity (Presidential Decree of Dangerous Substances Safety Management Act No. 18406, Schedule 1)
Korea. Harmful Substances Prohibited from Manufacturing (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 29)
Korea. Harmful Substances Requiring Permission for Manufacture or Use (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 30)
Korea. OELs. Regulation for Permitted Concentration of Hazardous Substances (Ministry of Labor (MOL) Public Notice No. 1986-45, as amended)
Korea. Prohibited Chemical Substances (TCCL Article 11)
Korea. Regulated volatile organic compounds (VOCs) (MOE Notice No. 2001-36, March 8, 2001, as amended)
Korea. Restricted Chemical Substances (TCCL Article 11)
Korea. Toxic Chemical Control Law (TCCL), Existing Chemicals Inventory (KECI)
Korea. Toxic Chemical Control Law (TCCL), pre-1997 List
Korea. Toxic Chemicals (TCCL Article 10)
Korea. Toxic Release Inventory (TRI) Chemicals (TCCL Article 14)
Korea. Accidental Release Prevention Substances (Pres. Decree of Toxic Chemical Control Law, Ex. Order No. 19203, Tables 2 & 3, Dec 28, 2005)
Korea. OELs (ISHL Article 42; MOL Public Notice No. 1986-45, as amended through MOEL Notice 2013-38, August 14, 2013)
Korea. Prohibited Chemical Substances (AREC "K-REACH" Article 27; Designation of Toxic, Restricted or Banned Chemicals Appendices 4 and 5)
Korea. Restricted Chemical Substances (AREC "K-REACH" Article 27; Designation of Toxic, Restricted or Banned Chemicals Appendices 2 and 3)
KECI, January 27, 2015, amended through MoE 2016-138, July 13, 2016
Korea. Toxic Chemicals (AREC "K-REACH" Article 20; Designation of Toxic, Restricted or Banned Chemicals Appendix 1)
Korea. Toxic Release Inventory (TRI) Chemicals (MOE Public Notice No. 2002-166, Nov. 8, 2002)

B. Issue date

10-29-2019

C. Number of revisions and date of most recent revision

08-23-2021 (02 revision)

Further information

Transportation Emergency
Call Chemtrec at:
International: 703.741.5970
Spain: 900.868.538
Switzerland: 0800.564.402

Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Other information

Revised information in Section 16.