



CHEMICAL PRODUCT SAFETY DATA SHEET

Prepared in accordance with GB/T 16483 and GB/T 17519.

MATERION

Product name: Nickel Aluminum Targets

Issue date: 12-03-2019

Revision date: 08-23-2021


Version #: 02

SDS No: G36

SECTION 1 Chemical product and company identification

Chinese name of chemical	NEEDED - CHINESE NAME OR TRADE NAME WITH CHINESE USER DESCRIPTOR.	
English name of chemical	Nickel Aluminum Targets	
Manufacturer/Supplier	Materion Advanced Materials	
Address	6070 Parkland Boulevard Mayfield Heights, OH 44124 United States	
Contact person	Theodore Knudson	
Telephone	EH&S	1.216.383.4019
e-mail	ehs@materion.com	
Emergency telephone number	See Section 16.	
Issue date	12-03-2019	
Revision date	08-23-2021	
Supersedes date	12-03-2019	
SDS No	G36	

SECTION 2 Hazards identification

Emergency overview	May cause an allergic skin reaction. Suspected of causing cancer. May cause irritation to the respiratory system. Causes damage to organs through prolonged or repeated exposure.	
GHS hazard categories		
Physical hazards	Not classified.	
Health hazards	Sensitization, skin	Category 1
	Carcinogenicity	Category 2
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure (inhalation)	Category 1 (Respiratory system)
Environmental hazards	Not classified.	
Label elements		
Pictograms		
Signal word	Danger	
Hazard statement		
H317	May cause an allergic skin reaction.	
H351	Suspected of causing cancer.	
H335	May cause respiratory irritation.	
H372	Causes damage to organs (respiratory system) through prolonged or repeated exposure by inhalation.	
Precautionary statement		
Prevention		
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and understood.	

P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response

P302 + P350	If on skin: Wash with plenty of water.
P304 + P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P308 + P313	If exposed or concerned: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Storage

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Disposal

P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
------	---

Physical and chemical hazards

The product is stable and non-reactive under normal conditions of use, storage and transport. No unusual fire or explosion hazards noted.

Health hazards

Causes damage to organs through prolonged or repeated exposure by inhalation. May cause irritation to the respiratory system. Prolonged inhalation may be harmful. May cause an allergic skin reaction. Expected to be a low ingestion hazard.

Environmental hazards

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Supplemental information

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

SECTION 3 Composition/information on ingredients

Substance/mixture	Mixture	Concentration (%)	CAS Number
镍		80 - 98	7440-02-0
Nickel			
铝		2 - 20	7429-90-5
Aluminum			

SECTION 4 First aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms and health effects	May cause respiratory irritation. May cause an allergic skin reaction.
Personal protection for first-aid responders	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Notes to physician	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

SECTION 5 Fire-fighting measures

Extinguishing media	Powder. Dry sand.
Extinguishing media to avoid	Water. Carbon dioxide (CO2).
Specific hazards	None known.

Special fire fighting procedures	Move containers from fire area if you can do so without risk.
Protection of fire-fighters	Wear suitable protective equipment.
General fire hazards	No unusual fire or explosion hazards noted.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Keep unnecessary personnel away.

For emergency responders Use personal protection recommended in Section 8 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Clean-up methods and materials and containment measures The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Prevention of secondary hazards Not available.

SECTION 7 Handling and storage

Handling Do not handle until all safety precautions have been read and understood. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Storage Store locked up. Keep container tightly closed.

SECTION 8 Exposure controls/personal protection

Exposure limits

China OELs. Occupational Exposure Limits for Hazardous Agents in the Workplace, Chemical Hazardous Agents (GBZ 2.1-2007)

Components	Type	Value	Form
Aluminum (CAS 7429-90-5)	PC-TWA	3 mg/m ³	Total dust.
Nickel (CAS 7440-02-0)	PC-TWA	1 mg/m ³	

Biological limit values No biological exposure limits noted for the ingredient(s).

Monitoring methods Follow standard monitoring procedures.

Engineering measures Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Personal protective equipment

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection Wear gloves to prevent metal cuts and skin abrasions during handling.

Eye protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear suitable protective clothing.

Hygiene measures Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

SECTION 9 Physical and chemical properties

Appearance

Physical state Solid.

Form Solid. Particulate.

Color Light grey.

Odor None.

Odor threshold Not applicable.

pH	Not applicable.
Melting point/freezing point	1220 °F (660 °C) estimated / Not applicable.
Boiling point, initial boiling point, and boiling range	Not applicable.
Flash point	Not applicable.
Flammability limit - lower (%)	Not applicable.
Flammability limit - upper (%)	Not applicable.
Explosive limit - lower (%)	Not applicable.
Explosive limit - lower (%) temperature	Not applicable.
Explosive limit - upper (%)	Not applicable.
Explosive limit - upper (%) temperature	Not applicable.
Vapor pressure	Not applicable.
Vapor density	Not applicable.
Relative density	Not applicable.
Density	7.85 g/cm ³ estimated
Solubility(ies)	
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	None known.
Other data	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Viscosity	Not applicable.

SECTION 10 Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong acids.
Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11 Toxicological information

Acute toxicity	Not known.
Routes of exposure	Inhalation. Skin contact.
Symptoms	May cause respiratory irritation. May cause an allergic skin reaction.
Skin corrosion/irritation	Not relevant, due to the form of the product.
Serious eye damage/eye irritation	Not likely, due to the form of the product.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitizer	May cause an allergic skin reaction.

Germ cell mutagenicity	Not classified.
Carcinogenicity	Suspected of causing cancer.
China OELs for hazardous agents in the workplace: Carcinogen Category	
NICKEL METAL (CAS 7440-02-0)	Possible human carcinogen.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Nickel (CAS 7440-02-0)	2B Possibly carcinogenic to humans.
Toxic to reproduction	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity following single exposure	May cause respiratory irritation.
Specific target organ toxicity following repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Causes damage to organs through prolonged or repeated exposure.

SECTION 12 Ecological information

Ecotoxicological data

Product	Species	Test Results
Nickel Aluminum Targets		
Aquatic		
<i>Acute</i>		
Fish	LC50	0.0612 mg/l, 4 days estimated

Components	Species	Test Results
Nickel (CAS 7440-02-0)		
Aquatic		
<i>Acute</i>		
Fish	LC50	0.06 mg/l, 4 days
	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulation	No data available.
Mobility in soil	The product is immiscible with water and will spread on the water surface.
Other hazardous effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13 Disposal considerations

Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Local disposal regulations	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14 Transport information


CNDG

UN number	UN3178
UN proper shipping name	FLAMMABLE SOLID, INORGANIC, N.O.S.
Transport hazard class(es)	
Class	4.1
Subsidiary risk	-
Packing group	III

Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
IATA	
UN number	UN3178
UN proper shipping name	Flammable solid, inorganic, n.o.s.
Transport hazard class(es)	
Class	4.1
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	3L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.

IMDG

UN number	UN3178
UN proper shipping name	FLAMMABLE SOLID, INORGANIC, N.O.S.
Transport hazard class(es)	
Class	4.1
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-G
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
CNDG; IATA; IMDG	

**SECTION 15 Regulatory information****Law of the People's Republic of China on Prevention and Control of Occupational Diseases****Classification of occupational disease hazards**

ALUMINUM DUST (CAS 7429-90-5)

Regulations on the Control over Safety of Dangerous Chemicals**Catalog of Hazardous Chemicals**

ALUMINIUM POWDER (CAS 7429-90-5)

Regulations on Labor Protection in Workplaces Where Toxic Substances Are Used**Directory of Highly Toxic Substances**

Nickel (CAS 7440-02-0)

Provision on the Environmental Administration of New Chemical Substances**China Inventory of Existing Chemical Substances**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Other regulations

This safety data sheet conforms to the following laws, regulations and standards:
Measures for the Safe Use of Chemicals in Workplaces
General Rules for Preparation of Precautionary Labels for Chemicals (GB15258-2009)
Regulations on Labor Protection in Workplaces Where Toxic Products Are Used
Packing Symbol of Dangerous Goods(GB190-2009)
Regulations on the Control over Safety of Dangerous Chemicals
Safety Data Sheet for Chemical Products - Content and Order of Sections (GB/T 16483-2008)
Packing - Pictorial Marking for Handling of Goods (GB/T191-2009)

International regulations**Stockholm Convention**

Not applicable.

Rotterdam Convention

Not applicable.

Montreal Protocol

Not applicable.

Kyoto protocol

Not applicable.

Basel Convention

Not applicable.

SECTION 16 Other information**References**

EPA: AQUIRE database
GB6944-2012: Classification and Code of Dangerous Goods.
GB12268-2012: List of Dangerous Goods.
NLM: Hazardous Substances Data Base
US. IARC Monographs on Occupational Exposures to Chemical Agents

Further information

Transportation Emergency
Call Chemtrec at:
International: 703.741.5970
Spain: 900.868.538
Switzerland: 0800.564.402

Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Other information

Revised information in Section 16.