



PRODUCT INFORMATION SHEET

MATERION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture	Cobalt Iron Targets
Registration number	-
Document number	G73
Synonyms	None.
Issue date	22-January-2020
Version number	02
Revision date	24-September-2021
Supersedes date	22-January-2020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Manufacture of computer, electronic and optical products, electrical equipment Scientific research and development Other: Manufacture of medical and defense equipment
Uses advised against	Professional uses: Public domain (administration, education, entertainment, services, craftsmen) Consumer uses: Private households (= general public = consumers)

1.3. Details of the supplier of the product information sheet

Supplier

Company name	Materion Advanced Materials
Address	6070 Parkland Boulevard Mayfield Heights, OH 44124 United States
Division	
Telephone	1.216.383.4019
e-mail	ehs@materion.com
Contact person	Theodore Knudson

1.4. Emergency telephone number

See Section 16.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Acute toxicity, oral	Category 4	H302 - Harmful if swallowed.
Respiratory sensitisation	Category 1	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation	Category 1	H317 - May cause an allergic skin reaction.
Carcinogenicity	Category 1B	H350 - May cause cancer.
Specific target organ toxicity - single exposure	Category 3 respiratory tract irritation	H335 - May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Category 1 (Lung)	H372 - Causes damage to organs (Lung) through prolonged or repeated exposure.

Hazard summary

Harmful if swallowed. Causes damage to organs through prolonged or repeated exposure. May cause cancer. May cause irritation to the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Prolonged exposure may cause chronic effects. Occupational exposure to the substance or mixture may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended**Contains:** Cobalt, Iron**Hazard pictograms****Signal word** Danger**Hazard statements**

H302 Harmful if swallowed.
 H317 May cause an allergic skin reaction.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335 May cause respiratory irritation.
 H350 May cause cancer.
 H372 Causes damage to organs (Lung) through prolonged or repeated exposure.

Precautionary statements**Prevention**

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P260 Do not breathe dust/fume/gas/mist/vapours/spray.
 P264 Wash thoroughly after handling.
 P270 Do not eat, drink or smoke when using this product.
 P271 Use only outdoors or in a well-ventilated area.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P284 Wear respiratory protection.

Response

P301 + P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell.
 P330 Rinse mouth.
 P302 + P352 IF ON SKIN: Wash with plenty of water.
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P308 + P313 IF exposed or concerned: Get medical advice/attention.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
 P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTRE/doctor.
 P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

For further information, please contact the Product Stewardship Department at +1.216.383.4019.

2.3. Other hazards

Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Cobalt	70 - 80	7440-48-4 231-158-0	01-2119517392-44-0000	027-001-00-9	Classification: Acute Tox. 4;H302, Skin Sens. 1;H317, Resp. Sens. 1;H334, Carc. 1B;H350, Repr. 2;H361
Iron	20 - 30	7439-89-6 231-096-4	-	-	Classification: STOT RE 1;H372

SECTION 4: First aid measures

General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
4.1. Description of first aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a poison center or doctor/physician.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effects, both acute and delayed	May cause respiratory irritation. May cause an allergic skin reaction.
4.3. Indication of any immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

SECTION 5: Firefighting measures

General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media	
Suitable extinguishing media	Powder. Dry sand.
Unsuitable extinguishing media	Water.
5.2. Special hazards arising from the substance or mixture	This product is not flammable.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Special firefighting procedures	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel	Keep unnecessary personnel away. For personal protection, see section 8 of the PIS.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the PIS.
6.2. Environmental precautions	Prevent further leakage or spillage if safe to do so.
6.3. Methods and material for containment and cleaning up	Stop the flow of material, if this is without risk. Large Spills: Wet down with water and dike for later disposal. Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. For waste disposal, see section 13 of the PIS.
6.4. Reference to other sections	Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Observe good industrial hygiene practices.
---	--

7.2. Conditions for safe storage, including any incompatibilities

Store away from incompatible materials (see Section 10 of the PIS).

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits****Austria. TRK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001**

Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	STEL	0,4 mg/m ³	Inhalable fraction.
	TWA	0,1 mg/m ³	Inhalable fraction.

Belgium. Exposure Limit Values

Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	TWA	0,02 mg/m ³	Dust and fume.
		0,005 mg/m ³	Thoracic fraction.

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Material	Type	Value	Form
Cobalt Iron Targets	TWA	6 mg/m ³	Inhalable fraction.
Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	TWA	0,1 mg/m ³	
Iron (CAS 7439-89-6)	TWA	6 mg/m ³	Inhalable fraction.

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Type	Value
Cobalt (CAS 7440-48-4)	MAC	0,1 mg/m ³

Cyprus. OELs. Control of factory atmosphere and dangerous substances in factories regulation, PI 311/73, as amended.

Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	TWA	0,1 mg/m ³	Dust and fume.

Czech Republic. OELs. Government Decree 361

Material	Type	Value	
Cobalt Iron Targets	TWA	10 mg/m ³	
Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	Ceiling	0,1 mg/m ³	Aerosol, inhalable.
	TWA	0,05 mg/m ³	Aerosol, inhalable.
Iron (CAS 7439-89-6)	TWA	10 mg/m ³	

Denmark. Exposure Limit Values

Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	TLV	0,01 mg/m ³	Dust and fume.

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances (Regulation No. 105/2001, Annex), as amended

Components	Type	Value
Cobalt (CAS 7440-48-4)	TWA	0,05 mg/m ³

Finland. Workplace Exposure Limits

Components	Type	Value
Cobalt (CAS 7440-48-4)	TWA	0,02 mg/m ³

Greece. OELs (Decree No. 90/1999, as amended)

Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	TWA	0,1 mg/m ³	Dust and fume.

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces

Components	Type	Value
Cobalt (CAS 7440-48-4)	STEL	0,4 mg/m ³
	TWA	0,1 mg/m ³

Iceland. OELs. Regulation 154/1999 on occupational exposure limits

Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	TWA	0,02 mg/m ³	Dust and fume.

Ireland. Occupational Exposure Limits

Components	Type	Value
Cobalt (CAS 7440-48-4)	TWA	0,02 mg/m ³

Italy. Occupational Exposure Limits

Components	Type	Value
Cobalt (CAS 7440-48-4)	TWA	0,02 mg/m ³

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value
Cobalt (CAS 7440-48-4)	TWA	0,5 mg/m ³

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Type	Value
Cobalt (CAS 7440-48-4)	TWA	0,05 mg/m ³

Netherlands. OELs (binding)

Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	TWA	0,02 mg/m ³	Dust and fume.

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	TLV	0,02 mg/m ³	Fume.

Poland. Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible concentrations and intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817

Components	Type	Value
Cobalt (CAS 7440-48-4)	TWA	0,02 mg/m ³

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value
Cobalt (CAS 7440-48-4)	TWA	0,02 mg/m ³

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value
Cobalt (CAS 7440-48-4)	STEL	0,1 mg/m ³
	TWA	0,05 mg/m ³

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Material	Type	Value
Cobalt Iron Targets	TWA	6 mg/m ³

Components

Components	Type	Value
Cobalt (CAS 7440-48-4)	TWA	0,05 mg/m ³
Iron (CAS 7439-89-6)	TWA	6 mg/m ³

Spain. Occupational Exposure Limits

Components	Type	Value
Cobalt (CAS 7440-48-4)	TWA	0,02 mg/m ³

Sweden. OELs. Work Environment Authority (AV), Occupational Exposure Limit Values (AFS 2015:7)

Components	Type	Value	Form
Cobalt (CAS 7440-48-4)	TWA	0,02 mg/m ³	Inhalable dust.

**Switzerland. SUVA Grenzwerte am Arbeitsplatz
Components**

Type	Value	Form	
Cobalt (CAS 7440-48-4)	TWA	0,05 mg/m ³	Inhalable fraction.

**UK. EH40 Workplace Exposure Limits (WELs)
Components**

Type	Value	
Cobalt (CAS 7440-48-4)	TWA	0,1 mg/m ³

Biological limit values**Finland. HTP-arvot, App 2., Biological Limit Values, (BRA/BGV) , Social Affairs and Ministry of Health
Components**

Value	Determinant	Specimen	Sampling Time	
Cobalt (CAS 7440-48-4)	130 nmol/l	Cobalt	Urine	*

* - For sampling details, please see the source document.

**France. Biological indicators of exposure (IBE) (National Institute for Research and Security (INRS, ND 2065)
Components**

Value	Determinant	Specimen	Sampling Time	
Cobalt (CAS 7440-48-4)	15 µg/l	Cobalt	Urine	*
	1 µg/l	Cobalt	Blood	*

* - For sampling details, please see the source document.

Hungary. Chemical Safety at Workplace Ordinance Joint Decree No. 25/2000 (Annex 2): Permissible limit values of biological exposure (effect) indices

Components	Value	Determinant	Specimen	Sampling Time
Cobalt (CAS 7440-48-4)	0,03 mg/g	Cobalt	Creatinine in urine	*
	0,058 µmol/mmol	Cobalt	Creatinine in urine	*

* - For sampling details, please see the source document.

Slovakia. BLVs (Biological Limit Value). Regulation no. 355/2006 concerning protection of workers exposed to chemical agents, Annex 2

Components	Value	Determinant	Specimen	Sampling Time
Cobalt (CAS 7440-48-4)	20,03 µg/g	Cobalt	Creatinine in urine	*
	30 µg/l	Cobalt	Urine	*

* - For sampling details, please see the source document.

**Spain. Biological Limit Values (VLBs), Occupational Exposure Limits for Chemical Agents, Table 4
Components**

Value	Determinant	Specimen	Sampling Time	
Cobalt (CAS 7440-48-4)	15 µg/l	Cobalto	Urine	*
	1 µg/l	Cobalto	Blood	*

* - For sampling details, please see the source document.

Switzerland. BAT-Werte (Biological Limit Values in the Workplace as per SUVA)

Components	Value	Determinant	Specimen	Sampling Time
Cobalt (CAS 7440-48-4)	30 µg/l	Cobalt	Urine	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Follow standard monitoring procedures.

Derived no effect levels (DNELs) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection	Wear approved safety glasses, goggles, face shield and/or welder's helmet when risk of eye injury is present, particularly during operations that generate dust, mist or fume.
Skin protection	
- Hand protection	Wear gloves to prevent metal cuts and skin abrasions during handling.
- Other	Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure controls	Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Solid.
Form	Solid.
Colour	Bluish grey
Odour	None.
Odour threshold	Not applicable.
pH	Not applicable.
Melting point/freezing point	1495 °C (2723 °F) estimated / Not applicable.
Initial boiling point and boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not applicable.
Flammability limit - lower (%) temperature	Not applicable.
Flammability limit - upper (%)	Not applicable.
Flammability limit - upper (%) temperature	Not applicable.
Explosive limit - lower (%)	Not applicable.
Explosive limit - lower (%) temperature	Not applicable.
Explosive limit – upper (%)	Not applicable.
Explosive limit - upper (%) temperature	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	Not applicable.
Solubility(ies)	
Solubility (water)	Insoluble.
Partition coefficient (n-octanol/water)	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity	Not applicable.
Explosive properties	Not explosive.

Oxidising properties	Not oxidising.
9.2. Other information	No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information	Occupational exposure to the substance or mixture may cause adverse effects.
----------------------------	--

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system.
Skin contact	May cause an allergic skin reaction.
Eye contact	Not likely, due to the form of the product.
Ingestion	Harmful if swallowed.

Symptoms	May cause respiratory irritation. May cause an allergic skin reaction.
-----------------	--

11.1. Information on toxicological effects

Acute toxicity	Harmful if swallowed.
Skin corrosion/irritation	May be irritating to the skin.
Serious eye damage/eye irritation	Not likely, due to the form of the product.
Respiratory sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified.
Carcinogenicity	May cause cancer.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

IARC Monographs. Overall Evaluation of Carcinogenicity

Cobalt (CAS 7440-48-4) 2B Possibly carcinogenic to humans.

Reproductive toxicity	Not classified.
Specific target organ toxicity - single exposure	May cause respiratory irritation.
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure by inhalation.
Aspiration hazard	Not an aspiration hazard.
Mixture versus substance information	No information available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity	The product is not classified as environmentally hazardous.
12.2. Persistence and degradability	No data is available on the degradability of this substance.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log K_{ow})	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

12.7. Additional information

Estonia Dangerous substances in soil Data

Cobalt (CAS 7440-48-4)

Cobalt (Co) 20 mg/kg

Cobalt (Co) 300 mg/kg

Cobalt (Co) 50 mg/kg

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. UN number UN3178

14.2. UN proper shipping name FLAMMABLE SOLID, INORGANIC, N.O.S.

14.3. Transport hazard class(es)

Class 4.1

Subsidiary risk -

Label(s) 4.1

Hazard No. (ADR) 40

Tunnel restriction code E

14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

RID

14.1. UN number UN3178

14.2. UN proper shipping name FLAMMABLE SOLID, INORGANIC, N.O.S.

14.3. Transport hazard class(es)

Class 4.1

Subsidiary risk -

Label(s) 4.1

14.4. Packing group III

14.5. Environmental hazards No.

14.6. Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

ADN

14.1. UN number UN3178

14.2. UN proper shipping name FLAMMABLE SOLID, INORGANIC, N.O.S.

14.3. Transport hazard class(es)

Class 4.1

Subsidiary risk -

Label(s) 4.1

14.4. Packing group III

- 14.5. Environmental hazards** No.
- 14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

IATA

- 14.1. UN number** UN3178
- 14.2. UN proper shipping name** Flammable solid, inorganic, n.o.s.
- 14.3. Transport hazard class(es)**
- Class** 4.1
- Subsidiary risk** -
- 14.4. Packing group** III
- 14.5. Environmental hazards** No.
- ERG Code** 3L
- 14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.
- Other information**
- Passenger and cargo aircraft** Allowed with restrictions.
- Cargo aircraft only** Allowed with restrictions.

IMDG

- 14.1. UN number** UN3178
- 14.2. UN proper shipping name** FLAMMABLE SOLID, INORGANIC, N.O.S.
- 14.3. Transport hazard class(es)**
- Class** 4.1
- Subsidiary risk** -
- 14.4. Packing group** III
- 14.5. Environmental hazards**
- Marine pollutant** No.
- EmS** F-A, S-G
- 14.6. Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

ADN; ADR; IATA; IMDG; RID



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended.

National regulations

According to Directive 92/85/EEC as amended, pregnant women should not work with the product, if there is the least risk of exposure.

Young people under 18 years old are not allowed to work with this product according to EU Directive 94/33/EC on the protection of young people at work, as amended. Follow national regulation on the protection of workers from the risks of exposure to carcinogens and mutagens at work, in accordance with Directive 2004/37/EC, as amended.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

Not available.

References

Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Training information

Follow training instructions when handling this material.

Further information

Transportation Emergency
Call Chemtrec at:
International: 703.741.5970
Spain: 900.868.538
Switzerland: 0800.564.402
Chemtrec's toll free, mobile-enabled number in Germany – 0800 1817059

Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

To avoid any misunderstandings or incorrect assumptions by the receiver of the safety information, it should be made clear that the supplied information is not in the form of a Safety Data Sheet (SDS), but is actually a voluntary Product Information Sheet closely following the guidelines of the Safety Data Sheet – COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 (REACH/SDS).