



SAFETY DATA SHEET

MATERION

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation of the mixture Silver Aluminum
Synonyms None.
Document number WS5
Issue date 05-May-2015
Version number 02
Revision date 07-July-2015
Supersedes date 05-May-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Not available.
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Materion Advanced Materials Technologies and Services Inc.
Address 2978 Main Street
Buffalo, NY 14214
United States
Division Buffalo
Telephone 716-837-1000
e-mail Not available.
Contact person Not available.

1.4. Emergency telephone number 800-424-9300 Chemtrec

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

Classification N;R50/53

Classification according to Regulation (EC) No 1272/2008 as amended

Environmental hazards

Hazardous to the aquatic environment, acute aquatic hazard Category 1 H400 - Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term aquatic hazard Category 1 H410 - Very toxic to aquatic life with long lasting effects.

Hazard summary

Physical hazards Not classified for physical hazards.
Health hazards Not classified for health hazards.
Environmental hazards Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Specific hazards Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Aluminium, Silver
Hazard pictograms None.
Signal word Warning
Hazard statements
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Response

P391 Collect spillage.

Storage

Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information

None.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Silver	90 - 97	7440-22-4 231-131-3	-	-	# M=1000
Classification:	DSD: N;R50/53				
	CLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410				
Aluminium	1 - < 3	7429-90-5 231-072-3	-	-	
Classification:	DSD: N;R50/53				
	CLP: Aquatic Acute 1;H400, Aquatic Chronic 1;H410				

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Not available.

Skin contact Not available.

Eye contact Not available.

Ingestion Not available.

4.2. Most important symptoms and effects, both acute and delayed Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing media Not available.

Unsuitable extinguishing media Not available.

5.2. Special hazards arising from the substance or mixture Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Not available.

For emergency responders Not available.

6.2. Environmental precautions Not available.

6.3. Methods and material for containment and cleaning up Not available.

6.4. Reference to other sections Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Not available.

7.2. Conditions for safe storage, including any incompatibilities Not available.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Austria. MAK List, OEL Ordinance (GwV), BGBl. II, no. 184/2001

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	MAK	5 mg/m ³	Respirable fraction.
		10 mg/m ³	Inhalable fraction.
	STEL	20 mg/m ³	Inhalable fraction.
		10 mg/m ³	Respirable fraction.
Silver (CAS 7440-22-4)	MAK	0,1 mg/m ³	Inhalable fraction.
	STEL	0,1 mg/m ³	Inhalable fraction.

Belgium. Exposure Limit Values.

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	1 mg/m ³	Respirable fraction.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Bulgaria. OELs. Regulation No 13 on protection of workers against risks of exposure to chemical agents at work

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	2 mg/m ³	
		10 mg/m ³	Dust.
		1,5 mg/m ³	Respirable fraction.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Croatia. Dangerous Substance Exposure Limit Values in the Workplace (ELVs), Annexes 1 and 2, Narodne Novine, 13/09

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	MAC	4 mg/m ³	Respirable dust.
		10 mg/m ³	Total dust.
Silver (CAS 7440-22-4)	MAC	0,1 mg/m ³	

Czech Republic. OELs. Government Decree 361

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	10 mg/m ³	Dust.
Silver (CAS 7440-22-4)	Ceiling	0,3 mg/m ³	
	TWA	0,1 mg/m ³	

Denmark. Exposure Limit Values

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TLV	5 mg/m ³	Dust and fume.
		5 mg/m ³	Fume.
		2 mg/m ³	Respirable dust and/or fume.

Denmark. Exposure Limit Values Components

Components	Type	Value	Form
Silver (CAS 7440-22-4)	TLV	0,01 mg/m ³	Dust.

Estonia. OELs. Occupational Exposure Limits of Hazardous Substances. (Annex of Regulation No. 293 of 18 September 2001)

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	4 mg/m ³	Respirable dust.
		10 mg/m ³	Total dust.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Finland. Workplace Exposure Limits Components

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	1,5 mg/m ³	Welding fume.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	VME	5 mg/m ³	Dust.
		5 mg/m ³	Welding fume.
		10 mg/m ³	
Silver (CAS 7440-22-4)	VME	0,1 mg/m ³	

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG) Components

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	4 mg/m ³	Inhalable dust.
		1,5 mg/m ³	Respirable dust.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	Inhalable fraction.

Germany. TRGS 900, Limit Values in the Ambient Air at the Workplace Components

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	AGW	10 mg/m ³	Inhalable fraction.
		1,25 mg/m ³	Respirable fraction.
Silver (CAS 7440-22-4)	AGW	0,1 mg/m ³	Inhalable fraction.

Greece. OELs (Decree No. 90/1999, as amended) Components

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	5 mg/m ³	Inhalable
		10 mg/m ³	Welding fume.
		10 mg/m ³	Pyrophoric powder.
		10 mg/m ³	Respirable.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Hungary. OELs. Joint Decree on Chemical Safety of Workplaces Components

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	6 mg/m ³	Respirable.
Silver (CAS 7440-22-4)	STEL	0,4 mg/m ³	
	TWA	0,1 mg/m ³	

Iceland. OELs. Regulation 154/1999 on occupational exposure limits Components

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	5 mg/m ³	Fume.
		10 mg/m ³	Dust.
Silver (CAS 7440-22-4)	TWA	0,01 mg/m ³	Dust.

Ireland. Occupational Exposure Limits Components

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	1 ppm	Respirable dust.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Italy. Occupational Exposure Limits Components

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	1 mg/m ³	Respirable fraction.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Latvia. OELs. Occupational exposure limit values of chemical substances in work environment

Components	Type	Value
Aluminium (CAS 7429-90-5)	TWA	2 mg/m ³
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³

Lithuania. OELs. Limit Values for Chemical Substances, General Requirements

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	5 mg/m ³	Inhalable fraction.
		2 mg/m ³	Respirable fraction.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Malta. OELs. Occupational Exposure Limit Values (L.N. 227. of Occupational Health and Safety Authority Act (CAP. 424), Schedules I and V)

Components	Type	Value
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³

Netherlands. OELs (binding)

Components	Type	Value
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³

Norway. Administrative Norms for Contaminants in the Workplace

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TLV	5 mg/m ³	Welding fume.
		5 mg/m ³	Pyrophoric powder.
Silver (CAS 7440-22-4)	TLV	0,1 mg/m ³	Dust and fume.

Poland. MACs. Minister of Labour and Social Policy Regarding Maximum Allowable Concentrations and Intensities in Working Environment

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	2,5 mg/m ³	Inhalable fraction.
		1,2 mg/m ³	Respirable fraction.
Silver (CAS 7440-22-4)	TWA	0,05 mg/m ³	Inhalable fraction.

Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796)

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	10 mg/m ³	Dust.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Romania. OELs. Protection of workers from exposure to chemical agents at the workplace

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	STEL	3 mg/m ³	Fume.
		10 mg/m ³	Dust.
	TWA	3 mg/m ³	Dust.
		1 mg/m ³	Fume.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Slovakia. OELs. Regulation No. 300/2007 concerning protection of health in work with chemical agents

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	4 mg/m ³	Inhalable fraction.
		1,5 mg/m ³	Respirable fraction.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Slovenia. OELs. Regulations concerning protection of workers against risks due to exposure to chemicals while working (Official Gazette of the Republic of Slovenia)

Components	Type	Value
Silver (CAS 7440-22-4)	TWA	0,01 mg/m ³

Spain. Occupational Exposure Limits

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	5 mg/m ³	Welding fume.
		10 mg/m ³	Dust.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Sweden. Occupational Exposure Limit Values

Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	5 mg/m ³	Total dust.
		2 mg/m ³	Respirable dust.

Sweden. Occupational Exposure Limit Values			
Components	Type	Value	Form
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	Total dust.
Switzerland. SUVA Grenzwerte am Arbeitsplatz			
Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	3 mg/m ³	Respirable dust.
Silver (CAS 7440-22-4)	STEL	0,8 mg/m ³	Inhalable dust.
	TWA	0,1 mg/m ³	Inhalable dust.
UK. EH40 Workplace Exposure Limits (WELs)			
Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	4 mg/m ³	Respirable dust.
		10 mg/m ³	Inhalable dust.
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	
EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU			
Components	Type	Value	
Silver (CAS 7440-22-4)	TWA	0,1 mg/m ³	

Biological limit values

Slovakia. BLVs (Biological Limit Value). Regulation no. 355/2006 concerning protection of workers exposed to chemical agents, Annex 2

Components	Value	Determinant	Specimen	Sampling time
Aluminium (CAS 7429-90-5)	60 µg/g	Aluminium	Creatinine in urine	*

* - For sampling details, please see the source document.

Switzerland. BAT-Werte (Biological Limit Values in the Workplace as per SUVA)

Components	Value	Determinant	Specimen	Sampling time
Aluminium (CAS 7429-90-5)	60 µg/g	Aluminium	Creatinine in urine	*

* - For sampling details, please see the source document.

Recommended monitoring procedures Not available.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering controls Not available.

Individual protection measures, such as personal protective equipment

Eye/face protection Not available.

Skin protection

- **Hand protection** Not available.

- **Other** Not available.

Respiratory protection Not available.

Thermal hazards Not available.

Hygiene measures Not available.

Environmental exposure controls Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid.

Form Not available.

Colour Not available.

Odour Not applicable.

Odour threshold Not available.

pH	Not available.
Melting point/freezing point	660 °C (1220 °F) estimated
Initial boiling point and boiling range	2000 °C (3632 °F) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapour pressure	0,00001 hPa estimated
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Solubility (other)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not available.
9.2. Other information	
Density	10,33 g/cm3 estimated
Specific gravity	10,33 estimated

SECTION 10: Stability and reactivity

10.1. Reactivity	Not available.
10.2. Chemical stability	Not available.
10.3. Possibility of hazardous reactions	Not available.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Not available.
10.6. Hazardous decomposition products	Not available.

SECTION 11: Toxicological information

General information	Not available.
Information on likely routes of exposure	
Inhalation	Not available.
Skin contact	Not available.
Eye contact	Not available.
Ingestion	Not available.
Symptoms	Not available.

11.1. Information on toxicological effects

Components	Species	Test results
Silver (CAS 7440-22-4)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg
Oral		
LD50	Rat	> 5000 mg/kg

Skin corrosion/irritation	Not available.
Serious eye damage/eye irritation	Not available.
Respiratory sensitisation	Not available.
Skin sensitisation	Not available.
Germ cell mutagenicity	Not available.
Carcinogenicity	Not available.
Reproductive toxicity	Not available.
Specific target organ toxicity - single exposure	Not available.
Specific target organ toxicity - repeated exposure	Not available.
Aspiration hazard	Not available.
Mixture versus substance information	Not available.
Other information	Not available.

SECTION 12: Ecological information

12.1. Toxicity

Components		Species	Test results
Aluminium (CAS 7429-90-5)			
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0,16 mg/l, 96 hours
Silver (CAS 7440-22-4)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0,0002 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0,0023 - 0,0033 mg/l, 96 hours

12.2. Persistence and degradability Not available.

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow) Not available.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil Not available.

12.5. Results of PBT and vPvB assessment Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.

SECTION 14: Transport information

ADR

14.1. UN number UN3077

14.2. UN proper shipping name Environmentally hazardous substance, solid, n.o.s.

14.3. Transport hazard class(es)

Class	9
Subsidiary risk	-
Label(s)	9
Hazard No. (ADR)	90

Tunnel restriction code E
14.4. Packing group III
14.5. Environmental hazards Yes
14.6. Special precautions for user Not available.

RID

14.1. UN number UN3077
14.2. UN proper shipping name Environmentally hazardous substance, solid, n.o.s.
14.3. Transport hazard class(es)
Class 9
Subsidiary risk -
Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes
14.6. Special precautions for user Not available.

ADN

14.1. UN number UN3077
14.2. UN proper shipping name Environmentally Hazardous Solid, N.o.s.
14.3. Transport hazard class(es)
Class 9
Subsidiary risk -
Label(s) 9
14.4. Packing group III
14.5. Environmental hazards Yes
14.6. Special precautions for user Not available.

IATA

14.1. UN number UN3077
14.2. UN proper shipping name Environmentally hazardous substance, solid, n.o.s.
14.3. Transport hazard class(es)
Class 9
Subsidiary risk -
14.4. Packing group III
14.5. Environmental hazards Yes
ERG Code 9L
14.6. Special precautions for user Not available.

Other information


Passenger and cargo aircraft Allowed.
Cargo aircraft only Allowed.

IMDG

14.1. UN number UN3077
14.2. UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
14.3. Transport hazard class(es)
Class 9
Subsidiary risk -
14.4. Packing group III
14.5. Environmental hazards
Marine pollutant Yes
EmS F-A, S-F
14.6. Special precautions for user Not available.



Marine pollutant



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I, as amended
Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II, as amended
Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3
Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V
Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended
Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA
Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended
Not listed.

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended
Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use
Aluminium (CAS 7429-90-5)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended
Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended
Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances
Aluminium (CAS 7429-90-5)

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended

Not listed.

Directive 94/33/EC on the protection of young people at work, as amended

Not listed.

National regulations Not available.

15.2. Chemical safety assessment Not available.

SECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture Not available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Revision information None.

Training information Not available.