

SAFETY DATA SHEET

1 Identification

1. Identification			
Product identifier	Aluminum chloride (AlCl3)		
Other means of identification			
SDS number	1AP		
Materion Code	1AP		
CAS number	7446-70-0		
Synonyms	ALUMINIUM CHLORIDE * ALUMINIUM CHLO	ORIDE (ANHYDROUS) * Aluminum chloride (AICl3)	
Manufacturer/Importer/Supplier/Di	stributor information		
Manufacturer			
Company name	Materion Electronic Materials		
Address	6070 Parkland Blvd		
	Mayfield Heights, Ohio 44124		
Telephone	United States 1.216.383.4019		
Telephone E-mail	Materion-PS@materion.com		
Contact person	Product Stewardship Director		
Emergency phone number	See Section 16		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 1B	
	Serious eye damage/eye irritation	Category 1	
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Causes severe skin burns and eye damage. Causes serious eye damage. May cause respiratory irritation.		
Precautionary statement			
Prevention	Use only outdoors or in a well-ventilated area.		
Response	Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice/attention.		
Storage	Store in a well-ventilated place. Keep contained	er tightly closed. Store locked up.	

Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard(s) not otherwise Water reactive substance.

For further information, please contact the Product Stewardship Department at +1.800.862.4118.

3. Composition/information on ingredients

Substances

Disposal

Supplemental information

classified (HNOC)

Chemical name	Common name and synonyms	CAS number	%
Aluminum chloride	ALUMINIUM CHLORIDE ALUMINIUM CHLORIDE (ANHYDROUS	7446-70-0 S)	100
	Aluminum chloride (AICl3)		

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

Designates that a specific chemic	and dentity and/or percentage of composition has been withheid as a trade secret.
4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician or poison control center immediately.
Skin contact	Take off immediately all contaminated clothing. Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Dry powder. Dry sand. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Wear suitable protective equipment.
Fire fighting equipment/instructions	Water runoff can cause environmental damage.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release measu	ures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.
	Large Spills: Stop the flow of material, if this is without risk. Following product recovery, flush area with water.
	Small Spills: Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions	Avoid release to the environment. Do not contaminate water. Avoid discharge into drains, water
	courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Material	Туре	Value	Form	
Aluminum chloride (CAS 7446-70-0)	TWA	1 mg/m3	Respirable fraction.	
US. NIOSH: Pocket Guide to (Chemical Hazards Recommended Ex	posure Limits (REL)		
Material	Туре	Value		
Aluminum chloride (CAS 7446-70-0)	TWA 2 mg/m3			
US. California Code of Regula	tions, Title 8, Section 5155. Airborne	Contaminants		
Material	Туре	Value		
Aluminum chloride (CAS 7446-70-0)	PEL	2 mg/m3		
logical limit values	No biological exposure limits noted	No biological exposure limits noted for the ingredient(s).		
propriate engineering controls	Good general ventilation should be applicable, use process enclosures maintain airborne levels below reco established, maintain airborne level shower must be available when har	, local exhaust ventilation, or ot mmended exposure limits. If ex Is to an acceptable level. Eye w	her engineering controls to posure limits have not beer	
-	ch as personal protective equipment			
Eye/face protection	Wear eye/face protection. Wear saf	fety glasses with side shields (o	r goggles) and a face shield	
Skin protection Hand protection	Wear appropriate chemical resistan	t gloves.		
Other	Wear appropriate chemical resistant clothing.			
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.			
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.			
neral hygiene considerations	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			

9. Physical and chemical properties

Appearance		
Physical state	Solid.	
Form	Solid.	
Color	Not available.	
Odor	Not available.	

Odor threshold	Not available.		
pH	Not available.		
•	378.68 °F (192.6 °C)		
Melting point/freezing point			
Initial boiling point and boiling range	360.86 °F (182.7 °C) 1002.4 hPa		
Flash point	Not available.		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not available.		
Upper/lower flammability or explose			
Explosive limit - lower (%)	Not available.		
Explosive limit - upper (%)	Not available.		
Vapor pressure	<0.0000001 kPa (77 °F (25 °C))		
Vapor density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	Not available.		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	Not available.		
Decomposition temperature	Not available.		
Viscosity	Not available.		
Other information			
Density	2.48 g/cm3 estimated		
Explosive properties	Not explosive.		
Molecular formula	AI-CI3		
Molecular weight	133.34 g/mol		
Oxidizing properties	Not oxidizing.		
Specific gravity	2.48		
10. Stability and reactivity			
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
Chemical stability	Material is stable under normal conditions.		
Possibility of hazardous reactions	Hazardous polymerization does not occur.		
Conditions to avoid	Contact with incompatible materials.		
Incompatible materials	None known.		
Hazardous decomposition products	No hazardous decomposition products are known.		
11. Toxicological information	n		
Information on likely routes of exposure			
Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.		

Innalauon	May cause initiation to the respiratory system. I rolonged initiation may be harmun.
Skin contact	Causes severe skin burns.
Eye contact	Causes severe eye burns. Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Narcosis. Behavioral changes. Decrease in motor functions. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.

Information on toxicological effec	ts			
Acute toxicity	Causes severe skin burns and eye damage. Harmful if swallowed. Not known.			
Skin corrosion/irritation	Causes seve	Causes severe skin burns and eye damage.		
Serious eye damage/eye irritation	Causes seve	ere eye burns. Causes serious eye damag	ge.	
Respiratory or skin sensitization				
Respiratory sensitization	Based on av	ailable data, the classification criteria are	not met.	
Skin sensitization	Based on av	ailable data, the classification criteria are	not met.	
Germ cell mutagenicity	Suspected of	f causing genetic defects.		
Carcinogenicity	This product	is not considered to be a carcinogen by I	ARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall E	Evaluation of Ca	rcinogenicity		
Not listed. OSHA Specifically Regulated Not listed. US. National Toxicology Pro Not listed.				
Reproductive toxicity	Suspected of	f damaging fertility or the unborn child.		
Specific target organ toxicity - single exposure	May cause respiratory irritation.			
Specific target organ toxicity - repeated exposure	May cause d	amage to organs (respiratory system) thr	ough prolonged or repeated exposure.	
Aspiration hazard	Based on available data, the classification criteria are not met.			
Chronic effects	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.			
12. Ecological information				
Ecotoxicity	Verv toxic to	aquatic life with long lasting effects. Accu	umulation in aquatic organisms is expected.	
Product	,	Species	Test Results	
Aluminum chloride (CAS 744	16-70-0)	•		
Aquatic	,			
Acute	FOFO	Water flag (Cariadanteria dutia)		
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	1.5 mg/l, 48 hours	
Fish	LC50	Atlantic salmon (Salmo salar)	0.444 - 0.676 mg/l, 96 hours	
* Estimates for product may	be based on ad	ditional component data not shown.		
Persistence and degradability	No data is available on the degradability of this product.			
Bioaccumulative potential	No data available.			
Mobility in soil	No data avai	lable.		
Other adverse effects		rerse environmental effects (e.g. ozone de docrine disruption, global warming potent		

13. Disposal considerations

Disposal instructions	This material and its container must be disposed of as hazardous waste. Dispose of this material and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.

Hazardous waste code	D002: Waste Corrosive material [pH \leq 2 or =>12.5, or corrosive to steel] The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

DOT	
UN number	UN1726
UN proper shipping name	Aluminum chloride, anhydrous
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	I
Environmental hazards	
Marine pollutant	No.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB8, IP2, IP4, T3, TP33
Packaging exceptions	154
Packaging non bulk	212
Packaging bulk	240
ΙΑΤΑ	
UN number	UN1726
UN proper shipping name	Aluminium chloride, anhydrous
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	II
Environmental hazards	Yes
ERG Code	8L
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
	Allowed with restrictions
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1726
UN proper shipping name	ALUMINIUM CHLORIDE, ANHYDROUS, MARINE POLLUTANT
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Packing group	11
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-B
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.





IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List. This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. CERCLA/SARA Hazardous Substances - Not applicable.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical	Yes
Classified hazard	Skin corrosion or irritation
categories	Serious eye damage or eye irritation
	Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
US state regulations	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

Issue date	10-24-2013
Revision date	04-19-2024
Version #	10
Further information	Transportation Emergency Call Chemtrec at: US: 800.424.9300 International: 703.741.5970 Spain: 900.868.538 Switzerland: 0800.564.402 Chemtrec's toll free, mobile-enabled number in Germany – 0800 1817059 South Korea Toll-free Number – 080-880-0468
Disclaimer	This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.
Revision information	Hazard(s) identification: Hazard statement Hazard(s) identification: Disposal Hazard(s) identification: Prevention Hazard(s) identification: Response Hazard(s) identification: Storage Hazard(s) identification: GHS Signal Words Hazard(s) identification: GHS Symbols