

SAFETY DATA SHEET

1. Identification

| Product identifier | Aluminum Copper | | | |
|--|---|--------------|--|--|
| Other means of identification | | | | |
| SDS number | 1CC | | | |
| Materion Code | 1CC | | | |
| Manufacturer/Importer/Supplier/Distributor information | | | | |
| Manufacturer | | | | |
| Company name | Materion Advanced Chemicals Inc. | | | |
| Address | 407 N 13th Street 1316 W. St. Paul Avenue Milwaukee, WI 53233 | | | |
| | | | | |
| | | | | |
| | United States | | | |
| Telephone | 414.212.0257 | | | |
| E-mail | advancedmaterials@materi | on.com | | |
| Contact person | Noreen Atkinson | | | |
| Emergency phone number | Chemtrec | 800.424.9300 | | |
| 2. Hazard(s) identification | | | | |
| Physical hazards | Not classified. | | | |

| Physical hazards | Not classified. | |
|-----------------------|-----------------------------------|------------|
| Health hazards | Acute toxicity, oral | Category 4 |
| | Acute toxicity, inhalation | Category 3 |
| | Serious eye damage/eye irritation | Category 2 |
| Environmental hazards | Not classified. | |
| OSHA defined hazards | Not classified. | |



| Signal word | Danger |
|--|--|
| Hazard statement | May cause respiratory irritation. Causes damage to organs (respiratory system) through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. |
| Precautionary statement | |
| Prevention | Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. |
| Response | If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor. Collect spillage. |
| Storage | Store in a well-ventilated place. Keep container tightly closed. Store locked up. |
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Hazard(s) not otherwise classified (HNOC) | None known. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

Label elements

| Chemical name | Common name and synonyms | CAS number | % |
|---|--|-----------------------------------|-----------------------|
| Aluminum | | 7429-90-5 | 47 - 99.5 |
| Copper | | 7440-50-8 | 0.5 - 34 |
| Designates that a specific chemic | cal identity and/or percentage of composition ha | as been withheld as a trade se | cret. |
| 4. First-aid measures | | | |
| nhalation | Remove victim to fresh air and keep at rest in air. Call a POISON CENTER or doctor/physic | - | eathing. Move to fres |
| Skin contact | Get medical attention if irritation develops an | d persists. | |
| Eye contact | Rinse with water. Get medical attention if irrit | ation develops and persists. | |
| ngestion | Get medical advice/attention if you feel unwe | II. | |
| Most important symptoms/effects, acute and delayed | Discomfort in the chest. Shortness of breath. effects. | Coughing. Prolonged exposu | re may cause chroni |
| ndication of immediate medical attention and special treatment needed | Provide general supportive measures and tre | eat symptomatically. Treat sym | ptomatically. |
| General information | Ensure that medical personnel are aware of t protect themselves. | the material(s) involved, and ta | ake precautions to |
| 5. Fire-fighting measures | | | |
| uitable extinguishing media | Powder. Dry sand. | | |
| Insuitable extinguishing media | Water. Do not use water jet as an extinguishe | er, as this will spread the fire. | Carbon dioxide (CO2 |
| Specific hazards arising from he chemical | Not applicable. | | |
| Special protective equipment and precautions for firefighters | Wear suitable protective equipment. | | |
| Fire fighting equipment/instructions | Water runoff can cause environmental dama | ge. | |
| General fire hazards | No unusual fire or explosion hazards noted. | | |
| 6. Accidental release meas | ures | | |
| Personal precautions, protective equipment and emergency procedures | Local authorities should be advised if signific personnel away. Keep people away from and appropriate personal protective equipment. D | upwind of spill/leak. Keep ou | t of low areas. Wear |

Methods and materials for containment and cleaning up

Environmental precautions

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

This material is classified as a water pollutant under the Clean Water Act and should be prevented

from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Collect spillage. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

unless wearing appropriate protective clothing. Ensure adequate ventilation.

7. Handling and storage

Precautions for safe handling Conditions for safe storage, including any incompatibilities Avoid release to the environment. Do not empty into drains. Store in a cool, dry place out of direct sunlight.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Туре | Value | Form |
|--|--|------------------------------|-----------------------------|
| Aluminum (CAS 7429-90-5) | PEL | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| Copper (CAS 7440-50-8) | PEL | 1 mg/m3 | Dust and mist. |
| | | 0.1 mg/m3 | Fume. |
| US. OSHA Table Z-3 (29 CFR | - | Value | Form |
| Components | Туре | value | FUIII |
| Aluminum (CAS 7429-90-5) | TWA | 5 mg/m3 | Respirable fraction. |
| | | 15 mg/m3 | Total dust. |
| | | 50 mppcf | Total dust. |
| | | 15 mppcf | Respirable fraction. |
| US. ACGIH Threshold Limit Va | | | _ |
| Components | Туре | Value | Form |
| Aluminum (CAS 7429-90-5) | TWA | 1 mg/m3 | Respirable fraction. |
| Copper (CAS 7440-50-8) | TWA | 1 mg/m3 | Dust and mist. |
| | | 0.2 mg/m3 | Fume. |
| US. NIOSH: Pocket Guide to C | Chemical Hazards | | |
| Components | Туре | Value | Form |
| Aluminum (CAS 7429-90-5) | TWA | 5 mg/m3 | Respirable. |
| | | 5 mg/m3 | Welding fume or |
| | | | pyrophoric powder. |
| | | 10 mg/m3 | Total |
| Copper (CAS 7440-50-8) | TWA | 1 mg/m3 | Dust and mist. |
| | | 0.1 mg/m3 | Fume. |
| - | tions, Title 8, Section 5155. Airborne Conta | | _ |
| Components | Туре | Value | Form |
| Aluminum (CAS 7429-90-5) | PEL | 5 mg/m3 | Pyrophoric powder. |
| | | 5 mg/m3 | Respirable fraction. |
| | | 5 mg/m3 | Welding fume. |
| | | 10 mg/m3 | Total dust. |
| Copper (CAS 7440-50-8) | PEL | 1 mg/m3 | Dust and mist. |
| | | 0.1 mg/m3 | Fume. |
| ogical limit values | No biological exposure limits noted for the | e ingredient(s). | |
| propriate engineering controls | General ventilation normally adequate. | | |
| vidual protection measures, suc Eye/face protection | h as personal protective equipment Chemical goggles are recommended. | | |
| Skin protection | | | |
| Hand protection | Wear protective gloves. Not normally nee | ded. | |
| Other | Wear appropriate chemical resistant cloth | ing. | |
| Respiratory protection | In case of insufficient ventilation, wear sui | table respiratory equipmer | nt. |
| Thermal hazards | Not available. | | |
| neral hygiene considerations | Wash hands before breaks and immediate | ely after handling the produ | uct. Handle in accordance w |

Appearance

| Form | Solid. |
|--|--|
| Color | Not available. |
| Odor | Not available. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | 1220 °F (660 °C) estimated |
| Initial boiling point and boiling range | 4220.6 °F (2327 °C) estimated |
| Flash point | Not available. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or explos | ive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | 0.23 hPa estimated |
| Vapor density | Not available. |
| Relative density | Not available. |
| Solubility(ies) | |
| Solubility (water) | Not available. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not available. |
| Decomposition temperature | Not available. |
| Viscosity | Not available. |
| Other information | |
| Density | 4.87 g/cm3 estimated |
| Specific gravity | 4.87 estimated |
| 10. Stability and reactivity | |
| Reactivity | Not available. |
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | Hazardous polymerization does not occur. |
| Conditions to avoid | None under normal conditions. |
| Incompatible materials | None known. |
| Hazardous decomposition products | No hazardous decomposition products are known. |
| 11. Toxicological information | า |

Information on likely routes of exposure

| Inhalation | May cause irritation to the respiratory system. | | |
|--------------|---|--|--|
| Skin contact | Due to lack of data the classification is not possible. | | |
| Eye contact | Due to lack of data the classification is not possible. | | |
| Ingestion | Due to lack of data the classification is not possible. | | |

| Symptoms related to the physical, chemical and toxicological characteristics | Discomfort ir | n the chest. Shortness of breath. C | Coughing. |
|--|------------------------------|--|---|
| Information on toxicological effects | S | | |
| Acute toxicity | May cause r | espiratory irritation. | |
| Skin corrosion/irritation | Due to lack of | of data the classification is not pos | sible. |
| Serious eye damage/eye | Due to lack of | of data the classification is not pos | sible. |
| irritation | | | |
| Respiratory or skin sensitization | | | |
| Respiratory sensitization | Due to lack of | of data the classification is not pos | sible. |
| Skin sensitization | Due to lack of | of data the classification is not pos | sible. |
| Germ cell mutagenicity | Due to lack of | of data the classification is not pos | sible. |
| Carcinogenicity | This product | is not considered to be a carcinog | en by IARC, ACGIH, NTP, or OSHA. |
| IARC Monographs. Overall Ev | valuation of Ca | arcinogenicity | |
| Not listed. | | | |
| OSHA Specifically Regulated | Substances (2 | 29 CFR 1910.1001-1050) | |
| Not regulated. | | | |
| US. National Toxicology Prog | ram (NTP) Rep | port on Carcinogens | |
| Not listed. | Due te le els | of data the place firstion is not non- | |
| Reproductive toxicity | | of data the classification is not post | Sidle. |
| Specific target organ toxicity - single exposure | Respiratory 1 | tract irritation. | |
| Specific target organ toxicity - repeated exposure | Causes dam | nage to organs () through prolonge | d or repeated exposure. |
| Aspiration hazard | Due to lack of | of data the classification is not pos | sible. |
| Chronic effects | Causes dam | hage to organs through prolonged of | or repeated exposure. |
| 12. Ecological information | | | |
| Ecotoxicity | Very toxic to | aquatic life with long lasting effect | ts. Accumulation in aquatic organisms is expected. |
| Product | | Species | Test Results |
| Aluminum Copper | | | |
| Aquatic | | | |
| Crustacea | EC50 | Daphnia | 0.3278 mg/l, 48 hours estimated |
| Fish | LC50 | Fish | 4.8227 mg/l, 96 hours estimated |
| | | | |
| | | ditional component data not showr | |
| Persistence and degradability | | vailable on the degradability of this | product. |
| Bioaccumulative potential | Not available | | |
| Mobility in soil | Not available | | |
| Other adverse effects | Not available | 9. | |
| 13. Disposal considerations | ; | | |
| Disposal instructions | and its conta sewers/wate | ainer must be disposed of as hazar er supplies. Do not contaminate po | iners at licensed waste disposal site. This material rdous waste. Do not allow this material to drain into nds, waterways or ditches with chemical or used cordance with local/regional/national/international |

Waste from residues / unused
productsDispose of in accordance with local regulations. Empty containers or liners may retain some
product residues. This material and its container must be disposed of in a safe manner (see:
Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

15. Regulatory information

General information

| US federal regulations | All components are on the U.S. EPA TSCA Inventory List. |
|------------------------|---|
|------------------------|---|

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Copper (CAS 7440-50-8)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

| Hazard categories | Immediate Hazard - Yes |
|-------------------|------------------------|
| | Delayed Hazard - No |
| | Fire Hazard - No |
| | Decession Hermond Me |

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. | |
|---------------|------------|-----------|--|
| Aluminum | 7429-90-5 | 47 - 99.5 | |
| Copper | 7440-50-8 | 0.5 - 34 | |

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Aluminum (CAS 7429-90-5) Copper (CAS 7440-50-8)

16. Other information, including date of preparation or last revision

| Issue date | 09-09-2014 |
|---------------|--|
| Revision date | 02-22-2018 |
| Version # | 04 |
| Disclaimer | This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations. |