# MATERION

# SAFETY DATA SHEET

### 1. Identification

Product identifier Cadmium arsenide (Cd3As2)

Other means of identification

SDS number 1EN **Materion Code** 1EN

CAS number 12006-15-4

Cadmium arsenide (Cd3As2) \* Tricadmium diarsenide **Synonyms** 

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Materion Advanced Chemicals Inc. Company name

**Address** 407 N 13th Street

> 1316 W. St. Paul Avenue Milwaukee. WI 53233

**United States** 

**Telephone** 414.212.0257

advancedmaterials@materion.com E-mail

Noreen Atkinson Contact person

**Emergency phone number** Chemtrec 800.424.9300

2. Hazard(s) identification

Physical hazards Not classified. Health hazards Not classified.

**Environmental hazards** Hazardous to the aquatic environment, Category 1

long-term hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word

Hazard statement Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention Avoid release to the environment.

Response Collect spillage.

Storage Store away from incompatible materials.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone,

Hazard(s) not otherwise

classified (HNOC) email or on the company website.

Supplemental information None.

3. Composition/information on ingredients

**Substances** 

Material name: Cadmium arsenide (Cd3As2) SDS US

Chemical name	Common name and synonyms	CAS number	%
cadmium arsenide	Cadmium arsenide (Cd3As2)	12006-15-4	90 - 100
	Tricadmium diarsenide		

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if

> victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control

center immediately.

Skin contact Remove and isolate contaminated clothing and shoes. Immediately flush skin with plenty of water.

For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately

before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing.

Ingestion IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth

> thoroughly. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask

equipped with a one-way valve or other proper respiratory medical device.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment

needed

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Fire fighting

None known.

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Wear suitable protective equipment.

protection, see section 8 of the SDS.

equipment/instructions

Use water spray to cool unopened containers. Water runoff can cause environmental damage.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### Accidental release measures

Personal precautions, protective equipment and emergency

procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Collect spillage. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

Material name: Cadmium arsenide (Cd3As2)

SDS US

# 7. Handling and storage

**Precautions for safe handling** Provide adequate ventilation. Avoid prolonged exposure. Wear appropriate personal protective

equipment. Wash thoroughly after handling. Avoid release to the environment. Do not empty into

drains. Observe good industrial hygiene practices. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Use care in handling/storage. Store away from incompatible materials (see Section 10 of the SDS). Store in accordance with local/regional/national/international regulation.

## 8. Exposure controls/personal protection

#### Occupational exposure limits

#### US. NIOSH: Pocket Guide to Chemical Hazards

Material	Туре	Value	
cadmium arsenide (CAS 12006-15-4)	Ceiling	0.002 mg/m3	
US. California Code of Regulations, T	itle 8, Section 5155. Airborne C	ontaminants	
Material	Туре	Value	
cadmium arsenide (CAS 12006-15-4)	PEL	0.01 mg/m3	

#### **Biological limit values**

#### **ACGIH Biological Exposure Indices**

Material	Value	Determinant	Specimen	Sampling Time
cadmium arsenide (CAS 12006-15-4)	5 μg/g	Cadmium	Creatinine in urine	*
	5 μg/l	Cadmium	Blood	*

<sup>\* -</sup> For sampling details, please see the source document.

#### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

0.005 mg/m3

Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear chemical protective equipment that is specifically recommended by the manufacturer. It may

provide little or no thermal protection.

**TWA** 

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking.

## 9. Physical and chemical properties

#### **Appearance**

Odor

Physical stateSolid.FormSolid.ColorNot available.

Odor threshold Not available.

Material name: Cadmium arsenide (Cd3As2)

Not available.

pH Not available.Melting point/freezing point Not available.Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Relative density

Not available.

Not available.

Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Explosive properties** Not explosive.

Molecular formula As2Cd3

Oxidizing properties Not oxidizing.

10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contactDue to lack of data the classification is not possible.Eye contactDue to lack of data the classification is not possible.IngestionDue to lack of data the classification is not possible.

Symptoms related to the

Direct contact with eyes may cause temporary irritation.

physical, chemical and toxicological characteristics

Information on toxicological effects

Not available. Acute toxicity

Skin corrosion/irritation Due to lack of data the classification is not possible. Serious eye damage/eye

irritation

Due to lack of data the classification is not possible.

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible. Skin sensitization Due to lack of data the classification is not possible. Germ cell mutagenicity Due to lack of data the classification is not possible.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to lack of data the classification is not possible. Specific target organ toxicity -Due to lack of data the classification is not possible.

single exposure

Specific target organ toxicity repeated exposure

Due to lack of data the classification is not possible.

Aspiration hazard Due to lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful.

Further information This product has no known adverse effect on human health.

12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

> and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN2570 **UN number** 

UN proper shipping name

Cadmium compounds

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Label(s) 6.1
Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Special provisions IB8, IP3, T1, TP33

Packaging exceptions 153
Packaging non bulk 213
Packaging bulk 240

**IATA** 

UN number UN2570

UN proper shipping name Cadmium compounds

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Label(s) 6.1
Packing group III
Environmental hazards No.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN number UN2570

UN proper shipping name Cadmium compounds

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Label(s) 6.1
Packing group III

**Environmental hazards** 

Marine pollutant No.

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

## DOT



IATA; IMDG



Material name: Cadmium arsenide (Cd3As2)

SDS US

# 15. Regulatory information

**US federal regulations** CERCLA/SARA Hazardous Substances - Not applicable.

All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

cadmium arsenide (CAS 12006-15-4)

Nervous system

Acute toxicity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations WARNING: This product contains a chemical known to the State of California to cause birth

defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Developmental toxin

cadmium arsenide (CAS 12006-15-4) Listed: May 1, 1997

US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

cadmium arsenide (CAS 12006-15-4) Listed: May 1, 1997

# 16. Other information, including date of preparation or last revision

 Issue date
 02-18-2014

 Revision date
 01-10-2018

Version # 04

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Material name: Cadmium arsenide (Cd3As2)

SDS US

#### Disclaimer

Additional information is given in the Material Safety Data Sheet. Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.