

# SAFETY DATA SHEET

# 1. Identification

Product identifier	Copper (Cu)		
Other means of identification			
SDS number	1FM		
Materion Code	1FM		
CAS number	7440-50-8		
Manufacturer/Importer/Supplier/Di Manufacturer	stributor information		
Company name	Materion Electronic Materials		
Address	6070 Parkland Blvd		
	Mayfield Heights, Ohio 44124		
	United States		
Telephone	1.216.383.4019		
E-mail	Materion-PS@materion.com		
Contact person	Product Stewardship Director		
Emergency phone number	See Section 16		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral	Category 4	
	Acute toxicity, inhalation	Category 3	
	Serious eye damage/eye irritation	Category 2	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1	
	Hazardous to the aquatic environment, long-term hazard	Category 1	
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	Harmful if swallowed. Causes serious eye irrit toxic to aquatic life with long lasting effects.	ation. Toxic if inhaled. Very toxic to aquatic life. Very	
Precautionary statement			
Prevention		andling. Do not eat, drink or smoke when using this ted area. Avoid release to the environment. Wear	
Response			
Storage	Store in a well-ventilated place. Keep contained	er tightly closed. Store locked up.	
Disposal	Dispose of contents/container in accordance w	vith local/regional/national/international regulations.	

Supplemental information

None known.

For further information, please contact the Product Stewardship Department at +1.800.862.4118.

## 3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
copper		7440-50-8	100

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center or doctor/physician.
Skin contact	Rinse with water.
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Powder. Dry sand.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release measu	Jres

Personal precautions, protective<br/>equipment and emergency<br/>proceduresKeep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear<br/>appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Do not<br/>touch damaged containers or spilled material unless wearing appropriate protective clothing.<br/>Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be<br/>contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. The product is insoluble in water.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Do not taste or swallow. Avoid breathing dust. Avoid contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Material	Туре	Value	Form
copper (CAS 7440-50-8)	PEL	1 mg/m3	Dust and mist.
		0.1 mg/m3	Fume.
US. ACGIH Threshold Limit Values	(TLV)		
Material	Туре	Value	Form
copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
NIOSH. Immediately Dangerous to	Life or Health (IDLH) Values, as	amended	
Material	Туре	Value	
copper (CAS 7440-50-8)	IDLH	100 mg/m3	
US. NIOSH: Pocket Guide to Chem	nical Hazards Recommended Ex	posure Limits (REL)	
Material	Туре	Value	Form
copper (CAS 7440-50-8)	TWA	1 mg/m3	Dust and mist.
		0.1 mg/m3	Fume.
US. California Code of Regulations	, Title 8, Section 5155. Airborne	Contaminants	
Material	Туре	Value	Form
copper (CAS 7440-50-8)	PEL	1 mg/m3	Dust and mist.

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

# Individual protection measures, such as personal protective equipment

Eye/face protection	Chemical goggles are recommended.
Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Use of an impervious apron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridge.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	1981.4 °F (1083 °C)
Initial boiling point and boiling	4703 °F (2595 °C)
range	
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explos	
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	<0.0000001 kPa (77 °F (25 °C))
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	
Viscosity	Not available.
Other information	8.04 a/cm3 optimated
Density	8.94 g/cm3 estimated
Explosive properties	Not explosive.
Molecular formula	
Molecular weight	63.55 g/mol
Oxidizing properties	Not oxidizing.

#### Specific gravity

8.94

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

### 11. Toxicological information

#### Information on likely routes of exposure Inhalation Toxic if inhaled. No adverse effects due to skin contact are expected. Skin contact Eye contact Causes serious eye irritation. Ingestion Harmful if swallowed. Symptoms related to the Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred physical, chemical and vision. toxicological characteristics Information on toxicological effects Acute toxicity Toxic if inhaled. Harmful if swallowed. Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Causes serious eye irritation. irritation Respiratory or skin sensitization Respiratory sensitization Not a respiratory sensitizer. Skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. Carcinogenicity Not classifiable as to carcinogenicity to humans. IARC Monographs. Overall Evaluation of Carcinogenicity Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity -Not classified. single exposure Specific target organ toxicity -Not classified. repeated exposure Not an aspiration hazard. Aspiration hazard **Chronic effects** Prolonged inhalation may be harmful. 12. Ecological information Ecotoxicity Very toxic to aquatic life with long lasting effects.

Product		Species	Test Results	
copper (CAS 7440-50-8)				
Aquatic				
Acute				
Crustacea	EC50	Blue crab (Callinectes sapidus)	0.0031 mg/l	
Fish	LC50	Chinook salmon (Oncorhynchus tshawytscha)	0.02 mg/l, 96 hours	
* Estimates for product may b	e based on ad	ditional component data not shown.		
ersistence and degradability	No data is a	vailable on the degradability of this produ	uct.	
oaccumulative potential	No data ava	ilable.		
obility in soil	No data ava	ilable.		
ther adverse effects		verse environmental effects (e.g. ozone o docrine disruption, global warming poter		
3. Disposal considerations	i			
sposal instructions	this material with chemic	-	at licensed waste disposal site. Do not allow not contaminate ponds, waterways or ditche s/container in accordance with	
ocal disposal regulations	Dispose in a	Dispose in accordance with all applicable regulations.		
azardous waste code	The waste c disposal cor	_	tween the user, the producer and the waste	
aste from residues / unused oducts	-	n accordance with local regulations. Emp dues. This material and its container mus tructions).		
ontaminated packaging	-		e, follow label warnings even after container proved waste handling site for recycling or	
4. Transport information				
т				
Not regulated as dangerous g	joods.			
ТА				
Not regulated as dangerous g	joods.			
IDG				
Not regulated as dangerous g	joods.			
5. Regulatory information				

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

copper (CAS 7440-50-8)

Listed.

## SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

SARA 302 Extremely hazard	uthorization Act of 198 ous substance			
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
Classified hazard	Acute toxicity (any r	oute of exposure)		
categories	Serious eye damag	e or eye irritation		
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	_
copper		7440-50-8	100	
Other federal regulations				
Clean Air Act (CAA) Section	112 Hazardous Air Po	llutants (HAPs) List		
Not regulated.				
Clean Air Act (CAA) Section	112(r) Accidental Rele	ase Prevention (40 CFR 6	\$8.130)	
Not regulated.				
Clean Water Act (CWA)	Priority pollutant			
Section 112(r) (40 CFR 68.130)	Toxic pollutant			
Safe Drinking Water Act (SDWA)	Listed.			
US state regulations				
US. California. Candidate Ch	emicals List. Safer Co	nsumer Products Regulat	ions (Cal. Code Reas. tit. 2	2. (

copper (CAS 7440-50-8)

### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

# 16. Other information, including date of preparation or last revision

Issue date	01-14-2016
Revision date	05-29-2024
Version #	05
Further information	Transportation Emergency Call Chemtrec at: US: 800.424.9300 International: 703.741.5970 Spain: 900.868.538 Switzerland: 0800.564.402 Chemtrec's toll free, mobile-enabled number in Germany – 0800 1817059 South Korea Toll-free Number – 080-880-0468
Disclaimer	This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.

69502.3, subd. (a))