# MATERION

# SAFETY DATA SHEET

## 1. Identification

Product identifier Gallium (Ga)

Other means of identification

 SDS number
 1JV

 Materion Code
 1JV

 CAS number
 7440-55-3

Synonyms Gallium

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Materion Electronic Materials

Address 6070 Parkland Blvd

Mayfield Heights, Ohio 44124

**United States** 

**Telephone** 1.216.383.4019

E-mail Materion-PS@materion.com

Contact person Product Stewardship Director

Emergency phone number See Section 16

2. Hazard(s) identification

Physical hazardsCorrosive to metalsCategory 1Health hazardsSkin corrosion/irritationCategory 1Serious eye damage/eye irritationCategory 1

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May be corrosive to metals. Causes severe skin burns and eye damage. Causes serious eye

damage.

Precautionary statement

Prevention Keep only in original container. Wash thoroughly after handling. Wear protective gloves/protective

clothing/eye protection/face protection.

**Response** If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated

clothing and wash it before reuse. Absorb spillage to prevent material damage.  $\label{eq:clothing}$ 

**Storage** Store locked up. Store in corrosive resistant container with a resistant inner liner.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone,

classified (HNOC) email or on the company website.

**Supplemental information** For further information, please contact the Product Stewardship Department at +1.800.862.4118.

Material name: Gallium (Ga)

# 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
Gallium	Gallium	7440-55-3	100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician

or poison control center immediately.

Skin contact Take off immediately all contaminated clothing. Take off immediately all contaminated clothing.

Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical

burns must be treated by a physician. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important

symptoms/effects, acute and

delayed

May cause temporary blindness and severe eye damage. Burning pain and severe corrosive skin damage. Causes serious eye damage. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special treatment

needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

# Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Wear suitable protective equipment.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

None known.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

**Environmental precautions** 

Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Absorb spillage to prevent material damage. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid discharge into drains, water courses or onto the ground.

Material name: Gallium (Ga) SDS US

# 7. Handling and storage

Precautions for safe handling Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Wear appropriate

personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

Occupational exposure limits This substance has no PEL, TLV, or other recommended exposure limit.

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If

applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency

shower must be available when handling this product.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Solid.

ColorNot available.OdorNot available.Odor thresholdNot available.pHNot available.

Melting point/freezing point 85.6 °F (29.78 °C)
Initial boiling point and boiling 4352 °F (2400 °C)

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

**Vapor pressure** <0.0000001 kPa (77 °F (25 °C))

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Material name: Gallium (Ga) SDS US

1JV Version #: 04 Revision date: 05-31-2024 Issue date: 05-27-2015

Partition coefficient

(n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Viscosity Not available.

Other information

Density 6.09 g/cm3 estimated at 29.8 °C

1.82 mPa.s Dynamic viscosity **Explosive properties** Not explosive.

Kinematic viscosity 0.2985 mm<sup>2</sup>/s estimated

Molecular formula Ga

Molecular weight 69.72 g/mol Oxidizing properties Not oxidizing 6.09 at 29.8 °C Specific gravity

709 mN/m (86 °F (30 °C)) Surface tension

# 10. Stability and reactivity

Reactivity May be corrosive to metals.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

occur.

reactions

Conditions to avoid

Contact with incompatible materials.

Incompatible materials Hazardous decomposition Strong oxidizing agents. Metals.

products

No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system.

Skin contact Causes severe skin burns.

Eye contact Causes severe eye burns. Causes serious eye damage.

Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

No dangerous reaction known under conditions of normal use. Hazardous polymerization does not

blindness could result.

Information on toxicological effects

Acute toxicity Causes severe skin burns and eye damage. Not known.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes severe eye burns. Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible. Skin sensitization Due to lack of data the classification is not possible. Due to lack of data the classification is not possible. Germ cell mutagenicity

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

## IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

SDS US Material name: Gallium (Ga)

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** Due to lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to lack of data the classification is not possible.

**Aspiration hazard** Due to lack of data the classification is not possible.

Further information This product has no known adverse effect on human health.

12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

This material and its container must be disposed of as hazardous waste. Dispose of this material

and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

UN number UN2803 UN proper shipping name Gallium

Transport hazard class(es)

Class 8
Subsidiary risk Label(s) 8
Packing group III

**Environmental hazards** 

Marine pollutant No.

**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

Special provisionsT1, TP33Packaging exceptions154Packaging non bulk162

Material name: Gallium (Ga)

1JV Version #: 04 Revision date: 05-31-2024 Issue date: 05-27-2015

Packaging bulk 240

**IATA** 

UN number UN2803 UN proper shipping name Gallium

Transport hazard class(es)

Class 8
Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 8L

Special precautions for user

Other information

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

**IMDG** 

UN number UN2803
UN proper shipping name GALLIUM
Transport hazard class(es)

Class 8
Subsidiary risk Packing group III

**Environmental hazards** 

 $\begin{tabular}{ll} \begin{tabular}{ll} \beg$ 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

#### DOT



# IATA; IMDG



# 15. Regulatory information

**US federal regulations** All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

**Toxic Substances Control Act (TSCA)** 

Material name: Gallium (Ga) SDS US

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### SARA 304 Emergency release notification

Not regulated.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Corrosive to metal Categories Skin corrosion or irritation

Serious eye damage or eye irritation

#### SARA 313 (TRI reporting)

Not regulated.

# Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

# 16. Other information, including date of preparation or last revision

 Issue date
 05-27-2015

 Revision date
 05-31-2024

Version # 04

Further information Transportation Emergency

Call Chemtrec at: US: 800.424.9300

International: 703.741.5970 Spain: 900.868.538 Switzerland: 0800.564.402

Chemtrec's toll free, mobile-enabled number in Germany – 0800 1817059

South Korea Toll-free Number - 080-880-0468

**References** ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Material name: Gallium (Ga) SDS US

# Disclaimer

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

**Revision information** 

This document has undergone significant changes and should be reviewed in its entirety.

Material name: Gallium (Ga)