# MATERION

# SAFETY DATA SHEET

#### 1. Identification

Product identifier Iron Arsenide (FeAs2)

Other means of identification

SDS number 1LB Materion Code 1LB

**CAS number** 12006-21-2

Synonyms Iron diarsenide \* Iron arsenide (FeAs2)

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Materion Advanced Chemicals Inc.

Address 407 N 13th Street

1316 W. St. Paul Avenue Milwaukee, WI 53233

**United States** 

**Telephone** 414.212.0257

**E-mail** advancedmaterials@materion.com

Contact person Laura Hamilton

Emergency phone number Chemtrec 800.424.9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 3

Acute toxicity, inhalation Category 3
Carcinogenicity Category 1

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

OSHA defined hazards Not classified.

Label elements





Signal word Danger

Hazard statement Toxic if swallowed. Toxic if swallowed. May cause cancer. Toxic if inhaled. May cause cancer.

Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust/fume. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and

keep comfortable for breathing. Call a poison center/doctor. Specific treatment (see this label).

Rinse mouth. Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Material name: Iron Arsenide (FeAs2)

SDS US

1LB Version #: 03 Revision date: 01-11-2018 Issue date: 12-03-2013

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

# Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	<u></u>
Iron arsenide	Iron diarsenide	12006-21-2	90 - 100
	Iron arsenide (FeAs2)		

# 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

> artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a POISON CENTER or doctor/physician.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without

> advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

# 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Fire fighting

Wear suitable protective equipment.

equipment/instructions

Use water spray to cool unopened containers. Water runoff can cause environmental damage.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### Accidental release measures

Personal precautions, protective equipment and emergency procedures

Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Material name: Iron Arsenide (FeAs2)

# Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

#### **Environmental precautions**

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

# 7. Handling and storage

#### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Avoid breathing dust. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place.

# 8. Exposure controls/personal protection

#### Occupational exposure limits

#### **US. ACGIH Threshold Limit Values**

Material	Туре	Value	
Iron arsenide (CAS 12006-21-2)	TWA	0.01 mg/m3	
US. NIOSH: Pocket Guide to Ch	nemical Hazards		
Material	Type	Value	

#### Iron arsenide (CAS 0.002 mg/m3 Ceiling

12006-21-2)

# US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Material	Туре	Value
Iron arsenide (CAS 12006-21-2)	PEL	0.01 mg/m3
	TWA	0.005 mg/m3

# **Biological limit values**

# **ACGIH Biological Exposure Indices**

Material	Value	Determinant	Specimen	Sampling Time	
Iron arsenide (CAS 12006-21-2)	35 µg/l	Inorganic arsenic, plus methylated metabolites, as As	Urine	*	

<sup>\* -</sup> For sampling details, please see the source document.

Material name: Iron Arsenide (FeAs2)

SDS US

#### **Exposure guidelines**

#### US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Iron arsenide (CAS 12006-21-2)

Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Keep away from food and drink. Always observe good personal hygiene measures, such as

washing after handling the material and before eating, drinking, and/or smoking.

#### Physical and chemical properties

# **Appearance**

Physical state Solid.
Form Solid.

Color Not available.

Odor Not available.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

# Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Not available.

Not available.

Not available.

Not available.

Not available.

Solubility(ies)

Solubility (water)

Not available.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Explosive properties** Not explosive.

Molecular formula As2Fe

Oxidizing properties Not oxidizing.

# Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

Not available.

Conditions to avoid Contact with incompatible materials.

Incompatible materials None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

**Inhalation** Toxic if inhaled.

Skin contact Due to lack of data the classification is not possible.

Eye contact Due to lack of data the classification is not possible.

**Ingestion** Toxic if swallowed. Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

Acute toxicity

Toxic if swallowed. Toxic if inhaled. Toxic if swallowed.

Skin corrosion/irritation

Due to lack of data the classification is not possible.

Due to lack of data the classification is not possible.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Due to lack of data the classification is not possible.

Skin sensitization

Due to lack of data the classification is not possible.

Germ cell mutagenicity

Due to lack of data the classification is not possible.

**Carcinogenicity** May cause cancer.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Iron arsenide (CAS 12006-21-2) 1 Carcinogenic to humans.

# OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Iron arsenide (CAS 12006-21-2) Cancer

#### US. National Toxicology Program (NTP) Report on Carcinogens

Iron arsenide (CAS 12006-21-2) Known To Be Human Carcinogen.

**Reproductive toxicity**Due to lack of data the classification is not possible. **Specific target organ toxicity -**Due to lack of data the classification is not possible.

single exposure

Specific target organ toxicity -

repeated exposure

Due to lack of data the classification is not possible.

**Aspiration hazard** Due to lack of data the classification is not possible.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

Material name: Iron Arsenide (FeAs2)

# 12. Ecological information

**Ecotoxicity**Very toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

#### 14. Transport information

DOT

UN number UN1557

**UN proper shipping name** Arsenic compounds, solid, n.o.s. inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenic

sulfides, n.o.s.; and organic compounds of arsenic, n.o.s.

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk Label(s) 6.1
Packing group II

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB8, IP2, IP4, T3, TP33

Packaging exceptions 153
Packaging non bulk 212
Packaging bulk 242

IATA

UN number UN1557

**UN proper shipping name** Arsenic compounds, solid, n.o.s. inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenites

sulfides, n.o.s.; and organic compounds of arsenic, n.o.s.

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk Label(s) 6.1
Packing group II
Environmental hazards No.

Special precautions for user Not available.

**IMDG** 

UN number UN1557

**UN proper shipping name** Arsenic compounds, solid, n.o.s. inorganic, including arsenates, n.o.s.; arsenites, n.o.s.; arsenic

sulfides, n.o.s.; and organic compounds of arsenic, n.o.s.

# Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk Label(s) 6.1
Packing group II

**Environmental hazards** 

Marine pollutant No.

EmS Not available.

Special precautions for user Not available.

#### DOT



# IATA; IMDG



# 15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Iron arsenide (CAS 12006-21-2) Cancer

Liver Skin

Respiratory irritation Nervous system Acute toxicity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Chemical name CAS number % by wt. 12006-21-2 Iron arsenide 90 - 100

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Iron arsenide (CAS 12006-21-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) Section 112(r) (40 CFR

Priority pollutant Toxic pollutant

68.130)

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations WARNING: This product contains a chemical known to the State of California to cause cancer.

California Proposition 65

WARNING: WARNING: This product contains a chemical known to the State of California to cause cancer.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Iron arsenide (CAS 12006-21-2) Listed: February 27, 1987

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Iron arsenide (CAS 12006-21-2)

# 16. Other information, including date of preparation or last revision

12-03-2013 Issue date Revision date 01-11-2018

Version # 03

Disclaimer Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information

> and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws,

statutes and regulations.

Material name: Iron Arsenide (FeAs2)

1LB Version #: 03 Revision date: 01-11-2018 Issue date: 12-03-2013