

SAFETY DATA SHEET

1. Identification

Product identifier Catalyst for Silver Epoxy

Other means of identification

SDS number 1ZK Materion Code 1ZK

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Materion Advanced Chemicals Inc.

Address 407 N 13th Street

1316 W. St. Paul Avenue Milwaukee, WI 53233

United States

Telephone 414.212.0290

E-mail advancedmaterials@materion.com

Contact person Laura Hamilton

Emergency phone number Chemtrec 800.424.9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Acute toxicity, dermal

Acute toxicity, inhalation

Category 4

Sensitization, skin

Category 1

Reproductive toxicity (fertility, the unborn

Category 1B

child)

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

OSHA defined hazards Combustible dust

Label elements



Signal word Warning

Hazard statement The mixture does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: Catalyst for Silver Epoxy

1ZK Version #: 03 Revision date: 05-08-2020 Issue date: 03-10-2016

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Silver		7440-22-4	0 - 80
RM Tetrahydrofurfuryl Alcohol		97-99-4	0 - 5
RM Aliphatic Glycidyl Ether		30499-70-8	0 - 3
Other components below reportal	ole levels		12 - 92

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

IngestionRinse mouth. Get medical attention if symptoms occur.Most importantDirect contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment

needed

Treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Use water spray to cool unopened containers.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

Accidental release measures

Personal precautions, protective equipment and emergency

procedures

Keep unnecessary personnel away.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Handling and storage

Precautions for safe handling Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, Store in original tightly closed container. **including any incompatibilities**

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Silver (CAS 7440-22-4)	PEL	0.01 mg/m3

Material name: Catalyst for Silver Epoxy
1ZK Version #: 03 Revision date: 05-08-2020 Issue date: 03-10-2016

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Silver (CAS 7440-22-4)	TWA	0.1 mg/m3	Dust and fume.
US. NIOSH: Pocket Guide to Cher	mical Hazards		
Components	Туре	Value	Form
Silver (CAS 7440-22-4)	TWA	0.01 mg/m3	Dust.
US. California Code of Regulations	s, Title 8, Section 5155. Airborne	Contaminants	
Components	Туре	Value	
Silver (CAS 7440-22-4)	PEL	0.01 mg/m3	
US. Workplace Environmental Exp	osure Level (WEEL) Guides		
Components	Туре	Value	
RM Tetrahydrofurfuryl	TWA	2 mg/m3	
Alcohol (CAS 97-99-4)			

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

0.5 ppm

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Solid.

ColorNot available.OdorNot available.Odor thresholdNot available.pHNot available.

Melting point/freezing point -112 °F (-80 °C) estimated
Initial boiling point and boiling 352.4 °F (178 °C) estimated

range

Flash point 167.0 °F (75.0 °C) estimated

Evaporation rate Not available.
Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower 1.5 % estimated

(%)

Flammability limit - upper

(%)

9.7 % estimated

0.06 hPa estimated

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor density Not available. Relative density Not available.

Solubility(ies)

Vapor pressure

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

540 °F (282.22 °C) estimated Auto-ignition temperature

Decomposition temperature Not available. Viscosity Not available.

Other information

Density 9.93 g/cm3 estimated

Explosive properties Not explosive. Oxidizing properties Not oxidizing. Specific gravity 9.94 estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Ammonia. Chlorine.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Test Results Components **Species**

RM Tetrahydrofurfuryl Alcohol (CAS 97-99-4)

Acute Oral

LD50 Rat 1.6 g/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Material name: Catalyst for Silver Epoxy

^{*} Estimates for product may be based on additional component data not shown.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Not a respiratory sensitizer. Respiratory sensitization

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN2259 **UN number**

UN proper shipping name Transport hazard class(es) Triethylenetetramine

Class 8 Subsidiary risk

Packing group Not available. Special precautions for user

Material name: Catalyst for Silver Epoxy

Not available.

IATA

UN number UN2259

UN proper shipping name Triethylenetetramine

Transport hazard class(es)

Class 8 Subsidiary risk -

Packing group Not available.

Environmental hazards No.

Special precautions for user Not available.

IMDG

UN number UN2259

UN proper shipping name Triethylenetetramine

Transport hazard class(es)

Class 8
Subsidiary risk -

Packing group Not available.

Environmental hazards

Marine pollutant No.

EmS Not available.

Special precautions for user Not available.

DOT



IATA; IMDG



15. Regulatory information

US federal regulationsOne or more components are not listed on TSCA.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Silver (CAS 7440-22-4) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Yes

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

Classified hazard Combustible dust

categories Acute toxicity (any route of exposure)

Respiratory or skin sensitization

Reproductive toxicity

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Silver	7440-22-4	0 - 80	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

RM Tetrahydrofurfuryl Alcohol (CAS 97-99-4)

Silver (CAS 7440-22-4)

16. Other information, including date of preparation or last revision

 Issue date
 03-10-2016

 Revision date
 05-08-2020

Version # 03

Disclaimer Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information

and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws,

statutes and regulations.

Material name: Catalyst for Silver Epoxy

SDS US