MATERION

SAFETY DATA SHEET

1. Identification

Product identifier Selenium pieces

Other means of identification

SDS number 2AF Materion Code 2AF

CAS number 7782-49-2

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Materion Advanced Chemicals Inc.

Address 407 N 13th Street

1316 W. St. Paul Avenue Milwaukee, WI 53233

United States

Telephone 414.212.0257

E-mail advancedmaterials@materion.com

Contact person Noreen Atkinson

Emergency phone number Chemtrec 800.424.9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 3

Acute toxicity, inhalation Category 3
Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Toxic if swallowed or if inhaled. Suspected of damaging fertility or the unborn child. Causes

damage to organs (). Causes damage to organs (respiratory system) through prolonged or repeated exposure. Very toxic to aquatic life. Harmful to aquatic life. Very toxic to aquatic life with

long lasting effects. May cause long lasting harmful effects to aquatic life.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

Avoid release to the environment.

Response If swallowed: Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and

keep comfortable for breathing. Get medical advice/attention if you feel unwell. Specific treatment

(see this label). Rinse mouth. Collect spillage.

Material name: Selenium pieces

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone,

email or on the company website.

Supplemental information None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Selenium		7782-49-2	90 - 100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if

victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control

center immediately.

Skin contact Wash the skin immediately with soap and water. Get medical attention if irritation develops and

persists.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without

advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment

needed

enlargement. Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. In case of shortness of breath,

Decrease in motor functions. Behavioral changes. Narcosis. Headache. Jaundice. Liver

give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information In case of shortness of breath, give oxygen. IF exposed or concerned: Get medical

advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Keep victim under

observation. Keep victim warm.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters
Fire fighting

equipment/instructions

Wear suitable protective equipment.

Powder. Foam. Carbon dioxide (CO2).

Water runoff can cause environmental damage.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

During fire, gases hazardous to health may be formed.

General fire hazardsNo unusual fire or explosion hazards noted.

Material name: Selenium pieces SDS US

Do not use water jet as an extinguisher, as this will spread the fire.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect dust using a vacuum cleaner equipped with HEPA filter.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Refer to special instructions/safety data sheets. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Avoid contact during pregnancy/while nursing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep locked up. Store in a place accessible by authorized persons only. Store in a cool, dry place out of direct sunlight. Use appropriate container to avoid environmental contamination. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Туре	Value	
Selenium (CAS 7782-49-2)	PEL	0.2 mg/m3	
US. ACGIH Threshold Limit \	/alues		
Material	Туре	Value	
Selenium (CAS 7782-49-2)	TWA	0.2 mg/m3	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Material	Туре	Value	
Selenium (CAS 7782-49-2)	TWA	0.2 mg/m3	
US. California Code of Regul	ations, Title 8, Section 5155. Airborne	Contaminants	
Material	Туре	Value	
Selenium (CAS 7782-49-2)	PEL	0.2 mg/m3	
ogical limit values	No biological exposure limits noted for the ingredient(s).		

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Control parameters Follow standard monitoring procedures.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece,

dust and mist filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using, do not eat, drink or smoke. Do not get in eyes. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking.

9. Physical and chemical properties

AppearancePowder.Physical stateSolid.FormPowder.

Odor Not available.
Odor threshold Not available.
pH Not available.

Melting point/freezing point 356 °F (180 °C)

429.8 °F (221 °C)

Not available.

Initial boiling point and boiling

range

Color

1265 °F (685 °C)

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not ava

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure > 0.0001 kPa at 20 °C

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient

Not available.

(n-octanol/water)

Not available. Auto-ignition temperature **Decomposition temperature** Not available. Viscosity Not available.

Other information

Density 4.28 g/cm3

> 4.39 g/cm3 4.81 g/cm3

70 mPa.s Dynamic viscosity

221 mPa.s

Explosive properties Not explosive.

Kinematic viscosity 16.36 mm²/s estimated

Molecular formula Se

Oxidizing properties Not oxidizing.

Specific gravity 4.28 4.39

4.81

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

Conditions to avoid

reactions

occur.

Incompatible materials Acids. Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

Contact with incompatible materials.

11. Toxicological information

Information on likely routes of exposure

Inhalation Toxic if inhaled. May cause damage to organs through prolonged or repeated exposure by

inhalation.

Skin contact Due to lack of data the classification is not possible. Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Toxic if swallowed. Toxic if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Behavioral changes. Decrease in motor functions. Narcosis. Headache. Jaundice. Liver

No dangerous reaction known under conditions of normal use. Hazardous polymerization does not

enlargement. Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Toxic if swallowed. Toxic if inhaled. Toxic if swallowed. Skin corrosion/irritation Due to lack of data the classification is not possible. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible. Skin sensitization Due to lack of data the classification is not possible. Germ cell mutagenicity Due to lack of data the classification is not possible.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

SDS US Material name: Selenium pieces

IARC Monographs. Overall Evaluation of Carcinogenicity

Selenium (CAS 7782-49-2)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Causes damage to organs ().

Specific target organ toxicity -

repeated exposure

Causes damage to organs () through prolonged or repeated exposure. May cause damage to

organs through prolonged or repeated exposure.

Aspiration hazard Due to lack of data the classification is not possible.

Chronic effects Causes damage to organs through prolonged or repeated exposure. May cause damage to

organs through prolonged or repeated exposure. Prolonged inhalation may be harmful.

12. Ecological information

EcotoxicityVery toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Product Species Test Results

Selenium (CAS 7782-49-2)

Aquatic

Fish LC50 Rainbow trout,donaldson trout 11.5 mg/l, 96 hours (Oncorhynchus mykiss)

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Avoid discharge into water courses or onto the ground.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

^{*} Estimates for product may be based on additional component data not shown.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Selenium (CAS 7782-49-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Selenium
 7782-49-2
 90 - 100

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Selenium (CAS 7782-49-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) Priority pollutant
Section 112(r) (40 CFR Toxic pollutant

68.130)

Safe Drinking Water Act 0.05 mg/l (SDWA) 0.05 mg/l

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Selenium (CAS 7782-49-2)

16. Other information, including date of preparation or last revision

 Issue date
 05-26-2015

 Revision date
 01-15-2018

Version # 03

References ACGIH

Disclaimer

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

03. IAIXE Monographs on Occupational Exposures to Chemical Agent

Additional information is given in the Material Safety Data Sheet. Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Material name: Selenium pieces SDS US

2AF Version #: 03 Revision date: 01-15-2018 Issue date: 05-26-2015