

SAFETY DATA SHEET

1. Identification

Product identifier Titanium hydride

Other means of identification

SDS number 2BE **Materion Code** 2BE

CAS number 7704-98-5

TITANIUM HYDRIDE * Titanium hydride (TiH2) * Titanium dihydride **Synonyms**

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Materion Advanced Chemicals Inc. Company name

Address 407 N 13th Street

> 1316 W. St. Paul Avenue Milwaukee. WI 53233

United States

Telephone 414.212.0257

E-mail advancedmaterials@materion.com

Laura Hamilton Contact person

Emergency phone number Chemtrec 800.424.9300

2. Hazard(s) identification

Physical hazards Flammable solids Category 2

Health hazards Not classified. **Environmental hazards** Not classified. OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Flammable solid.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and

receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Wear

protective gloves/eye protection/face protection.

Response In case of fire: Use appropriate media to extinguish.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone, classified (HNOC) email or on the company website.

Supplemental information For further information, please contact the Product Stewardship Department at +1.800.862.4118.

Composition/information on ingredients

Substances

Hazard(s) not otherwise

Material name: Titanium hydride SDS US

2BE Version #: 05 Revision date: 12-09-2019 Issue date: 05-18-2015

Chemical name CAS number % Common name and synonyms TITANIUM HYDRIDE 7704-98-5 100 Titanium hydride Titanium hydride (TiH2) Titanium dihydride

DSD: Directive 67/548/EEC. CLP: Regulation No. 1272/2008.

#: This substance has been assigned Community workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

Composition comments The full text for all R- and H-phrases is displayed in section 16.

4. First-aid measures

Inhalation Move to fresh air.

Skin contact Take off immediately all contaminated clothing. Rinse with water. Get medical attention if irritation

develops and persists.

Eye contact Do not rub eyes. Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment

needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media

General information

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Specific methods

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also consider initial evacuation for 800 meters (1/2 mile) in all directions. ALWAYS stay away from tanks engulfed in flame. Move containers from fire area if you can do so without risk. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Flammable solid. No unusual fire or explosion hazards noted.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

SDS US Material name: Titanium hydride

Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into

drains, water courses or onto the ground.

7. Handling and storage

Environmental precautions

Precautions for safe handling Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

May be ignited by open flame. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

This substance has no PEL, TLV, or other recommended exposure limit.

Biological limit values No biological exposure limits noted for the ingredient(s).

dust levels are high.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear eye/face protection. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing. Wear protective gloves.

Respiratory protection No personal respiratory protective equipment normally required. In case of insufficient ventilation,

wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Solid.

Color Not available.

Odor Not available.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Material name: Titanium hydride SDS US

2BE Version #: 05 Revision date: 12-09-2019 Issue date: 05-18-2015

Initial boiling point and boiling

range

Not available.

Flash point Not available.

Evaporation rate Not available. Flammability (solid, gas) Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density 3.91 g/cm3 Relative density

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Viscosity Not available.

Other information

Explosive properties Not explosive.

H2Ti Molecular formula

Oxidizing properties Not oxidizing.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Risk of ignition. Possibility of hazardous Not available.

reactions

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents. Alcohols. Amines.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Due to lack of data the classification is not possible. Skin contact Due to lack of data the classification is not possible. Eye contact Due to lack of data the classification is not possible. Ingestion Due to lack of data the classification is not possible.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not available.

SDS US Material name: Titanium hydride

Due to lack of data the classification is not possible. Skin corrosion/irritation Serious eye damage/eye

irritation

Due to lack of data the classification is not possible.

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible. Skin sensitization Due to lack of data the classification is not possible. Germ cell mutagenicity Due to lack of data the classification is not possible.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to lack of data the classification is not possible. Specific target organ toxicity -Due to lack of data the classification is not possible.

single exposure

Specific target organ toxicity repeated exposure

Due to lack of data the classification is not possible.

Aspiration hazard Due to lack of data the classification is not possible.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

No data available. Bioaccumulative potential Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not discharge into drains, water courses or onto the ground. Do not allow this material to drain into sewers/water supplies. Do not

contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Avoid discharge into water courses or onto the ground.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN1871

UN proper shipping name

Titanium hydride

Transport hazard class(es)

Class 4.1

SDS US Material name: Titanium hydride

Subsidiary risk Label(s) 4.1
Packing group II

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions A19, A20, IB4, N34, T3, TP33

Packaging exceptionsNonePackaging non bulk212Packaging bulk241

IATA

UN number UN1871

UN proper shipping name Titanium hydride

Transport hazard class(es)

Class 4.1
Subsidiary risk Packing group II
Environmental hazards No.
ERG Code 3W

Special precautions for user

Other information

Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN1871

UN proper shipping name TITA

Transport hazard class(es)

TITANIUM HYDRIDE

Class 4.1
Subsidiary risk Packing group II

Environmental hazards

Marine pollutant No. EmS F-A, S-G

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT



IATA; IMDG



Material name: Titanium hydride SDS US

15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Yes

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

16. Other information, including date of preparation or last revision

 Issue date
 05-18-2015

 Revision date
 12-09-2019

Version # 05
References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Material name: Titanium hydride SDS US

2BE Version #: 05 Revision date: 12-09-2019 Issue date: 05-18-2015

Disclaimer

Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. Additional information is given in the Material Safety Data Sheet.

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.