MATERION

SAFETY DATA SHEET

1. Identification

Product identifier Barium Molybdate (BaMoO4) powder

Other means of identification

SDS number 1CZ Materion Code 1CZ

CAS number 7787-37-3

Synonyms Barium molybdate

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Materion Advanced Chemicals Inc.

Address 407 N 13th Street

1316 W. St. Paul Avenue Milwaukee, WI 53233

United States

Telephone 414.212.0257

E-mail advancedmaterials@materion.com

Contact person Noreen Atkinson

Emergency phone number Chemtrec 800.424.9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Acute toxicity, inhalation Category 4

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Harmful if swallowed or if inhaled. Causes skin irritation. Causes serious

eye irritation. May cause respiratory irritation.

Precautionary statement

Prevention Wear eye/face protection. Avoid breathing dust/fume. Wash thoroughly after handling. Do not eat,

drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear

protective gloves.

Response If swallowed: Call a poison center/doctor if you feel unwell. IF ON SKIN: Wash with plenty of soap

and water. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor. Specific treatment (see this label). Rinse mouth.

If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Not available.

Material name: Barium Molybdate (BaMoO4) powder

SDS US

Hazard(s) not otherwise classified (HNOC)

The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone,

email or on the company website.

Supplemental information

None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	<u>%</u>
Barium molybdate	Barium molybdate	7787-37-3	90 - 100

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret. #: This substance has been assigned Community workplace exposure limit(s).

Composition comments

The full text for all R- and H-phrases is displayed in section 16.

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Move to fresh air. If symptoms develop move victim to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact

Before washing use a dry brush to remove dust from skin. Remove contaminated clothing. Remove and isolate contaminated clothing and shoes. Wash the skin immediately with soap and water. Immediately flush skin with plenty of water. Call a physician or poison control center immediately. For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Rinse cautiously with water for several minutes. Flush eyes with water as a precaution. If a contact lens is present, DO NOT delay irrigation or attempt to remove the lens. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately. Call a physician or poison control center immediately.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If swallowed, seek medical advice immediately and show this container or label. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Rinse mouth thoroughly. Never give anything by mouth to a victim who is unconscious or is having convulsions. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If ingestion of a large amount does occur, call a poison control center immediately.

Most important symptoms/effects, acute and delayed Irritation of eyes and mucous membranes.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Oxygen, if needed. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Get medical attention if symptoms occur. Show this safety data sheet to the doctor in attendance. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Water.

Unsuitable extinguishing media

Specific hazards arising from

the chemical

None known. Not applicable.

Special protective equipment

and precautions for firefighters

Wear suitable protective equipment.

Fire fighting

equipment/instructions

In the event of fire, cool tanks with water spray.

Specific methods

Cool containers exposed to flames with water until well after the fire is out.

General fire hazards

No unusual fire or explosion hazards noted.

Accidental release measures

Personal precautions, protective equipment and emergency procedures

Local authorities should be advised if significant spillages cannot be contained. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Do not breathe dust. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Avoid prolonged exposure. Do not get this material on clothing. Use only outdoors or in a well-ventilated area. Wear personal protective equipment. When using, do not eat, drink or smoke. Wash thoroughly after handling. Handle and open container with care.

Conditions for safe storage, including any incompatibilities CAUTION Keep locked up. Store in a closed container away from incompatible materials. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep away from food, drink and animal feedingstuffs. Keep out of the reach of children. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

Material	Туре	Value	Form
Barium molybdate (CAS 7787-37-3)	PEL	15 mg/m3	Total dust.
US. ACGIH Threshold Limit Values	.		
Material	Туре	Value	Form
Barium molybdate (CAS 7787-37-3)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Material	Туре	Value	
Barium molybdate (CAS 7787-37-3)	TWA	0.5 mg/m3	
US. California Code of Regulations	, Title 8, Section 5155. Airborne	Contaminants	
Material	Туре	Value	Form
Barium molybdate (CAS 7787-37-3)	PEL	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.

Material name: Barium Molybdate (BaMoO4) powder

SDS US

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines No exposure standards allocated.

Control parameters Follow standard monitoring procedures.

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical goggles are recommended. Face-shield. Eye wash fountain is recommended.

Skin protection

Hand protection Wear protective gloves. Not normally needed.

Other Wear suitable protective clothing. Chemical resistant gloves. Wear chemical protective equipment

that is specifically recommended by the manufacturer. It may provide little or no thermal protection.

Respiratory protection Wear positive pressure self-contained breathing apparatus (SCBA).

Thermal hazards Not available.

General hygiene considerations When using, do not eat, drink or smoke. Do not breathe dust. Do not get in eyes. Do not get this

material in contact with skin. Avoid contact with clothing. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and

safety practice.

Physical and chemical properties

Appearance

Physical state Solid.
Form Solid.

Color Not available.

Odor Not available.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash pointNot available.Evaporation rateNot available.Flammability (solid, gas)Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

E1 - - - - - - 1-194 - P - - 14

Flammability limit - upper

Not available.

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Molecular formula Ba.MoO4

10. Stability and reactivity

Reactivity Not available.

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use. Hazardous polymerization does not

occur.

Conditions to avoid None under normal conditions.

Incompatible materials None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contact Causes skin irritation. Frequent or prolonged contact may defat and dry the skin, leading to

discomfort and dermatitis.

Eye contact Causes serious eye irritation.

Harmful if swallowed. Ingestion

Symptoms related to the

physical, chemical and toxicological characteristics Irritant effects.

Information on toxicological effects

Acute toxicity Harmful if inhaled. Harmful if swallowed. May cause respiratory irritation.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Due to lack of data the classification is not possible.

Skin sensitization Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

Due to lack of data the classification is not possible.

Germ cell mutagenicity Due to lack of data the classification is not possible. Hazardous by WHMIS criteria. Cancer hazard. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Respiratory tract irritation.

Specific target organ toxicity -

Due to lack of data the classification is not possible.

repeated exposure

Aspiration hazard Due to lack of data the classification is not possible.

Chronic effects Hazardous by WHMIS criteria. Prolonged inhalation may be harmful. Prolonged exposure may

cause chronic effects.

Further information This product has no known adverse effect on human health.

Material name: Barium Molybdate (BaMoO4) powder

12. Ecological information

Ecotoxicity No ecotoxicity data noted for the ingredient(s).

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Mobility in soil Not available.

Other adverse effects Not available.

13. Disposal considerations

Disposal instructions Contract with a disposal operator licensed by the Law on Disposal and Cleaning. This material and

its container must be disposed of as hazardous waste. Incinerate the material under controlled conditions in an approved incinerator. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of contents/container (in accordance with related regulations). Collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial

waste.

Hazardous waste code D005: Waste Barium

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Avoid discharge into water courses or onto the ground. Not applicable.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN1564

UN proper shipping name

Barium compounds, n.o.s.

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk -Label(s) 6.1 Packing group III

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling. Read safety

instructions, SDS and emergency procedures before handling.

Special provisions IB8, IP3, T1, TP33

Packaging exceptions 153
Packaging non bulk 213
Packaging bulk 240

IATA

UN number UN1564

UN proper shipping name Barium compounds, n.o.s.

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Label(s) 6.1
Packing group III
Environmental hazards No.

Special precautions for user

Not available.

IMDG

UN number UN1564

UN proper shipping name Barium compounds, n.o.s.

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Label(s) 6.1
Packing group III

Environmental hazards

Marine pollutant No.

EmS Not available.

Special precautions for user Not available.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Barium molybdate (CAS 7787-37-3) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.Barium molybdate7787-37-390 - 100

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act 2 mg/l (SDWA) 2 mg/l

Contaminate candidate list

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material

is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

 Issue date
 05-17-2015

 Revision date
 01-10-2018

Version # 02

Further information HMIS® is a registered trade and service mark of the NPCA.

Material name: Barium Molybdate (BaMoO4) powder

1CZ Version #: 02 Revision date: 01-10-2018 Issue date: 05-17-2015 8 / 9

ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Korea. Accidental Release Prevention Substances (Presidential Decree of Toxic Chemical Control Law, Executive Order No. 19203)

Korea. Dangerous Substances Threshold Quantity (Presidential Decree of Dangerous Substances Safety Management Act No. 18406, Schedule 1)

Korea. Harmful Substances Prohibited from Manufacturing (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 29)

Korea. Harmful Substances Requiring Permission for Manufacture or Use (Presidential Decree on the Industrial Safety and Health Act (No. 13053), Article 30)

Korea. Non-Toxic Chemicals List (National Institute of Environment Research (NIER) Public Notice No. 1997-10, as amended)

Korea. Observational Chemicals (Ministerial Decree of TCCL Article 6)

Korea. OELs. Regulation for Permitted Concentration of Hazardous Substances (Ministry of Labor (MOL) Public Notice No. 1986-45, as amended)

Korea. Prohibited Chemical Substances (TCCL Article 11)

Korea. Regulated volatile organic compounds (VOCs) (MOE Notice No. 2001-36, March 8, 2001, as amended)

Korea. Restricted Chemical Substances (TCCL Article 11)

Korea. Toxic Chemical Control Law (TCCL), Existing Chemicals Inventory (KECI)

Korea. Toxic Chemical Control Law (TCCL), pre-1997 List

Korea. Toxic Chemicals (TCCL Article 10)

Korea. Toxic Release Inventory (TRI) Chemicals (TCCL Article 14)

Taiwan. Dangerous Materials (Rules on Hazard Communication of Dangerous Materials and Toxic Materials)

Taiwan. Industrial Precursor Chemicals (Categories and Regulations Governing Inspection and Declaration of Industrial Precursor Chemicals, MOEA Decree No. 87, as amended)

Taiwan. OELs. (Standards on Workplace Atmosphere of Dangerous and Hazardous Materials) Taiwan. Toxic Chemical Substances (TCS) (List of Toxic Chemical Substances announced by the Environmental Protection Administration)

Taiwan. Toxic Materials (Rules on Hazard Communication of Dangerous Materials and Toxic Materials)

HSDB® - Hazardous Substances Data Bank

IARC Monographs. Overall Evaluation of Carcinogenicity

National Toxicology Program (NTP) Report on Carcinogens

ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices Japan Society for Occupational Health, Recommendation of Occupational Exposure Limits GOST 30333-2007 - Chemical production safety passport. General requirements

JJIS Z 7250: 2010 Safety data sheet for chemical products-Content and order of sections

JIS Z 7251: 2010 Labeling of chemicals based on GHS

Additional information is given in the Material Safety Data Sheet.

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Disclaimer