# MATERION

# SAFETY DATA SHEET

#### 1. Identification

Product identifier **Barium Tungstate Powder** 

Other means of identification

SDS number 1DI **Materion Code** 1DI

**CAS** number 7787-42-0

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Materion Advanced Chemicals Inc. Company name

Address 407 N 13th Street

> 1316 W. St. Paul Avenue Milwaukee. WI 53233

**United States** 

Telephone 414.212.0257

E-mail advancedmaterials@materion.com

Contact person Laura Hamilton

**Emergency phone number** Chemtrec 800.424.9300

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

> Acute toxicity, inhalation Category 4

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful if swallowed. Harmful if inhaled.

Precautionary statement

Prevention Avoid breathing dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this

product. Use only outdoors or in a well-ventilated area.

Response If swallowed: Call a poison center/doctor if you feel unwell. If inhaled: Remove person to fresh air

and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Rinse mouth.

Store away from incompatible materials. Storage

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Composition/information on ingredients

Substances

Material name: Barium Tungstate Powder

1DI Version #: 02 Revision date: 03-05-2019 Issue date: 01-10-2018

CAS number % Chemical name Common name and synonyms 7787-42-0 100 **Barium Tungstate** 

#### 4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment

needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim

under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Move containers from fire area if you can do so without risk.

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

#### Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# Handling and storage

Precautions for safe handling

Minimize dust generation and accumulation. Avoid breathing dust. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

# 8. Exposure controls/personal protection

# Occupational exposure limits

US. ACGIH	Threshold	Limit \	Values
-----------	-----------	---------	--------

Material	Туре	Value	Form
Barium Tungstate (CAS	TWA	3 mg/m3	Respirable fraction.
7707 42 0\			

7787-42-0)

US. NIOSH: Pocket Guide to Chemical Hazards

MaterialTypeValueBarium Tungstate (CASSTEL10 mg/m3

7787-42-0)

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

 Material
 Type
 Value

 Barium Tungstate (CAS 7787-42-0)
 PEL 5 mg/m3

 STEL 10 mg/m3

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates

should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with

organic vapor cartridge.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Keep away from food and drink. Always observe good personal hygiene measures, such as

washing after handling the material and before eating, drinking, and/or smoking.

# 9. Physical and chemical properties

#### **Appearance**

Physical state Solid.

Solid. Powder Form Color Not available. Odor Not available. Not available. Odor threshold pΗ Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available. range Not available. Flash point **Evaporation rate** Not available.

Material name: Barium Tungstate Powder

Flammability (solid, gas)

D ..........

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure Not available. Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Not available. Auto-ignition temperature Not available. **Decomposition temperature** Not available. Viscosity

Other information

**Explosive properties** Not explosive. Molecular formula Ba.O4W Molecular weight 385.16 g/mol Oxidizing properties Not oxidizing.

Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition No hazardous decomposition products are known.

products

# 11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. Harmful if inhaled. Harmful if swallowed.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Material name: Barium Tungstate Powder

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

**UN number** UN1564

UN proper shipping name Transport hazard class(es) Barium compound, nos (barium tungstate)

Class 6.1(PGIII)

Subsidiary risk

Packing group Not available. Not available. Special precautions for user

Material name: Barium Tungstate Powder

#### **IATA**

UN number UN1564

**UN proper shipping name** Barium compound, nos (barium tungstate)

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk -

Packing group Not available.

Environmental hazards No.

Special precautions for user Not available.

**IMDG** 

UN number UN1564

**UN proper shipping name** Barium compound, nos (barium tungstate)

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk -

Packing group Not available.

**Environmental hazards** 

Marine pollutant No.

EmS Not available.

Special precautions for user Not available.

#### DOT



# IATA; IMDG



# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Barium Tungstate (CAS 7787-42-0) Listed.

SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Classified hazard categories

Acute toxicity (any route of exposure)

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.Barium Tungstate7787-42-0100

# Other federal regulations

# Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

#### California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

# 16. Other information, including date of preparation or last revision

 Issue date
 01-10-2018

 Revision date
 03-05-2019

Version # 02

**Disclaimer** Materion Advanced Chemicals Inc. cannot anticipate all conditions under which this information

and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws,

statutes and regulations.

Material name: Barium Tungstate Powder

SDS US