

SAFETY DATA SHEET

1. Identification

Product identifier	Copper Oxide (CuO)	
Other means of identification		
SDS number	1GC	
Materion Code	1GC	
CAS number	1317-38-0	
Synonyms	Copper oxide * COPPER(II) OXIDE	
Manufacturer/Importer/Supplier/Dis	stributor information	
Manufacturer		
Company name	Materion Advanced Chemicals Inc.	
Address	407 N 13th Street	
	1316 W. St. Paul Avenue	
	Milwaukee, WI 53233	
	United States	
Telephone	414.212.0257	
E-mail	advancedmaterials@materion.com	
Contact person	Noreen Atkinson	
Emergency phone number	Chemtrec 800.424.9300	
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1

OSHA defined hazards

Label elements

Signal word Hazard statement

Hazardous to the aquatic environment,

long-term hazard

Not classified.

Warning

Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Category 1

Precautionary statement Prevention

Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.

Response	If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Copper Oxide (CuO)	Copper oxide COPPER(II) OXIDE	1317-38-0	90 - 100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Nausea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes. Coughing. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Use water spray to cool unopened containers.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect dust using a vacuum cleaner equipped with HEPA filter.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Prevent product from entering drains. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).
a =	

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Material	Туре	Value	Form
Copper Oxide (CuO) (CAS 1317-38-0)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
US. NIOSH: Pocket Guide to	Chemical Hazards		
Material	Туре	Value	Form
Copper Oxide (CuO) (CAS 1317-38-0)	TWA	0.1 mg/m3	Fume.
ological limit values	No biological exposure limits noted	for the ingredient(s).	
propriate engineering controls	Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estat If engineering measures are not suf Occupational Exposure Limit (OEL) ground, cut, or used in any operatio ventilation to keep exposures below emergency shower must be availab	applicable, use process enclosu ntain airborne levels below reco plished, maintain airborne levels ficient to maintain concentration , suitable respiratory protection r n which may generate dusts, us the recommended exposure lin	rres, local exhaust ventilation, mmended exposure limits. If to an acceptable level. s of dust particulates below the must be worn. If material is e appropriate local exhaust
ntrol parameters	Follow standard monitoring procedu	ires.	

Material name: Copper Oxide (CuO) 1GC Version #: 02 Revision date: 01-10-2018 Issue date: 05-27-2015

Individual protection measures, such as personal protective equipment

Eye/face protection	Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.	
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.	
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
eneral hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking.	

9. Physical and chemical properties

Appearance Physical state Solid. Powder. Form Color Not available. Odor Not available. Odor threshold Not available. pН Not available. 2418.8 °F (1326 °C) Melting point/freezing point 1878.8 °F (1026 °C) Initial boiling point and boiling range Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available. (%) Flammability limit - upper Not available. (%) Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. < 0.0000001 kPa at 25 °C Vapor pressure Vapor density Not available. Relative density Not available. Solubility(ies) Solubility (water) Insoluble Partition coefficient Not available. (n-octanol/water) Auto-ignition temperature Not available. 1878.8 °F (1026 °C) **Decomposition temperature** Viscosity Not available. Other information Density 6.31 g/cm3 estimated **Explosive properties** Not explosive. Molecular formula Cu-O

Molecular weight	79.55 g/mol Not oxidizing.
Oxidizing properties Specific gravity	6.32
	0.52
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological information	n
Information on likely routes of exp	osure
Inhalation	May cause damage to organs through prolonged or repeated exposure by inhalation. Dust may irritate respiratory system.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Nausea. Severe eye irritation. Dusts may irritate the respiratory tract, skin and eyes. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. Skin irritation. May cause redness and pain.
Information on toxicological effects	5
Acute toxicity	Harmful if swallowed.
Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall Ev	valuation of Carcinogenicity
Not listed. OSHA Specifically Regulated	Substances (29 CFR 1910.1001-1050)
	ram (NTP) Report on Carcinogens
Not listed. Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful.
Material name: Copper Oxide (CuO)	SDS US

12. Ecological information

Ecotoxicity	Very toxic	to aquatic life with long lasting effects.		
Product		Species	Test Results	
Copper Oxide (CuO) (CAS	1317-38-0)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	0.011 - 0.039 mg/l, 48 hours	
Fish	LC50	Western mosquitofish (Gambusia affinis	s) > 56000 mg/l, 96 hours	
* Estimates for product may	be based on a	additional component data not shown.		
Persistence and degradability	No data is	available on the degradability of this produc	t.	
Bioaccumulative potential	No data av	vailable.		
Mobility in soil	No data av	No data available.		
Other adverse effects		dverse environmental effects (e.g. ozone de endocrine disruption, global warming potentia	· ·	
13. Disposal consideration	าร			
Disposal instructions	this materi with chem	d reclaim or dispose in sealed containers at l al to drain into sewers/water supplies. Do no ical or used container. Dispose of contents/c nal/national/international regulations.	t contaminate ponds, waterways or ditches	
Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			
14. Transport information				

DOT

Not regulated as dangerous goods.

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication
	Standard, 29 CFR 1910.1200.

Listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)	
--	--

Copper Oxide (CuO) (CAS 1317-38-0)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Rea Hazard categories	Immediate Hazard - Ye Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	s	
SARA 302 Extremely hazard Not listed.	lous substance		
SARA 311/312 Hazardous chemical	Yes		
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.
Copper Oxide (CuO)		1317-38-0	90 - 100
Other federal regulations			
Clean Air Act (CAA) Section	112 Hazardous Air Polluta	ints (HAPs) List	
Not regulated. Clean Air Act (CAA) Section Not regulated.	112(r) Accidental Release	Prevention (40 CFR	68.130)
Clean Water Act (CWA) Section 112(r) (40 CFR 68.130)	Priority pollutant Toxic pollutant		
Safe Drinking Water Act (SDWA)	1.3 mg/l 1.3 mg/l		
16. Other information, inclu	ding date of preparat	ion or last revisio	า
ssue date	05-27-2015		
Revision date	01-10-2018		
Version #	02		
Disclaimer	and its product, or the p used. It is the user's re the product, and to ass This document has bee and the information is b as to the accuracy of th under which this inform beyond its control. The	products of other man esponsibility to ensure ume liability for loss, i en prepared using dat pelieved to be correct. the information contain lation and its products user is responsible to	nticipate all conditions under which this information ufacturers in combination with its product, may be safe conditions for handling, storage and disposal of injury, damage or expense due to improper use. a from sources considered to be technically reliable Materion makes no warranties, expressed or implied ed herein. Materion cannot anticipate all conditions may be used and the actual conditions of use are o evaluate all available information when using this with all Federal, State, Provincial and Local laws,

statutes and regulations.