

SAFETY DATA SHEET

1. Identification

Product identifier	Magnesium Oxide (MgO)
Other means of identification	
SDS number	1WX
Materion Code	1WX
CAS number	1309-48-4
Manufacturer/Importer/Supplier/Di	stributor information
Manufacturer	
Company name	Materion Electronic Materials
Address	6070 Parkland Blvd
	Mayfield Heights, Ohio 44124
	United States
Telephone	1.216.383.4019
E-mail	Materion-PS@materion.com
Contact person Emergency phone number	Product Stewardship Director See Section 16
2. Hazard(s) identification	
Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The substance does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	For further information, please contact the Product Stewardship Department at +1.800.862.4118.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Magnesium Oxide (MgO)		1309-48-4	100
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptor	ns develop or persist.	
Skin contact	Wash off with soap and water. Get medical a	ttention if irritation develops an	d persists.
Eye contact	Do not rub eyes. Rinse with water. Get medi	cal attention if irritation develop	s and persists.

Material name: Magnesium Oxide (MgO)

Ingestion Most important symptoms/effects, acute and delayed	Rinse mouth. Get medical attention if symptoms occur. Dusts may irritate the respiratory tract, skin and eyes. Coughing.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefightersFire fightingMove containers from fire area if you can do so without risk.equipment/instructionsUse standard firefighting procedures and consider the hazar

General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during
equipment and emergency	clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at
procedures	levels exceeding the exposure limits. For personal protection, see section
Methods and materials for containment and cleaning up	Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste

Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Practice good housekeeping.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Material	Туре	Value	Form
Magnesium Oxide (MgO) (CAS 1309-48-4)	PEL	15 mg/m3	Total particulate.
US. OSHA Table Z-3 Permissible E	xposure Limits (PEL) for Mineral	Dusts (29 CFR 1910.1000)	
Material	Туре	Value	Form

Material	Туре	Value	Form
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit V	alues (TLV)		
Material	Туре	Value	Form
Magnesium Oxide (MgO) (CAS 1309-48-4)	TWA	10 mg/m3	Inhalable fraction.
NIOSH. Immediately Dangero	us to Life or Health (IDLH) Values, as	amended	
Material	Туре	Value	
Magnesium Oxide (MgO) (CAS 1309-48-4)	IDLH	750 mg/m3	
US. California Code of Regula	tions, Title 8, Section 5155. Airborne	Contaminants	
Material	Туре	Value	Form
Magnesium Oxide (MgO) (CAS 1309-48-4)	PEL	10 mg/m3	Fume.
ogical limit values	No biological exposure limits noted	or the ingredient(s).	
ropriate engineering controls	Good general ventilation should be applicable, use process enclosures, maintain airborne levels below reco	local exhaust ventilation, or oth	er engineering controls to

Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear suitable protective clothing.
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and

9. Physical and chemical properties

Appearance

Physical state	Solid.
Form	Powder.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	10.3
Melting point/freezing point	5072 °F (2800 °C)

Initial boiling point and boiling range	6512 °F (3600 °C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explos	sive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	<0.0000001 kPa (77 °F (25 °C))
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	0.09 g/l at 86 °F
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	3.60 g/cm3
Explosive properties	Not explosive.
Molecular formula	Mg-O
Molecular weight	40.3 g/mol
Oxidizing properties	Not oxidizing.
Specific gravity	3.58
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Chlorine. Phosphorus.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Dusts may irritate the respiratory tract, skin and eyes. Coughing.

Information on toxicological effects

Acute toxicity

Not known.

Magnesium Oxide (MgO) (CAS 1	309-48-4)	
<u>Acute</u>		
Oral		
LD50	Rat	3870 mg/kg
* Estimates for product may b	be based on additional componen	t data not shown.
Skin corrosion/irritation	Prolonged skin contact may ca	use temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may c	ause temporary irritation.
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to	cause skin sensitization.
Germ cell mutagenicity	No data available to indicate pr mutagenic or genotoxic.	oduct or any components present at greater than 0.1% are
Carcinogenicity	Not classifiable as to carcinoge	nicity to humans.
IARC Monographs. Overall E	valuation of Carcinogenicity	
Not listed.		
OSHA Specifically Regulated	Substances (29 CFR 1910.1001	-1053)
Not listed.		
US. National Toxicology Prog	gram (NTP) Report on Carcinoger	S
Not listed.		
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be h	armful.
12. Ecological information		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the deg	radability of this product.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation global warming potential) are expected from this component.
13. Disposal considerations	3	
Disposal instructions	Collect and reclaim or dispose	in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all	-
Hazardous waste code	The waste code should be assi disposal company.	gned in discussion between the user, the producer and the waste
Waste from residues / unused products	-	local regulations. Empty containers or liners may retain some and its container must be disposed of in a safe manner (see:
Contaminated packaging		retain product residue, follow label warnings even after container is uld be taken to an approved waste handling site for recycling or

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)	Not regulated.
Food and Drug	Total food additive
Administration (FDA)	Direct food additive
	GRAS food additive

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

Other information, including date of preparation or last revision

Issue date	07-22-2015
Revision date	04-12-2024
Version #	07

Further information	Transportation Emergency Call Chemtrec at: US: 800.424.9300 International: 703.741.5970 Spain: 900.868.538 Switzerland: 0800.564.402 Chemtrec's toll free, mobile-enabled number in Germany – 0800 1817059 South Korea Toll-free Number – 080-880-0468
Disclaimer	This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion c
Revision information	Hazard(s) identification: Disposal Hazard(s) identification: Prevention Hazard(s) identification: Response Hazard(s) identification: Storage Accidental release measures: Methods and materials for containment and cleaning up Exposure controls/personal pro