



1. Identification

Product identifier	Vanadium oxide (V2O5) powder and pieces
Other means of identification	
SDS number	2DD
Materion Code	2DD
CAS number	1314-62-1
Synonyms	divanadiumpentaoxid * VANADIUM FUME (V2O5) * VANADIUM OXIDE * Vanadin(V) oxide * VANADIUM PENTOXIDE

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name	Materion Electronic Materials
Address	6070 Parkland Blvd Mayfield Heights, Ohio 44124 United States
Telephone	1.216.383.4019
E-mail	Materion-PS@materion.com
Contact person	Product Stewardship Director
Emergency phone number	See Section 16

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 2
	Acute toxicity, dermal	Category 2
	Acute toxicity, inhalation	Category 1
	Serious eye damage/eye irritation	Category 1
	Germ cell mutagenicity	Category 2
	Carcinogenicity	Category 1B
	Reproductive toxicity	Category 2
	Reproductive toxicity	Effects on or via lactation
Environmental hazards	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
	Specific target organ toxicity, repeated exposure	Category 1
	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	

Label elements



Signal word Danger

Hazard statement Harmful if swallowed, in contact with skin or if inhaled. Causes serious eye irritation. May cause respiratory irritation. Suspected of damaging fertility or the unborn child. Suspected of causing genetic defects. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Precautionary statement
Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response If swallowed: Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. Specific treatment is urgent (see this label). If eye irritation persists: Get medical advice/attention. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. If exposed or concerned: Get medical advice/attention. Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Vanadium oxide	divanadiumpentaoxid VANADIUM FUME (V2O5) VANADIUM OXIDE Vanadin(V) oxide VANADIUM PENTOXIDE	1314-62-1	100

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Perform artificial respiration if breathing has stopped. Call a physician or poison control center immediately.

Skin contact Wash skin thoroughly with soap and water for several minutes. Get medical attention immediately.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Ingestion Never give anything by mouth to an unconscious person. Rinse mouth thoroughly. Call a physician or poison control center immediately.

Most important symptoms/effects, acute and delayed Prolonged exposure may cause chronic effects. Severe eye irritation. Dusts may irritate the respiratory tract, skin and eyes. Coughing. Edema. Proteinuria. Jaundice. Liver enlargement.

Indication of immediate medical attention and special treatment needed Treat symptomatically.

General information Get medical attention. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Not available.

Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective clothing.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Wear appropriate personal protective equipment.
Methods and materials for containment and cleaning up	Collect dust using a vacuum cleaner equipped with HEPA filter. Sweep up or vacuum up spillage and collect in suitable container for disposal.
Environmental precautions	Avoid release to the environment.

7. Handling and storage

Precautions for safe handling	Avoid contact with eyes and prolonged skin contact. Avoid formation of dusts and aerosols. Wear appropriate personal protective equipment. Wash hands thoroughly after handling.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Material	Type	Value	Form
Vanadium oxide (CAS 1314-62-1)	Ceiling	0.5 mg/m3	Respirable dust.
		0.1 mg/m3	Fume.

US. ACGIH Threshold Limit Values (TLV)

Material	Type	Value	Form
Vanadium oxide (CAS 1314-62-1)	TWA	0.05 mg/m3	Inhalable fraction.

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

Material	Type	Value
Vanadium oxide (CAS 1314-62-1)	IDLH	35 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

Material	Type	Value	Form
Vanadium oxide (CAS 1314-62-1)	Ceiling	0.05 mg/m3	Fume.
		0.05 mg/m3	Dust.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Material	Type	Value	Form
Vanadium oxide (CAS 1314-62-1)	PEL	0.05 mg/m3	Respirable dust and/or fume.

Biological limit values	No biological exposure limits noted for the ingredient(s).
--------------------------------	--

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Face shield is recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Nitrile gloves are recommended.

Other Full body suit and boots are recommended when handling large volumes or in emergency situations.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking.

9. Physical and chemical properties

Appearance Powder.

Physical state Solid.

Form Powder.

Color Not available.

Odor Not available.

Odor threshold Not available.

pH Not available.

Melting point/freezing point 1274 °F (690 °C)

Initial boiling point and boiling range 3182 °F (1750 °C)

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure <0.0000001 kPa (77 °F (25 °C))

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) 8 g/l

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density 3.65 g/cm³ estimated at 21.7 °C

Explosive properties	Not explosive.
Molecular formula	O5-V2
Molecular weight	181.88 g/mol
Oxidizing properties	Not oxidizing.
Specific gravity	3.65 at 21.7 °C

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Fatal if inhaled. May cause damage to organs through prolonged or repeated exposure by inhalation.
Skin contact	Due to lack of data the classification is not possible. Dust or powder may irritate the skin.
Eye contact	Causes eye irritation.
Ingestion	Fatal if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Jaundice. Liver enlargement. Proteinuria. Dusts may irritate the respiratory tract, skin and eyes. Coughing. Edema.

Information on toxicological effects

Acute toxicity Fatal if inhaled. Fatal if swallowed. May cause respiratory irritation.

Product	Species	Test Results
Vanadium oxide (CAS 1314-62-1)		
Acute		
Inhalation		
LC50	Rat	70 mg/m3, 1 Hours
Oral		
LD50	Rat	10 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Due to lack of data the classification is not possible.
Serious eye damage/eye irritation	Causes eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Due to lack of data the classification is not possible.
Skin sensitization	Due to lack of data the classification is not possible.
Germ cell mutagenicity	May cause genetic defects.
Carcinogenicity	Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Vanadium oxide (CAS 1314-62-1)

2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity	Suspected of damaging the unborn child.
Specific target organ toxicity - single exposure	Causes damage to organs (). Respiratory tract irritation.
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Due to lack of data the classification is not possible.
Chronic effects	Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Product	Species	Test Results
Vanadium oxide (CAS 1314-62-1)		
Aquatic		
<i>Acute</i>		
Fish	LC50 Tigerfish, crescent perch (Therapon jarbua)	0.62 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

US RCRA Hazardous Waste P List: Reference

Vanadium oxide (CAS 1314-62-1) P120

Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number	UN2862
UN proper shipping name	Vanadium pentoxide, non-fused form, MARINE POLLUTANT
Transport hazard class(es)	
Class	6.1
Subsidiary risk	-

Label(s)	6.1
Packing group	III
Environmental hazards	
Marine pollutant	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB8, IP3, T1, TP33
Packaging exceptions	153
Packaging non bulk	213
Packaging bulk	240

IATA

UN number	UN2862
UN proper shipping name	Vanadium pentoxide non-fused form
Transport hazard class(es)	
Class	6.1
Subsidiary risk	-
Packing group	III
Environmental hazards	Yes
ERG Code	6L
Special precautions for user	Not assigned.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.

IMDG


UN number	UN2862
UN proper shipping name	VANADIUM PENTOXIDE non-fused form, MARINE POLLUTANT
Transport hazard class(es)	
Class	6.1
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-A
Special precautions for user	Not assigned.

DOT



IATA; IMDG





15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List.
This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Vanadium oxide (CAS 1314-62-1) Listed.

SARA 304 Emergency release notification

Vanadium pentoxide (CAS 1314-62-1) 1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
Vanadium oxide	1314-62-1	1000		100	10000

SARA 311/312 Hazardous chemical

Yes

Classified hazard categories

Acute toxicity (any route of exposure)
Serious eye damage or eye irritation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Vanadium oxide	1314-62-1	100

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) Section 112(r) (40 CFR 68.130)

Hazardous substance

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

WARNING: This product contains a chemical known to the State of California to cause cancer.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Vanadium oxide (CAS 1314-62-1)

California Proposition 65



WARNING: WARNING: This product contains a chemical known to the State of California to cause cancer.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Vanadium oxide (CAS 1314-62-1)

Listed: February 11, 2005

16. Other information, including date of preparation or last revision

Issue date 03-23-2018

Revision date 06-17-2024

Version # 02

Further information Transportation Emergency
Call Chemtrec at:
US: 800.424.9300
International: 703.741.5970
Spain: 900.868.538
Switzerland: 0800.564.402
Chemtrec's toll free, mobile-enabled number in Germany – 0800 1817059
South Korea Toll-free Number – 080-880-0468

Disclaimer This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws, statutes and regulations.

Revision information Other information, including date of preparation or last revision: Further information