

SAFETY DATA SHEET

1. Identification

Product identifier Barium silicide

Other means of identification

 SDS number
 2GW

 Materion Code
 2GW

 CAS number
 1304-40-1

Synonyms Barium silicide (BaSi2) * Barium silicide * Barium disilicide

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Materion Advanced Chemicals Inc.

Address 407 N 13th Street

1316 W. St. Paul Avenue Milwaukee, WI 53233

United States

Telephone 414.212.0257

E-mail advancedmaterials@materion.com

Contact person Laura Hamilton

Emergency phone number Chemtrec 800.424.9300

2. Hazard(s) identification

Physical hazards Substances and mixtures which, in contact Category 3

with water, emit flammable gases

Health hazards Acute toxicity, oral Category 4

Acute toxicity, inhalation Category 4

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement In contact with water releases flammable gas. Harmful if swallowed or if inhaled.

Precautionary statement

Hazard(s) not otherwise

Prevention Handle under inert gas. Protect from moisture. Avoid breathing dust/fume. Wash thoroughly after

handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a

well-ventilated area. Wear protective gloves/eye protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If inhaled: Remove

person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel

The Safety Information Sheet Chemicals of hazardous chemical can be obtained through phone,

unwell. In case of fire: Use appropriate media to extinguish.

Storage Store in a dry place. Store in a closed container.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

classified (HNOC) email or on the company website.

100% of the mixture consists of component(s) of unknown acute dermal toxicity. 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. For further information, please contact the Product Stewardship Department at +1.800.862.4118.

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
Barium silicide	Barium silicide (BaSi2)	1304-40-1	100
	Barium silicide		
	Barium disilicide		

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Get medical attention immediately.

Skin contact Wash the skin immediately with soap and water. Get medical attention if irritation develops and

persists.

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs,

keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. IF SWALLOWED: Call

a POISON CENTER or doctor/physician if you feel unwell. Direct contact with eyes may cause temporary irritation.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

_ ...

al Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Oxygen, if needed. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information In case of shortness of breath, give oxygen. In the case of accident or if you feel unwell, seek

medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety

data sheet to the doctor in attendance. Keep victim under observation. Keep victim warm.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Water. Do not use a solid water stream as it may scatter and spread fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

also consider initial evacuation for 800 meters (1/2 mile) in all directions. ALWAYS stay away from tanks engulfed in flame. Do not get water inside container. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For massive fire in cargo

If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions;

area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards In contact with water releases flammable gas. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of dust. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

Do not get water on spilled substance or inside containers. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Handle under inert gas. Protect from moisture. Minimize dust generation and accumulation. All equipment used when handling the product must be grounded. Do not taste or swallow. Avoid breathing dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

This material can accumulate static charge which may cause spark and become an ignition source. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store in a dry place. Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection

Occupational exposure limits

Biological limit values

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Material	Type	, Value	
Barium silicide (CAS 1304-40-1)	PEL	0.5 mg/m3	
US. ACGIH Threshold Limit Value	es		
Material	Туре	Value	
Barium silicide (CAS 1304-40-1)	TWA	0.5 mg/m3	
US. NIOSH: Pocket Guide to Che	emical Hazards		
Material	Туре	Value	
Barium silicide (CAS 1304-40-1)	TWA	0.5 mg/m3	
US. California Code of Regulation	ns, Title 8, Section 5155. Airborne	Contaminants	
Material	Туре	Value	
Barium silicide (CAS 1304-40-1)	PEL	0.5 mg/m3	

Material name: Barium silicide SDS US

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with

organic vapor cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such

as washing after handling the material and before eating, drinking, and/or smoking.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Solid.

Color Not available.

Odor Not available.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Explosive limit - upper (%)

Vapor pressure

Vapor density

Not available.

Not available.

Not available.

Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive.

Molecular formula BaSi2

Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Risk of ignition.

Possibility of hazardous No dangerous reaction known under conditions of normal use. Hazardous polymerization does not

reactions occu

Conditions to avoid Exposure to moisture. Contact with incompatible materials.

Incompatible materials None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Skin contact Due to lack of data the classification is not possible.

Eye contact Due to lack of data the classification is not possible.

Ingestion Harmful if swallowed. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. Harmful if inhaled. Harmful if swallowed. Harmful if swallowed.

Skin corrosion/irritation

Due to lack of data the classification is not possible.

Serious eye damage/eye

Due to lack of data the classification is not possible.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Skin sensitization

Due to lack of data the classification is not possible.

Due to lack of data the classification is not possible.

Due to lack of data the classification is not possible.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityDue to lack of data the classification is not possible. **Specific target organ toxicity -**Due to lack of data the classification is not possible.

single exposure

Due to lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure

·

Aspiration hazard Due to lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful.

Further information This product has no known adverse effect on human health.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

> and its container must be disposed of as hazardous waste. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with

chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Avoid discharge into water courses or onto the ground.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN2813

UN proper shipping name Transport hazard class(es)

Water-reactive solid, n.o.s.

Class 4.3 Subsidiary risk Label(s) 4.3 Packing group Ш

Special precautions for user

Read safety instructions, SDS and emergency procedures before handling. Special provisions IB8. IP4. T1. TP33

Packaging exceptions 151 Packaging non bulk 213 241 Packaging bulk

IATA

UN2813 UN number

UN proper shipping name Water-reactive solid, n.o.s.

Transport hazard class(es)

Class 4.3 Subsidiary risk Ш Packing group **Environmental hazards** No. **ERG Code** 4W

Special precautions for user

Other information

Not available.

Passenger and cargo

aircraft

Allowed with restrictions.

Allowed with restrictions. Cargo aircraft only

IMDG

UN number UN2813

UN proper shipping name WATER-REACTIVE SOLID, N.O.S.

Transport hazard class(es)

Class 4.3
Subsidiary risk Packing group III

Environmental hazards

Marine pollutantNo.EmSF-G, S-NSpecial precautions for userNot available.

DOT



IATA; IMDG



15. Regulatory information

US federal regulations All components are on the U.S. EPA TSCA Inventory List.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Barium silicide (CAS 1304-40-1) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Chemical nameCAS number% by wt.Barium silicide1304-40-1100

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

 Issue date
 08-27-2013

 Revision date
 01-19-2018

Version # 04
References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer Additional information is given in the Material Safety Data Sheet. Materion Advanced Chemicals

Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for

loss, injury, damage or expense due to improper use.

This document has been prepared using data from sources considered to be technically reliable and the information is believed to be correct. Materion makes no warranties, expressed or implied, as to the accuracy of the information contained herein. Materion cannot anticipate all conditions under which this information and its products may be used and the actual conditions of use are beyond its control. The user is responsible to evaluate all available information when using this product for any particular use and to comply with all Federal, State, Provincial and Local laws,

statutes and regulations.

Material name: Barium silicide SDS US

2GW Version #: 04 Revision date: 01-19-2018 Issue date: 08-27-2013